



Paper on Touch

Clinical, Professional & Ethical Issues

“Touch functions on many levels of adaptation, first to make survival possible and then to make life meaningful” (Brazelton, 1990, p. 561).

Introduction

In the context of this paper, *touch* refers to any physical contact occurring between persons in the course of the play therapy session. In its most positive form, touch is nurturing and supportive and may include a simple pat or a hug. There is also fairly neutral touch, such as holding a young child’s hand on the way to the playroom to prevent the child wandering off. There is touch that the child may experience as unpleasant, such as taking a child’s hand to stop him or her from hitting a sibling in session. Each of these types of touch is discussed below. The purpose of this paper is threefold: 1) to provide practitioners with information they may find useful in deciding whether touch might prove clinically useful in their work with a given child, 2) to stimulate thinking about the pros and cons of using touch in play therapy, which includes knowing when to make referrals for specific body focused treatments, and 3) to encourage additional research related to the significance of touch as it relates to mental health, neuroscience and other contributing factors that impact the child’s overall wellbeing.

When a child experiences touch from a caring and safe caregiver, many things happen to promote healthy growth. Children develop a sense of self and the ability to relate to others; they learn to modulate affect, regulate behavior, and develop a belief in his or her own self-worth and ability to master their environment. Research indicates that touch is essential in forming healthy parent/child attachments, promotes physiological development, reduces the effect of stress on an infant, and promotes positive body image (Jernberg & Booth, 1999; Makela, 2005). Touch is considered essential to the human experience and is a powerful form of communication. Touch, when used appropriately, can promote growth and provide healing. When misused, it can impede healthy development and cause harm. Because touch is a complex, powerful form of communication, the play therapist must carefully evaluate and understand their own motivations for using or not using touch, and whether or not this decision meets the needs of the child.

Touch in Play Therapy

1. Preparation – Training

Before incorporating touch into play therapy sessions, play therapists should be trained in the nature of touch as well as related developmental, therapeutic, ethical, and pragmatic issues. Play therapists are aware that different cultures attach different values and meaning on touch and therefore strive to understand how touch is expressed within the culture of the children with whom they are working. Before incorporating touch into play therapy sessions, play therapists should understand the various theoretical orientations regarding the clinical use of touch and assess their comfort level using touch. Finally, play therapists should maintain an ongoing relationship with the literature in the field of touch.

2. Preparation – Informed Consent and Documentation

Play therapists should be aware that touch has become a very sensitive topic in contemporary society and organizations may have policies and procedures in place addressing the use of touch. The therapist must be prepared to manage not only the reality of any touch that occurs in session but the perception of that touch by the child and the child’s caretakers. When touch is inherent in play activities, this can be accomplished by including the parents or caregivers in assessment and treatment planning. In the process of formulating goals and methodology, the therapist can explain the purposes and process of treatment so that the parents or caregivers will understand how touch is related to the goals. Play therapists should be prepared to give children and their caretakers specific examples of the types of

touch which can occur during play therapy (see sections 6-8 below), while realizing that all situations cannot be anticipated. When circumstances make issues of physical safety and sexual boundaries particularly germane to play therapy, provisions to protect the child should be reviewed as well as any relevant documents that the supporting agency maintains. The play therapist may consider the use of a separate written release form regarding physical contact. The play therapist should also document any/all unanticipated touch that transpires in a session, noting who initiated it, how it was addressed/implemented and the consequence/reaction. Play therapists also document a clear rationale and justification for the use of touch, linking it to theory or client goals. Play therapists recognize that the informed consent process is ongoing, and touch is discussed with guardians initially, as well as throughout therapy.

3. Implementation

Touch should only be considered when it BOTH meets the needs of the child and is consistent with the treatment goals. The types of touch and frequency and duration over the course of treatment, should correspond to the child's developmental level and needs.

4. Supervision/Consultation

Due to the complexity of the issue of touch and the inherent power differential between the play therapist and child, a play therapist who will be employing therapeutic approaches where touch is an essential and inherent aspect of the treatment, the therapist should have advanced training and supervision, and is strongly encouraged to be certified in those methods. Particularly when having limited experience and/or training regarding touch in therapy, the play therapist should engage in individual or group training, supervision and/or consultation with other professionals who are experienced in the use of touch in play therapy to gain such knowledge and assure the effective and ethical utilization of touch in therapy. Any play therapist utilizing touch in therapy must be willing to give careful thought and consideration to the decision to use or not use touch in relationship to the child's needs as well as the therapist's own motivations, thoughts, and feelings. In the event that a potential ethical conflict occurs in the context of touch, the play therapist is obligated to seek appropriate supervision/consultation.

5. Ethical Considerations

Sexual contact and/or erotic touch between a play therapist and child is ethically, morally and professionally wrong. Due to the inherent power differential between play therapist and child and coercion can be very subtle, this possibility should be closely monitored. The play therapist should not touch the child when the play therapist is uncomfortable with the touch, sexually aroused, or angry. Since the child may misconstrue the touch as aggressive, punitive or seductive, the play therapist should discontinue touch and seek supervision.

6. Special Considerations: Non-Clinical or Unanticipated Touch

Play therapists recognize that touch comes in many forms and occurs in many contexts within the play session. Oftentimes, the use of touch is foreseeable, such as when a child asks for a 'high five' or wants to sit on the therapist's lap while reading a story, or in physically based approaches (i.e therapist and child thumb wrestling). Other times, the child may spontaneously touch the therapist when giving an unsolicited hug, wishing to be escorted to the bathroom, or climbing onto the therapists' lap without warning. Unpredictable circumstances may arise in which the therapist may need to touch the child to provide supportive guidance in physical activities, provide nurturing touch in emotional situations or to otherwise tend to the emotional and physical safety of the child (i.e. when a child bolts from the playroom, climbs up shelves or locks themselves into various spaces). In any or all of these circumstances, the play therapist carefully monitors his/her touch response, utilizes touch with a clear rationale and appropriate intensity and acts in the most judicious manner in order to maintain safe conditions for the child and/or comfortable/acceptable boundaries for him/herself. All incidents of any of these examples of touch are to be documented and discussed with the child's guardian. Play therapists working in educational and/or treatment settings that have specific policies regarding touch that differ from their own must consider

those policies, address such with their supervisor and guide themselves accordingly. Play therapists are mindful that local, state, and federal laws governing touch take precedence over administrative work environment policies.

7. Special Considerations: Children Who Have Experienced Trauma or Abuse

The decision to use touch in play therapy with a child who has been traumatized and/or physically or sexually abused is determined on a case-by-case basis. The use of touch is not automatically excluded if or when a child has experienced trauma regarding inappropriate touch but the therapist needs to be extremely vigilant in monitoring and managing the child's perception and experience of being touched. Research has indicated that healthy, appropriate touch can be an important element in the treatment of touch as it relates to trauma. The symptoms of trauma and the maladaptive coping strategies the child develops may be appropriately treated with touch. A play therapist is ever vigilant not to retraumatize a child and understands that the child, in order to heal, may need to experience safe, good touch. Further, the play therapist who has not been specifically trained to work with this population will require supervision from a clinician who is competent to do so. As always, the use of touch is integrated into the treatment plan, and the play therapist always asks permission of the child before touching in this context. When working with children who have experienced abuse or trauma, play therapists take additional precautions to closely follow documentation procedures.

8. Special Considerations: Group Work

While most of this paper focuses on touch or physical contact between therapists and their child clients, the therapist must also monitor any physical contact that may occur between children in a play therapy group. All play therapists should have a plan (even if it does not involve touch or restraint) for how they will manage extreme violent or self-endangering acting out on the part of a child in session. This plan should be consistent with their training in restraint and the policies on restraint in the facility in which they are working. Group rules regarding touch between group participants should be introduced and enforced by play therapists.

- The rule not to hurt others should be stringently observed.
- The therapist must set limits on all physical, and, in particular, any sexualized contact between members of the group.
- The therapist needs to make the group members aware that different children have different needs for physical contact and/or physical distance or space.

Rules should be established whereby children in group play therapy/therapy respect each other's boundaries. When and if inappropriate touch, inappropriate contact or disrespectful behavior (i.e. hitting or teasing) does occur, it should be addressed in constructive ways as part of the process of some forms of group therapy. Extraordinary events (physical injury or inappropriate contact) should be reported to caregivers, reaffirming the safety measures and precautions that are in place. Play therapists should always document the extraordinary touch or contact. Such documentation should note who initiated contact, how it was addressed, and any consequences. Play therapists who plan to utilize group therapy should seek out supervision from a clinician who has been trained and when possible, certified in group therapy.

9. Special Considerations: Physical Restraint

Physical restraint is the most challenging and often times difficult form of therapeutic physical contact that can occur between a child and a play therapist. A child will almost never view the experience of physical restraint as positive while it is occurring. There may be occasions, particularly when a child is in a residential treatment center or hospital, where the play therapist's ability to effectively and safely restrain the child is essential to maintaining the child's safety in the playroom. While this is most often the case when working with more severely disturbed children, the need for restraint may arise at any time and in any treatment setting, after less restrictive means have been attempted.

Play therapists working in a setting in which restraint is commonplace should receive the necessary training and become thoroughly familiar with any laws in their state regarding the use of physical restraint. All play therapists should have a plan (even if it does not involve touch or restraint) for how they will manage extreme violent or self-endangering acting out on the part of a child in session, and this plan should be consistent with their training in restraint and the policies on restraint in the facility in which they are working. Should restraint become necessary, the event must be processed with both the child and the caretaker immediately after ending the restraint procedure. In the event that the play therapist is not comfortable, for any reason, in utilizing restraint, he/she should make arrangements with alternate personnel for doing so. All incidents of restraint should be carefully documented.

10. Disclaimer

The information contained herein are guidelines which serve as a reference for play therapists. This information does not replace and is not, and should not be used as a substitute for any standards, guidelines or other rules and regulations by which play therapists are bound, including ethical standards of their parent licensing body or applicable laws. Play therapists are entirely responsible for their own professional activity. In no event shall APT or any branch be liable for any reason to any member, client or other individual for any decision made, action taken, omission, misdiagnosis or malpractice that may occur as a result of treatment provided by any play therapist. APT and the branches have no control over the services provided by any play therapist and disclaim any and all liability for any loss or injury to any member, client or other individual caused by any play therapist. The data and statements in the materials provided herein are the sole responsibility of the authors. APT shall not be responsible or liable for the consequences of any inaccurate or misleading data or statement. Specific materials reflect the views of the individuals or groups who prepared the materials and do not represent the position or recommendation of APT, the members of APT, or the Board of Directors of APT. Inclusion of specific material by APT in any publication (including on APT's website) does not constitute endorsement of its contents.

11. Revisions

- Initially crafted by a task force comprising Chair Trudy Post Sprunk (GA), LMFT, RPT-S, and members Jo Anne Mitchell (GA), MEd, LPC, RPT-S; David Myrow (NY), PhD, LP, RPT-S, and Kevin O'Connor (CA), PhD, LP, RPT-S, in 2001.
- Reviewed but not revised by Chair Jeff Ashby (GA), PhD, and the Ethics & Practices Committee in 2006.
- Reviewed and revised by Chair Lawrence Rubin (FL), PhD, LMHC, RPT-S, and a special Ethics & Practices Task Force in 2009.
- Reviewed and revised by Chair Gerra Perkins (LA), PhD, LPC-S, RPT, and a special Ethics & Practices Task Force in 2012.
- Reviewed and revised by Chair Jane LeVieux (TX), PhD, LPC-S, RN-BC, RPT-S, and the Ethics & Practice Guidelines Committee in 2015.
- Next Review 2018

Resources

- Allen, J.J. (2000). Seclusion and restraint of children: A literature review. *Journal of Child and Adolescent Psychiatric Nursing*, 13(4), 159-167.
- American Counseling Association (2014). Code of ethics. Retrieved from <http://www.counseling.org/docs/ethics/2014-aca-code-of-ethics.pdf>
- Ardiel, E., & Rankin, C. H. (2010). The importance of touch in development. *Pediatric Child Health.*, 15(3), 153-156. Retrieved July 31, 2015.
- Aquino, A. T. & Lee, S.S. (2000). The use of nonerotic touch with children: Ethical and developmental considerations. *Journal of Psychotherapy in Independent Practice*, 1(3), 17-30.
- Barnard, K.E., & Brazelton, T.B. (1990). *Touch: The foundation of experience*. Madison, WI: International Universities Press.

- Booth, P. B., & Jernberg, A. M. (2010). *Theraplay: Helping parents and children build better relationships through attachment-based play*. San Francisco: Jossey-Bass.
- Brody, V.A. (1978). Developmental play: A relationship-focused program for children. *Journal of Child Welfare, 57*(9), 591-599.
- Brody, V.A. (1997). *The dialogue of touch: Developmental play therapy (2nd ed.)*. Northvale, NJ: Jason Aronson.
- Courtney, J.A. (2012). Touching autism through developmental play therapy. In L. Gallo-Lopez & L.C. Rubin (Eds.), *Play-based interventions for children and adolescents with autism spectrum disorders* (pp. 137-157). New York, NY: Routledge.
- Courtney, J.A. & Gray, S. W. (2014). A Phenomenological inquiry into practitioner experiences of developmental play therapy: Implications for training in touch. *International Journal of Play Therapy, 23*(2), 114-129
- Council for Children with Behavior Disorders of the Council for Exceptional Children (May/July 2009). CCBDB Position on the Use of Physical Restraint Procedures in School Settings. Arlington, VA: Author.
- Day, D.M. (2002). Examining the therapeutic utility of restraints and seclusion with children and youth: The role of theory and research in practice. *American Journal of Orthopsychiatry, 72*(2), 266-278.
- Delany, K.R. (2001). Developing a restraint reduction program for child/adolescent inpatient treatment. *Journal of Child and Adolescent Psychiatric Nursing, 14*(3), 128-140.
- Delany, K.R. (2006). Evidence base for practice: Reduction of restraint and seclusion use during child and adolescent psychiatric inpatient treatment. *Worldviews on Evidence-Based Nursing, 3*(1), 19-30.
- Field, T. (1995). Infant massage therapy. In *Touch in early development*. Mahwah, NJ: Lawrence Erlbaum Associates.
- Field, T. (2001). *Touch*. Cambridge, MA: MIT Press
- Flannery, R.B & Walker, A.P. (2003). Safety skills of mental health workers: empirical evidence of a risk management strategy. *Psychiatric Quarterly, 74*, 1-10.
- Fuller, W.S., & Booth, P.B. (1997, Fall). Touch with abused children. *The Theraplay Institute Newsletter, 4-7*.
- Gil, E. (1991). *The healing power of play: Working with abused children*. New York: Guilford Press.
- Hetherington, A. (1998). The use and abuse of touch in therapy and counseling. *Counseling Psychology Quarterly, 11*(4), 361-364.
- Hunter, M., & Struve, J. (1998). *The ethical use of touch in psychotherapy*. Thousand Oaks, CA: Sage Publications, Inc.
- James, B. (1989). *Treating traumatized children: New insights and creative interventions*. Lexington, MA: Lexington Books.
- Jernberg, A., & Booth, P. (1999). *Theraplay: Helping parents and children build better relationships through attachment based play* (2nd ed.). San Francisco, CA: Jossey-Bass Publishers.
- Johnson, M.E (1998). Being restrained: a study of power and powerlessness. *Issues in Mental Health Nursing, 19*, 191-206.
- Kennedy, S.S. & Mohr, W.K. (2001). A prolegomenon on restraint of children: Implicating constitutional rights. *American Journal of Orthopsychiatry, 77*(1), 26-37.
- Makela, J. (2005). The importance of touch in the development of children. *Finnish Medical Journal, 60*, 1543-1549.
- McNeil-Haber, F.M. (2004). Ethical considerations in the use of non-erotic touch in psychotherapy with children. *Ethics & Behavior 14*(2), 123-140.
- Mohr, W.K. & Anderson, J.A. (2001). Faulty assumptions associated with the use of restraints with children. *Journal of Child and Adolescent Psychiatric Nursing, 14*(3), 141-151.
- Montague, A. (1971). *Touching: The human significance of the skin*. New York: Columbia University Press.
- Myrow, D.L. (1997, Fall). In touch with Theraplay. *The Theraplay Institute Newsletter*, No. 9.
- Phelan, J. E. (2009). Exploring the use of touch in the psychotherapeutic setting: A phenomenological review. *Psychotherapy: Theory, Research, Practice, Training, 46*(1), 97-111.
- Rubin, P.B., Tregay, J. & DaCosse, M.A. (1989). *Play with them--theraplay groups in the classroom: A technique for professionals who work with children*. Springfield, IL.: C.C. Thomas.

- Simmons, C. (2008). NASW Cultural Competence Indicators: A New Tool for the Social Work Profession. *Journal of Ethnic & Cultural Diversity in Social Work, 17*(1), 4-20. doi:10.1080/15313200801904869
- Smith, E., Clance, P.R., & Imes, S. (Eds.). (1998). *Touch in psychotherapy: Theory, research and practice*. New York: Guilford Press.
- Sourander, A., Ellila, H., Valimaki, M., & Piha, J. (2002). Use of holding, restraints, seclusion and time-out in child and adolescent psychiatric in-patient treatment. *European Child & Adolescent Psychiatry, 11*, 162-167.
- Sugar, M. (1994). Wrist-holding for the out of control child. *Child Psychiatry and Human Development, 24*(3), 145-155.
- U.S. Department of Education, Summary of Seclusion and Restraint Statutes, Regulations, Policies and Guidance, by State and Territory: Information as Reported to the Regional Comprehensive Centers and Gathered from Other Sources, Washington, D.C. 2010.
- Weiss, S.J. (1990). Parental touching: Correlates of a child's body concept and body sentiment. In K.E. Barnard and T.B. Brazelton (Eds.), *Touch: The foundation of experience*. Madison, WI: International Universities Press.
- Winnicott, D.W. (1958). *Collected papers: Through pediatrics to psychoanalysis*. London: Tavistock.