



References 2003-2009
Pamela Graydon - NIOSH Source

Thunderstorms and ipods- not a good idea. *N Engl J Med.* 2007; 357(2): 198-.

AAA. Effort aims to curb number of kids who suffer from noise-induced hearing loss. 2008 ed. American Academy of Audiology; January 24.

Aasvang, GM and Engdahl, B. Subjective responses to aircraft noise in an outdoor recreational setting: a combined field and laboratory study. *J Sound Vib.* 2004; 276(3-5):981-996.

Aasvang GM and Engdahl BI Rothschild K. Annoyance and Self-Reported Sleep Disturbances Due to Structurally Radiated Noise From Railway Tunnels. *Appl Acoust.* 2007; 68(9):970-981. ISSN: 0003-682X.

Aazh H and Moore BC. Dead regions in the cochlea at 4 kHz in elderly adults: relation to absolute threshold, steepness of audiogram, and pure-tone average. *J Am Acad Audiol.* 2007; 18(2):97-106. ISSN: 1050-0545.

Abaamrane L; Raffin F; Gal M; Avan P, and Sendowski I. Long-term administration of magnesium after acoustic trauma caused by gunshot noise in guinea pigs. *Hear Res.* 2008; Dec 3. ISSN: 0378-5955.

Abas AB; Said ARB; Mohammed MAB, and Sathiakumar N. Occupational Disease Among Non-Governmental Employees in Malaysia: 2002-2006. *Int J Occup Environ Health.* 2008; 14(4):263-271. ISSN: 1077-3525.

Abbate C; Concetto G; Fortunato M; Brecciaroli R; Tringali MA; Beninato G; D'Arrigo G, and Domenico G. Influence of environmental factors on the evolution of industrial noise-induced hearing loss. *Environ Monit Assess.* 2005; 107(1-3):351-361. ISSN: 0167-6369.

Abdel-Hamid O; Khatib OM; Aly A; Morad M, and Kamel S. Prevalence and patterns of hearing impairment in Egypt: a national household survey. *East Mediterr Health J.* 2007; 13(5):1170-1180. ISSN: 1020-3397.

Abdel-Raziq IR; Qamhieh ZN, and Abdel-Ali MM. Noise pollution in factories in Nablus City. *Acta Acustica.* 2003; 89(5):913-916.

Abdou AA. Measurement of acoustical characteristics of mosques in Saudi Arabia. *J Acoust Soc Am.* 2003; 113(3):1505-1517.

Abel SM. Barriers to Hearing Conservation Programs in Combat Arms Occupations. *Aviat Space Environ Med.* 2008; 79(6):591-598. ISSN: 0095-6562.

Abel SM. Hearing loss in military aviation and other trades: investigation of prevalence and risk factors. *Aviat Space Environ Med.* 2005; 76(12):1128-1135. ISSN: 0095-6562.

Abel SM; Crabtree B; Baranski JV; Smith DG; Thompson MM; Steeneken HJ; Verhave JA; Buckey JC; Alvarenga DL, and Comtois JM. Hearing and performance during a 70-h exposure to noise simulating the space station environment. *Aviat Space Environ Med.* 2004; 75(9):764-770. ISSN: 0095-6562.

Abel SM and Lam K. Impact of Unilateral Hearing Loss on Sound Localization. *Appl Acoust.* 2008; 69(9):804-811. ISSN: 0003-682X.

Abel SM and Lam Q. Sound attenuation of the indoor/outdoor range E-A-R plug. *Mil Med.* 2004; 169(7):551-555. ISSN: 0026-4075.

Abel SM and Odell P. Auditory perception with ear and cold weather face protection worn in combination. *Mil Med.* 2006; 171(10):976-981. ISSN: 0026-4075.

Abel SM and Odell P. Sound attenuation from earmuffs and earplugs in combination: maximum benefits vs. missed information. *Aviat Space Environ Med.* 2006; 77(9):899-904. ISSN: 0095-6562.

Abel SM and Shelly Paik JE. Sound source identification with ANR earmuffs. *Noise Health.* 2005; 7(27):1-10. ISSN: 1463-1741.

Abel SM; Tsang S, and Boyne S. Sound localization with communications headsets: Comparison of passive and active systems. *Noise Health.* 2007; 9(37):101-107. ISSN:- 37.

Abou Turk C; Williams AL, and Lasky RE. A randomized clinical trial evaluating silicone earplugs for very low birth weight newborns in intensive care. *J Perinatol.* 2009; Feb 5. ISSN: 1476-5543.

Abrashkin KA; Izumikawa M; Miyazawa T; Wang CH; Crumling MA; Swiderski DL; Beyer LA; Gong TW, and Raphael Y. The fate of outer hair cells after acoustic or ototoxic insults. *Hear Res.* 2006; 218(1-2):20-29. ISSN: 0378-5955.

Achutan C. Occupational noise levels during emergency relief operations in the aftermath of Hurricane Katrina. *J Occup Environ Hyg.* 2007; 4(4):D33-5; quiz D36-7. ISSN: 1545-9624.

Achutan C and Tubbs RL. Noise exposures during potato processing and manufacture of animal feed. *J Agric Saf Health.* 2007; 13(4):367-374. ISSN:- 4.

Achutan C and Tubbs RL. A task-based assessment of noise levels at a Swine confinement. *J Agromed.* 2007; 12(2):55-65. ISSN:- 2.

Acker-Mills BE; Houtsma AJ, and Ahroon WA. Speech intelligibility in noise using throat and acoustic microphones. *Aviat Space Environ Med.* 2006; 77(1):26-31. ISSN: 0095-6562.

ACOEM noise and hearing conservation committee. ACOEM evidence-based statement: noise-induced hearing loss. *J Occup Environ Med.* 2003; 45(6):579-581.

Adams EM and Moore RE. Effects of Speech Rate, Background Noise, and Simulated Hearing Loss on Speech Rate Judgment and Speech Intelligibility in Young Listeners. *J Am Acad Audiol.* 2009; 20(1):28-39. ISSN: 1050-0545.

Adams M; Cox T; Moore G; Croxford B; Refaee M, and Sharples S. Sustainable Soundscapes: Noise Policy and the Urban Experience. *Urban Studies.* 2006; 43(13):2385-2398.

Adams M; Moorhouse A, and Waddington D. Social Effects of Low Frequency Noise Exposure on Sufferers: Developing a Procedure of Assessment. *J Low Freq Noise Vib Active Control.* 2007; 26(4):271-282. ISSN: 0263-0923.

Adelman C; Freeman S; Paz Z, and Sohmer H. Salicylic Acid Injection before Noise Exposure Reduces Permanent Threshold Shift. *Audiol Neurootol.* 2008; 13(4):266-272. ISSN: 1421-9700.

- Afonso AS and Gilbert JK. The Nature of Exhibits About Acoustics in Science and Technology Centres. *Research in Science Education*. 2008; 38(5):633-651. ISSN: 0157-244X.
- Agrawal Y; Platz EA, and Niparko JK. Prevalence of hearing loss and differences by demographic characteristics among US adults: data from the National Health and Nutrition Examination Survey, 1999-2004. *Arch Intern Med*. 2008; 168(14):1522-1530. ISSN: 1538-3679.
- Agrawal Y; Platz EA, and Niparko JK. Risk Factors for Hearing Loss in US Adults: Data From the National Health and Nutrition Examination Survey, 1999 to 2002. *Otol Neurotol*. 2008; Dec 16. ISSN: 1537-4505.
- Ahmad M; Bohne BA, and Harding GW. An in vivo tracer study of noise-induced damage to the reticular lamina. *Hear Res*. 2003; 175(1-2):82-100.
- Ahmad RKR and Tokhi MO. Theoretical Development of Minimum Effort Active Noise Control With Feedback Inclusion Architecture. *J Low Freq Noise Vib Active Contr*. 2008; 27(1):75-81. ISSN: 0263-0923.
- Ahmed, H. O.; Dennis, J. H., and Ballal, S. G. The accuracy of self-reported high noise exposure level and hearing loss in a working population in Eastern Saudi Arabia. *Int J Hyg Environ Health*. 2004; 207(3):227-234. ISSN: 1438-4639.
- Ahn JH; Kang HH; Kim YJ, and Chung JW. Anti-apoptotic role of retinoic acid in the inner ear of noise-exposed mice. *Biochem Biophys Res Commun*. 2005; 335(2):485-490. ISSN: 0006-291X.
- Ahroon WA; Houtsma AJ, and Curry IP. Auscultation in noise--a paradigm shift. *Aviat Space Environ Med*. 2007; 78(9):918. ISSN: 0095-6562.
- Aiken SJ and Picton TW. Human Cortical Responses to the Speech Envelope. *Ear Hear*. 2008; 29(2):139-157. ISSN: 0196-0202.
- Aizawa N and Eggermont JJ. Effects of Noise-Induced Hearing Loss at Young Age on Voice Onset Time and Gap-in-Noise Representations in Adult Cat Primary Auditory Cortex. *J Assoc Res Otolaryngol*. 2006; 7:71-81. ISSN: 1525-3961.
- Aizawa N and Eggermont JJ. Mild noise-induced hearing loss at young age affects temporal modulation transfer functions in adult cat primary auditory cortex. *Hear Res*. 2006; Nov 21. ISSN: 0378-5955.
- Akdogan O; Selcuk A; Take G; Erdogan D, and Dere H. Continuous or intermittent noise exposure, does it cause vestibular damage? An experimental study. *Auris Nasus Larynx*. 2008; May 13. ISSN: 0385-8146.
- Akeroyd M. Are Individual Differences in Speech Reception Related to Individual Differences in Cognitive Ability? A Survey of Twenty Experimental Studies With Normal and Hearing-Impaired Adults. *Int J Audiol*. 2008; 47(Suppl 2):S53-S71. ISSN: 1499-2027.
- Al-Dousary SH. Mobile phone induced sensorineural hearing loss. *Saudi Med J*. 2007; 28(8):1283-1286. ISSN: 0379-5284.
- Al Khabori M and Khandekar R. The prevalence and causes of hearing impairment in Oman: a community-based cross-sectional study. *Int J Audiol*. 2004; 43(8):486-492. ISSN: 1499-2027.
- Al-Khabori M and Khandekar R. Unilateral hearing impairment in Oman: a community-based cross-sectional study. *Ear Nose Throat J*. 2007; 86(5):274, 277-280. ISSN: 0145-5613.
- Alain C; Campeanu S, and Tremblay K. Changes in Sensory Evoked Responses Coincide With Rapid Improvement in Speech Identification Performance. *J Cogn Neurosci*. 2009; Jun 1. ISSN: 0898-929X.

Alapetite A. Impact of noise and other factors on speech recognition in anaesthesia. *Int J Med Inform.* 2008; 77(1):68-77. ISSN: 1386-5056.

Alayrac M; Viollon S, and Marquis-Favre C. Noise annoyance indicators for various industrial noise sources: Results and comparisons. *J Acoust Soc Am.* 2008; 123(5):3811. ISSN: 1520-8524.

Alba J; Ramis J; Lorenzana MT, and Del Rey R. Proposal a Empirical Model for Absorbent Acoustical Materials. *Rev Int De Metodos Num Para Calculo Y Diseno En Ingenieria.* 2008; 24(2):147-162. ISSN: 0213-1315.

Albu F and Paleologu C. New multichannel modified filtered-x algorithms for active noise control using the dichotomous coordinate descent method. *J Acoust Soc Am.* 2008; 123(5):3874. ISSN: 1520-8524.

Alessio H and Hutchinson K. Exercise promotes hearing health. *Hear Rev.* 2004; April.

Alexander, J. M. and Lutfi, R. A. Informational masking in hearing-impaired and normal-hearing listeners: sensation level and decision weights. *J Acoust Soc Am.* 2004; 116(4 Pt 1):2234-2247. ISSN: 0001-4966.

Alexander JM and Lutfi RA. Sample discrimination of frequency by hearing-impaired and normal-hearing listeners. *J Acoust Soc Am.* 2008; 123(1):241-253. ISSN: 1520-8524.

Allen JB; Jeng PS, and Levitt H. Evaluation of human middle ear function via an acoustic power assessment. *J Rehabil Res Dev.* 2005; 42(4 Suppl 2):63-78. ISSN: 0748-7711.

Allen K; Carlile S, and Alais D. Contributions of talker characteristics and spatial location to auditory streaming. *J Acoust Soc Am.* 2008; 123(3):1562-1570. ISSN: 1520-8524.

Alosh M and Huque MF. A Flexible Strategy for Testing Subgroups and Overall Population. *Stat Med.* 2009; 28(1):3-23. ISSN: 0277-6715.

Alterman T; Steege AL; Li J; Petersen MR, and Muntaner C. Ethnic, racial, and gender variations in health among farm operators in the United States. *Ann Epidemiol.* 2008; 18(3):179-186. ISSN: 1047-2797.

Aluclu I; Dalgic A, and Toprak ZF. A fuzzy logic-based model for noise control at industrial workplaces. *Appl Ergon.* 2008; 39(3):368-378. ISSN: 0003-6870.

Alujevic N; Gardonio P, and Frampton KD. Smart Double Panel With Decentralized Active Dampers for Sound Transmission. *Aiaa J.* 2008; 46(6):1463-1475. ISSN: 0001-1452.

Aly, ME. Noise assessment inside the second-line of the Greater Cairo Underground Metro. *SADHANA-Acad Proc Eng Sci.* 2005; 30:47-55.

Amedofu GK; Ocansey G, and Antwi BB. Characteristics of hearing-impairment among patients in Ghana. *Afr J Health Sci.* 2006; 13(1-2):110-116. ISSN: 1022-9272.

Amernik K; Kabacinska A; Tarnowska C, and Paradowska-Opalka B. [Acute ear trauma caused by failure of mobile phone/cellular phone]. *Otolaryngol Pol.* 2007; 61(4):484-486. ISSN: 0030-6657.

Ami M; Abdullah A; Awang MA; Liyab B, and Saim L. Relation of Distortion Product Otoacoustic Emission With Tinnitus. *Laryngoscope.* 2008; 118(4):712-717. ISSN: 0023-852X.

Amos NE and Humes LE. Contribution of high frequencies to speech recognition in quiet and noise in listeners with varying degrees of high-frequency sensorineural hearing loss. *J Speech Lang Hear Res.* 2007; 50(4):819-834. ISSN: 1092-4388.

- Amoser S and Ladich F. Diversity in noise-induced temporary hearing loss in otophysine fishes. *J Acoust Soc Am*. 2003; 113(4):2170-2179.
- Amri C; Henchi MA; Abdallah B; Bouzigarrou L; Chaari N; Akrouit M; Khalfallah T, and Malchaire J. Participative Detection of the Occupational Risks in the Tunisian Industry of Textile. *Archives Des Maladies Professionnelles Et De L Environnement*. 2009; 70(2):163-172. ISSN: 1775-8785.
- An ZY and Sun LQ. [Evaluation on the result of reducing noise in towboat engine room]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 2005; 23(6):486. ISSN: 1001-9391.
- Anderson, D. L. and Noble, W. Couples' attributions about behaviours modulated by hearing impairment: links with relationship satisfaction. *Int J Audiol*. 2005; 44(4):197-205. ISSN: 1499-2027.
- Anderson GS and Miller NP. Alternative Analysis of Sleep-Awakening Data. *Noise Control Engineering Journal*. 2007; 55(2):224-245. ISSN: 0736-2501.
- Anderson K. The problem of classroom acoustics: The typical classroom soundscape is a barrier to learning. *Sem Hearing*. 2004; 25(2):117-129.
- Andersson G and Westin V. Understanding tinnitus distress: introducing the concepts of moderators and mediators. *Int J Audiol*. 2008; 47(Suppl 2):S106-S111. ISSN: 1708-8186.
- Andren L; Hakansson L, and Claesson I. Active control of machine tool vibrations in external turning operations. *Proceedings Institution Mech Eng Part B-J Eng Manufacture*. 2003; 217(6):869-872.
- Angeli SI; Liu XZ; Yan D; Balkany T, and Telischi F. Coenzyme Q-10 treatment of patients with a 7445A--->G mitochondrial DNA mutation stops the progression of hearing loss. *Acta Otolaryngol*. 2005; 125(5):510-512. ISSN: 0001-6489.
- Anon. Airport noise impairs long-term memory and reading [Web Page]. 2003; Accessed 1912 Feb 3. Available at: www.advanceforaud.com/aafeature4.html.
- Anon. Answer this ringing. *Current Health*. 2003; 29(5):2.
- Anon. Antibiotics and hearing loss. *Chem Eng News*. 2005; 83(43):48.
- Anon. Be cautious of loud noise exposure. *Occup Health Safety*. 2003; June:<http://www.stevenspublishing.com/stevens/OHSpub.nsf/PubArchive?openview>.
- Anon. [Bionic hearing]. *Krankenpfl J*. 2005; 43(4-6):155. ISSN: 0174-108X.
- Anon. Can Viagra really cause hearing and vision loss? If so, is this a reason to avoid using it? *Mayo Clin Health Lett*. 2008; 26(7):8. ISSN: 0741-6245.
- Anon. Driver never heard warnings. *Industrial Safety and Hygiene News*. 2003; 37(4):4a. ISSN: 8755-2566.
- Anon. Ear, nose & throat otolaryngologists are spending increasing time on hearing loss. *U.S. News & World Report*. 2003; 135(3):98.
- Anon. Editorial Note Regarding Sufficiency of Authors' Disclosures: Hearing Levels of Firefighters: Risk of Occupational Noise-Induced Hearing Loss Assessed by Cross-Sectional and Longitudinal Data [Ear Hear 2005;26(3):327-340]- Response. *Ear and Hearing*. 2008; 29(5):817-818. ISSN: 0196-0202.

Anon. [Effects of noise generated by life support systems on the human hearing function]. *Aviakosm Ekolog Med.* 2006; 40(4):3-14. ISSN: 0233-528X.

Anon. Flexible Absorber/Barrier Composite for Noise Control. *Sound Vib.* 2008; 42(7):6-7. ISSN: 1541-0161.

Anon. Hearing conservation at the Sturgis motorcycle rally. *Aud Today.* 2003; 15(1):32.

Anon. Hearing gets checked in Canadian study of Stanley cup playoff noise. *Hear Rev.* 2007; Jan 4.

Anon. Hearing loss and high-speed dental tools. *Br Dent J.* 2006; 201(5):259. ISSN: 0007-0610.

Anon. Hearing loss. Facing facts and fears about age-related ear damage. *Mayo Clin Womens Healthsource.* 2006; 10(4):1-2. ISSN: 1091-0220.

Anon. Hearing loss: Following sound conditioning, traumatic apoptosis won't occur in cochlea. *Health Med Week.* 2003; Sept 8:379.

Anon. Hearing loss. How loud is too loud? *Mayo Clin Health Lett.* 2006; 24(9):7. ISSN: 0741-6245.

Anon. Hearing loss. How to save and improve the hearing you still have. *Mayo Clin Health Lett.* 2008; Suppl:1-8. ISSN: 0741-6245.

Anon. [Hearing well is not a coincidence]. *Krankenpfl J.* 2004; 42(7-10):262-263. ISSN: 0174-108X.

Anon. How to stop hearing the ringing of Tinnitus. *Tufts University Health & Nutrition Lett.* 2003; 21(3):6.

Anon. Is Exposure to Road Traffic Noise a Hypertension Risk Factor? *Environnement Risques & Sante.* 2007; 6(6):414-415. ISSN: 1635-0421.

Anon. Just a little bit louder now. *CBS Broadcasting Inc.;* 1.

Anon. Keep it down! Euro noise assault. *Wired News.*

Anon. Mobile phone use and acoustic neuroma [Web Page]. 2004; Accessed 2005 May 18. Available at: http://www.innovations-report.de/html/berichte/medizin_gesundheit/bericht-34781.html.

Anon. Mom creates safe volume earbuds for children. *Hear Rev.* 2006; Dec 7.

Anon. National Hearing Conservation Association aligns with OSHA. *Occup Health Safety.* 2003; June:<http://www.stevenspublishing.com/stevens/OHSpub.nsf/PubArchive?openview>.

Anon. NIDCD presents Wise Ears! for children's hearing safety. *Hear Rev.* 2006; Dec 7.

Anon. Noise-Con 2003:Report. *Noise News Int.* 2003; 11(4):132-141.

Anon. Noise from hand tools: What you're working on makes a difference. *Hear Rev.* 2007; April.

Anon. Noise-induced hearing loss. *J Occup Environ Med.* 2003; 45(6):579-581.

Anon. Noise-induced hearing loss. *Harv Mens Health Watch.* 2007; 12(5):3-5. ISSN: 1089-1102.

Anon. Noise-induced hearing loss in young people. *Adv Adiol.* 2003; 5(2):11.

Anon. Noise is major cause of hearing loss. *USA Today.* McLean, VA; 2003 Jul 24; D: 1.

Anon. "Noise Pill" research aims to curb hearing loss. *Occup Health Safety*. 2003; 72(5):10.

Anon. [Nonspecific effects of noise exposure]. *Gig Sanit*. 2007; Nov-Dec(6):54-56. ISSN:- 6.

Anon. [The occupational physician facing the new duties regarding noise and vibration--Milan, April 20, 2006. University of Studies--Aula Magna-- Via Festa del Perdono, 7]. *Med Lav*. 2006; 97(1):84-85. ISSN: 0025-7818.

Anon. Otolaryngologists warn cell phone users of high-frequency hearing loss. *Occup Health Saf*. 2007; Sept 20.

Anon. Otolaryngology: Compound licensed from U.S. Navy shown to protect against hearing loss. *Drug Week*. 2003; March 28.

Anon. Pharmacological treatment for noise induced hearing loss. *NVB*. 2003; June:139.

Anon. Preventing Hearing Loss. *J Audio Eng Soc*. 2006; 54(11):1109-1113.

Anon. Quickstats: Percentage of adults* who reported being deaf or having a lot of trouble hearing without a hearing aid, by sex and age group---United States, 2003. *MMWR*. 2005; 54(25):635.

Anon. Replacement parts for hearing loss? *Mole Ther*. 2003; 8(6):866.

Anon. Researchers Identify Age-related hearing loss gene. *Occup Health Safety*. 2008; Dec 3.

Anon. Run over by asphalt roller. *Industrial Safety and Hygiene News*. 2003; 37(4):6A. ISSN: 8755-2566.

Anon. Scientists seek pill to cut hearing loss from noise. *Tribune-Review*; 2003 Oct 13.

Anon. Struggling to hear can impact word memory. *Health News*. 2006; 12(1):15. ISSN: 1081-5880.

Anon. Study of wood industry shows need for hearing services for Michigan workers [Web Page]. 2005; Accessed 2005 Jul 14. Available at: www.ohsonline.com.

Anon. Subsonic low frequency sound--a topic for the environmentally related health protection? Report of the commission "Methods and Quality Assurance in Environmental Medicine. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2007; 50(12):1582-1589. ISSN: 1436-9990.

Anon. Summaries for patients. Does diabetes affect hearing? *Ann Intern Med*. 2008; 149(1):I20. ISSN: 1539-3704.

Anon. Taking childhood hearing loss seriously. *Lancet*. 2007; 369(9569):1234. ISSN: 1474-547X.

Anon. Teamsters to conduct noise study for drivers. *Safety & Health*. 2003; 168(1):18.

Anon. Teens respond to hearing conservation message delivered by House Ear Institute. *Hear Rev*. 2008; Jan 3.

Anon. This is an earful that nobody wants. Tinnitus creates continual noise, even when there is nothing to hear. Solutions are hard to find. *Harv Health Lett*. 2006; 31(9):6-7. ISSN: 1052-1577.

Anon. This week: School-age children and hearing impairment, CDC stats. *Hear Rev*. 2007; Aug 16.

Anon. Tips: managing construction noise, part I. 2004 Aug 2.

Anon. Tips: managing construction noise, part II. 2004 Aug 9.

Anon. [What is the procedure in expert assessment of hearing damage?]. *Laryngorhinootologie*. 2008; 87(3):216. ISSN: 0935-8943.

Anon. What legal standards are to be considered in expert testimony concerning occupational noise-induced deafness? *Laryngorhinootol*. 2003; 82(6):465.

Antunes ML and Paiva T. The Effects of Occupational Low Frequency Noise and Whole-Body Vibration Exposure During Daytime and Nocturnal Sleep Architecture in Helicopter Pilots. *J Sleep Res*. 2008; 17(Suppl 1):250-251. ISSN: 0962-1105.

Anyogita S; Prakash A, and Jain VK. A study of noise in CNG driven modes of transport in Delhi. *Appl Acoust*. 2004; 65(2):195-201.

Anzalone MC; Calandruccio L; Doherty KA, and Carney LH. Determination of the potential benefit of time-frequency gain manipulation. *Ear Hear*. 2006; 27(5):480-492. ISSN: 0196-0202.

Aoki Y; Gardonio P, and Elliott SJ. Rectangular plate with velocity feedback loops using triangularly shaped piezoceramic actuators: Experimental control performance. *J Acoust Soc Am*. 2008; 123(3):1421. ISSN: 1520-8524.

Apoux F; Tribut N; Debrulle X, and Lorenzi C. Identification of envelope-expanded sentences in normal-hearing and hearing-impaired listeners. 2004; 189, (1-2): 13-24.

Aquino-Russell CE. A phenomenological study: the lived experience of persons having a different sense of hearing. *Nurs Sci Q*. 2006; 19(4):339-348. ISSN: 0894-3184.

Arabadzhi V. Conversion of an Acoustically Hard Body Into an Acoustically Transparent One in an Initial-Value Problem. *Acoustic Physics*. 2008; 54(6):749-757. ISSN: 1063-7710.

Aran JM; Carrere N; Chalan Y; Dulou PE; Larrieu S; Letenneur L; Veyret B, and Dulon D. Effects of exposure of the ear to GSM microwaves: in vivo and in vitro experimental studies. *Int J Audiol*. 2004; 43(9):545-554. ISSN: 1499-2027.

Aranda De Toro MA; Ordonez R; Reuter K, and Hammershoi D. Recovery of distortion product otoacoustic emissions (DPOAE) after impulse vs. continuous equal-energy exposures. *J Acoust Soc Am*. 2008; 123(5):3527. ISSN: 1520-8524.

Arbogast, T. L.; Mason, C. R., and Kidd, G. Jr. The effect of spatial separation on informational masking of speech in normal-hearing and hearing-impaired listeners. *J Acoust Soc Am*. 2005; 117(4 Pt 1):2169-2180. ISSN: 0001-4966.

Arehart KH; Hansen JHL; Gallant S, and Kalstein L. Evaluation of an auditory masked threshold noise suppression algorithm in normal-hearing and hearing-impaired listeners. *Speech Com*. 2003; 40(4):575-592.

Arehart KH; Kates JM; Anderson MC, and Harvey LO, Jr. Effects of noise and distortion on speech quality judgments in normal-hearing and hearing-impaired listeners. *J Acoust Soc Am*. 2007; 122(2):1150-1164. ISSN: 1520-8524.

Arehart KH; Rossi-Katz J, and Swensson-Prutsmann J. Double-vowel perception in listeners with cochlear hearing loss: differences in fundamental frequency, ear of presentation, and relative amplitude. *J Speech Lang Hear Res*. 2005; 48(1):236-252. ISSN: 1092-4388.

Arenas JP. Numerical Computation of the Sound Radiation From a Planar Baffled Vibrating Surface. *J Comput Acoust*. 2008; 16(3):321-341. ISSN: 0218-396X.

Arezes PM and Miguel AS. The comfort and effectiveness of hearing protection devices- Reply. *Ann Occup Hyg.* 2003; 47(4):338.

Arezes PM and Miguel AS. Does Risk Recognition Affect Workers' Hearing Protection Utilisation Rate? *International Journal of Industrial Ergonomics.* 2006; 36(12):1037-1043.

Arezes PM and Miguel AS. Hearing protection use in industry: The role of risk perception. *Saf Sci.* 2005; 43(4):253-267.

Arezes PM and Miguel AS. Individual perception of noise exposure and hearing protection in industry. *Hum Factors.* 2005; 47(4):683-692. ISSN: 0018-7208.

Arezes PM and Miguel AS. Risk Perception and Safety Behaviour: a Study in an Occupational Environment. *Safety Science.* 2008; 46(6):900-907. ISSN: 0925-7535.

Arezes PM and Sergio MA. The role of ergonomics characteristics in the effective use of hearing protection devices. In. 11th International Conference HAAMAHA 2007 Managing enterprise of the future jointly with 4th International conference Ergon Axia; Poznan, Poland. Poland: Center for industrial ergonomics, University of Louisville, USA and the International Ergonomics Association, Technical Committee on Human Aspects of Advanced Manufacturing; 2007.

Arlinger S. Negative consequences of uncorrected hearing loss- a review. *Int J Audiol.* 2003; 42:S17-S20.

Arlinger S; Uhlen I; Hagerman B; Kahari K; Rosenhall U; Spens KE, and Holgers KM. [High sound volumes at concerts can cause life-long hearing injuries. The music industry does not take its responsibility]. *Lakartidningen.* 2007; 104(41):2978-2979. ISSN:- 41.

Arnold J and Kornadt O. Investigations on Noise Nuisance of Patients and Nursing Staff. *Bauphysik.* 2007; 29(4):296-305. ISSN: 0171-5445.

Arnold NA; Ng KT; Jongman EC, and Hemsworth PH. The Behavioural and Physiological Responses of Dairy Heifers to Tape-Recorded Milking Facility Noise With and Without a Pre-Treatment Adaptation Phase. *Appl Animal Behav Sci.* 2007; 106(1-3):13-25. ISSN: 0168-1591.

Arnos KS. The emerging clinical impact of genetic studies of hearing loss. *Int J Audiol.* 2007; 46(2):67-68. ISSN: 1499-2027.

Aronsson C; Bohman M; Ternstrom S, and Sodersten M. Loud voice during environmental noise exposure in patients with vocal nodules. *Logoped Phoniatr Vocol.* 2007; 32(2):60-70. ISSN: 1401-5439.

Arribas-Nebra A; Castellanos JA, and Goenechea E. Active Noise Control in a Hydraulics Installation. *Revista Iberoamericana De Automatica E Informatica Industrial.* 2007; 4(4):87-. ISSN: 1697-7912.

Arshak KI; Cavanagh LM, and Moore EG. Effects of Organic Solvent Vapours on Resistance and Noise of a Drop-Coated Poly(Vinyl Butyral)\Carbon Black Nanocomposite. *Materials Science & Engineering C- Biomimetic and Supramolecular Systems.* 2006; 26(5-7):1032-1037.

Arude VG. Noise Levels in Indian Cotton Gins. *Ama-Agricultural Mechanization in Asia Africa and Latin America.* 2007; 38(2):9-+. ISSN: 0084-5841.

Aryanezhad MB; Kheirkhah AS; Deljoo V, and Al-E-Hashem. Designing Safe Job Rotation Schedules Based Upon Workers' Skills. *Int J Adv Manufact Tech.* 2009; 41(1-2):193-199. ISSN: 0268-3768.

- Asami T; Iwano K, and Furui S. Evaluation of a Noise-Robust Multi-Stream Speaker Verification Method Using F-0 Information. *Ieice Transactions on Information and Systems*. 2008; E91D(3):549-557. ISSN: 0916-8532.
- Asawarungsaengkul K and Nanthavanij S. Design of optimal noise hazard control strategy with budget constraint. *Int J Occup Saf Ergon*. 2006; 12(4):355-367. ISSN: 1080-3548.
- Asawarungsaengkul K; Nanthavanij S, and Chalidabhongse J. Decision support system for designing effective noise hazard prevention strategies. *Int J Occup Saf Ergon*. 2007; 13(4):451-470. ISSN:- 4.
- Ashton H; Reid K; Marsh R; Johnson I; Alter K, and Griffiths T. High frequency localised "hot spots" in temporal lobes of patients with intractable tinnitus: a quantitative electroencephalographic (QEEG) study. *Neurosci Lett*. 2007; 426(1):23-28. ISSN:- 1.
- Aslam MJ; Aslam MA, and Batool A. Effect of Noise Pollution on Hearing of Public Transport Drivers in Lahore City. *Pakistan J Med Sci*. 2008; 24(1):142-146. ISSN: 1682-024X.
- Asselineau M. Noise control of laboratories: case studies. *J Acoust Soc Am*. 2008; 123(5):3677. ISSN: 1520-8524.
- Atar O and Avraham KB. Therapeutics of hearing loss: expectations vs reality. *Drug Discov Today*. 2005; 10(19):1323-1330. ISSN: 1359-6446.
- Atas A; Agca O; Sarac S; Poyraz A, and Akyol MU. Investigation of ototoxic effects of Taxol on a mice model. *Int J Pediatr Otorhinolaryngol*. 2006; Jan 4. ISSN: 0165-5876.
- Atas A; Orhan A; Sarp S; Poyraz A, and Akyol M. Investigation of Ototoxic Effects of Taxol on a Mice Model. *Int J Pediatr Otorhinolaryngol*. 2006; 70(5):779-784.
- Atcharyasathian V; Chayarpham S, and Saekhow S. Evaluation of noise-induced hearing loss with audiometer and distortion product otoacoustic emissions. *J Med Assoc Thai*. 2008; 91(7):1066-1071. ISSN: 0125-2208.
- Atmaca E; Peker I, and Altin A. Industrial noise and its effects on humans. *Polish J Environ Stud*. 2005; 14(6):721-726.
- Attias, J.; Sapir, S.; Bresloff, I.; Reshef-Haran, I., and Ising, H. Reduction in noise-induced temporary threshold shift in humans following oral magnesium intake. *Clin Otolaryngol*. 2004; 29(6):635-641. ISSN: 0307-7772.
- Aucejo M; Totaro N, and Guyader JL. Identification of source velocities with Inverse Patch Transfer Functions method. *J Acoust Soc Am*. 2008; 123(5):3310. ISSN: 1520-8524.
- Augustsson I and Engstrand I. Hearing ability according to screening at conscription; comparison with earlier reports and with previous screening results for individuals without known ear disease. *Int J Pediatr Otorhinolaryngol*. 2006 May; 70(5):909-913. ISSN: 0165-5876.
- Avan P and Bonfils P. Distortion-product otoacoustic emission spectra and high-resolution audiometry in noise-induced hearing loss. *Hear Res*. 2005; 209(1-2):68-75. ISSN: 0378-5955.
- Aycicek A; Sargin R; Kenar F, and Derekoy FS. Can Rh antigens be a risk factor in noise-induced hearing loss? *Eur Arch Otorhinolaryngol*. 2009; 266(3):363-366. ISSN: 0937-4477.
- Aydin N; Aydin MD; Yildirim U; Onder A, and Kirpinar I. Neuroprotective Effects of Vitamin C on Injured Hippocampal Neurons by Impulse Noise: Experimental Study. *Eur Neuropsychopharmacol*. 2005; 15(Suppl 3):S640.

Aydin Y and Kaltenbach M. Noise perception, heart rate and blood pressure in relation to aircraft noise in the vicinity of the Frankfurt airport. *Clin Res Cardiol.* 2007; 96:1-12. ISSN: 1861-0684.

Azarpeyvand M. Secondary source distribution effect on active noise control robustness. *J Acoust Soc Am.* 2008; 123(5):3875. ISSN: 1520-8524.

Babisch W. Health aspects of extra-aural noise research. *Noise Health.* 2004; 6(22):69-81. ISSN: 1463-1741.

Babisch W. Stress hormones in the research on cardiovascular effects of noise. *Noise Health.* 2003; 5(18):1-11.

Babisch W; Beule B; Ising H; Kersten N; Schust M, and Wende H. Noise burden and the risk of myocardial infarction: false interpretation of results due to inadequate treatment of data. *Eur Heart J.* 2006; 27(5):623-4; author reply 624. ISSN: 0195-668X.

Babisch W; Ising H, and Gallacher JEJ. Health status as a potential effect modifier of the relation between noise annoyance and incidence of ischaemic heart disease. *Occup Environ Med.* 2003; 60(10):739-745.

Babisch WF; Beule B; Schust M; Kersten N, and Ising H. Traffic noise and risk of myocardial infarction. 2005; 16, (1): 33-40.

Bacou-Daloz Hearing Group. Effects of doubling up on hearing protection explored. *Hear Rev.* 2007; Apr 19.

Baer S. Knowing when to treat ear wax. *Practitioner.* 2005; 249(1670):328, 330, 332. ISSN: 0032-6518.

Bahtiarian M. Deficiency of the massachusetts pure tone noise regulation. *J Acoust Soc Am.* 2009; 125(4):2629. ISSN: 1520-8524.

Bai MR and Ho P. Using a Steered-Response Power-Phase Transform to Optimize Speech Pickup in Reverberant Environments. *J Audio Eng Soc.* 2008; 56(4):280-291. ISSN: 1549-4950.

Bainbridge KE; Hoffman HJ, and Cowie CC. Diabetes and hearing impairment in the United States: audiometric evidence from the National Health and Nutrition Examination Survey, 1999 to 2004. *Ann Intern Med.* 2008; 149(1):1-10. ISSN: 1539-3704.

Baird T. Survey of sound quality research and applications in the information technology industry. *J Acoust Soc Am.* 2008; 123(5):3245. ISSN: 1520-8524.

Baker R; Stevens-King A; Bhat N, and Leong P. Should patients with asymmetrical noise-induced hearing loss be screened for vestibular schwannomas? *Clin Otolaryngol.* 2003; 28(4):346-351.

Balatsouras, D. G. The evaluation of noise-induced hearing loss with distortion product otoacoustic emissions. *Med Sci Monit.* 2004; 10(5):CR218-CR222. ISSN: 1234-1010.

Balatsouras DG; Homsoglou E, and Danielidis V. Extended high-frequency audiometry in patients with acoustic trauma. *Clin Otolaryngol.* 2005; 30(3):249-254.

Balatsouras DG; Kaberos A; Korres S; Kandiloros D; Ferekidis E, and Economou C. Detection of pseudohypacusis: A prospective, randomized study of the use of otoacoustic emissions. *Ear Hear.* 2003; 24(6):518-527.

Balatsouras DG; Tsimpiris N; Korres S; Karapantzos I; Papadimitriou N, and Danielidis V. The effect of impulse noise on distortion product otoacoustic emissions. *Int J Audiol.* 2005; 44(9):540-549. ISSN: 1499-2027.

Baldwin AL and Bell IR. Effect of noise on microvascular integrity in laboratory rats. *J Am Assoc Lab Anim Sci.* 2007; 46(1):58-65. ISSN: 1559-6109.

Baldwin AL; Primeau RL, and Johnson WE. Effect of noise on the morphology of the intestinal mucosa in laboratory rats. *J Am Assoc Lab Anim Sci.* 2006; 45(1):74-82. ISSN: 1559-6109.

Baldwin AL and Schwartz GE. Personal interaction with a reiki practitioner decreases noise-induced microvascular damage in an animal model. *J Altern Complement Med.* 2006; 12(1):15-22. ISSN: 1075-5535.

Bali N; Acharya S, and Anup N. An assessment of the effect of sound produced in a dental clinic on the hearing of dentists. *Oral Health Prev Dent.* 2007; 5(3):187-191. ISSN: 1602-1622.

Ballal, S. G.; Ahmed, H. O.; Ali, B. A.; Albar, A. A., and Alhasan, A. Y. Pulmonary effects of occupational exposure to Portland cement: a study from eastern Saudi Arabia. *Int J Occup Environ Health.* 2004; 10(3):272-277. ISSN: 1077-3525.

Ballarin MN; Alessandri MV; Marchi T; Montagnani R; Virgili A, and Magarotto G. [Epidemiology of work-related diseases in ULSS 12 Venice (Italy)]. *G Ital Med Lav Ergon.* 2007; 29(Suppl 3):604-605. ISSN: 1592-7830.

Ballesteros F; Alobid I; Tassies D; Reverter JC; Scharf RE; Guilemany JM, and Bernal-Sprekelsen M. Is there an overlap between sudden neurosensorial hearing loss and cardiovascular risk factors? *Audiol Neurootol.* 2009; 14(3):139-145. ISSN: 1421-9700.

Ballesteros JA; Fernandez MD; Quintana S; Suarez I, and Rodriguez L. Comparison of international standards for measuring sound power in tool-machines. *J Acoust Soc Am.* 2008; 123(5):3138. ISSN: 1520-8524.

Banbury SP and Berry DC. Office noise and employee concentration: Identifying causes of disruption and potential improvements. 2005; 48, (1): 25-37.

Banglmaier R and Rouhana S. Investigation into the noise associated with airbag deployment: Part iii- sound pressure level and auditory risk as a function of inflatable device. *Ann Proc Assoc Adv Automotive Med.* 2003; 47:25-50.

Bankaitis AU. Your hearing: Can it go up in smoke? *Hear J.* 2003; 56(4):72.

Bapat U and Tolley N. Temporary threshold shift due to recreational firearm use. *J Laryngol Otol.* 2007; Dec 6:1-5. ISSN: 1748-5460.

Barbeau EM; Hartman C; Quinn MM; Stoddard AM, and Krieger N. Methods for recruiting white, black, and hispanic working-class women and men to a study of physical and social hazards at work: the United for Health study. *Int J Health Serv.* 2007; 37(1):127-144. ISSN: 0020-7314.

Barbosa AS and Cardoso MR. Hearing loss among workers exposed to road traffic noise in the city of Sao Paulo in Brazil. *Auris Nasus Larynx.* 2005; 32(1):17-21. ISSN: 0385-8146.

Bard D; Sonnerup J, and Sandberg G. Human footsteps induced floor vibration. *J Acoust Soc Am.* 2008; 123(5):3356. ISSN: 1520-8524.

Baring JG. Urban and building acoustics management in the next decades: a matter of prevention, simplification and education. *J Acoust Soc Am.* 2008; 123(5):3026. ISSN: 1520-8524.

Barkanov E; Gluhik S, and Kovalov A. Optimal Design of the Active Twist for Helicopter Rotor Blades With C-Spar. *Mech Adv Materials Structures.* 2008; 15(3-4):325-334. ISSN: 1537-6494.

- Barkauskas, V. H.; Lusk, S. L., and Eakin, B. L. Selecting control interventions for clinical outcome studies. *West J Nurs Res.* 2005; 27(3):346-363. ISSN: 0193-9459.
- Barney R and Bohnker BK. Hearing thresholds for U.S. Marines: comparison of aviation, combat arms, and other personnel. *Aviat Space Environ Med.* 2006; 77(1):53-56. ISSN: 0095-6562.
- Barrenas ML; Bratthall A, and Dahlgren J. The association between short stature and sensorineural hearing loss. *Hear Res.* 2005; 205(1-2):123-130. ISSN: 0378-5955.
- Barrenas ML; Jonsson B; Tuvemo T; Hellstrom PA, and Lundgren M. High risk of sensorineural hearing loss in men born small for gestational age with and without obesity or height catch-up growth: a prospective longitudinal register study on birth size in 245,000 Swedish conscripts. *J Clin Endocrinol Metab.* 2005; 90(8):4452-4456. ISSN: 0021-972X.
- Barrera M. PPE-evolution. *Occup Health Saf.* 2007; 76(1):50-54, 56, 58. ISSN: 0362-4064.
- Barron M. Science & music: raising the roof. *Nature.* 2008; 453(7197):859-60. ISSN: 1476-4687.
- Barsz K; Wilson WW, and Walton JP. Reorganization of receptive fields following hearing loss in inferior colliculus neurons. *Neuroscience.* 2007; 147(2):532-545. ISSN: 0306-4522.
- Barti R. Nuisance control of leisure activities. *J Acoust Soc Am.* 2008; 123(5):3820. ISSN: 1520-8524.
- Bas E; Martinez-Soriano F; Lainez JM, and Marco J. An experimental comparative study of dexamethasone, melatonin and tacrolimus in noise-induced hearing loss. *Acta Otolaryngol.* 2008; Dec 2:1-5. ISSN: 1651-2251.
- Basar F and Belgin E. [Evaluation of high frequency hearing thresholds in smokers.]. *Kulak Burun Bogaz Ihtis Derg.* 2008; 18(1):19-23. ISSN: 1300-7475.
- Baskent D and Shannon RV. Combined effects of frequency compression-expansion and shift on speech recognition. *Ear Hear.* 2007; 28(3):277-289. ISSN: 0196-0202.
- Basner M. Nocturnal Aircraft Noise Exposure Increases Objectively Assessed Daytime Sleepiness. *J Sleep Res.* 2008; 17(Suppl 1):257. ISSN: 0962-1105.
- Basner M; Samel A, and Isermann U. Aircraft noise effects on sleep: application of the results of a large polysomnographic field study. *J Acoust Soc Am.* 2006; 119(5 Pt 1):2772-2784. ISSN: 0001-4966.
- Basta, D. and Ernest, A. Noise-induced changes of neuronal spontaneous activity in mice inferior colliculus brain slices. *Neurosci Lett.* 2004; 368(3):297-302. ISSN: 0304-3940.
- Basta D and Ernst A. Noise-induced changes of neuronal spontaneous activity in mice inferior colliculus brain slices(vol 368, pg 297, 2004). 2005; 374, (1): 73-79.
- Basta, D.; Tzschentke, B., and Ernst, A. Noise-induced cell death in the mouse medial geniculate body and primary auditory cortex. *Neurosci Lett.* 2005; 381(1-2):199-204. ISSN: 0304-3940.
- Bauer CA; Turner JG; Caspary DM; Myers KS, and Brozoski TJ. Tinnitus and inferior colliculus activity in chinchillas related to three distinct patterns of cochlear trauma. *J Neurosci Res.* 2008; 86(11):2564-2578. ISSN: 1097-4547.
- Bauer R; Lotton P; Hamery P, and Bruneau AM. An active noise reduction earplug using a piezoelectric laterally radiating loudspeaker. *Appl Acoust.* 2003; 64(6):591-609.

- Baumgart J; Marburg S, and Schneider S. Efficient Sound Power Computation of Open Structures With Infinite/Finite Elements and by Means of the Pade-Via-Lanczos Algorithm. *J Computat Acoust.* 2007; 15(4):557-577. ISSN: 0218-396X.
- Baur FX and Zalewski TR. Attenuation values of a noise-cancelling headphone What amount of hearing protection does it afford? *Hear Rev.* 2008; 15(6):30-32, 56.
- Bavastri CA; Ferreira EMDS; De Espindola JJ, and Lopes EMD. Modeling of Dynamic Rotors With Flexible Bearings Due to the Use of Viscoelastic Materials. *J Brazilian Soc Mech Sci Eng.* 2008; 30(1):22-29. ISSN: 1678-5878.
- Beattie RC; Kenworthy OT, and Luna CA. Immediate and short-term reliability of distortion-product otoacoustic emissions. *Int J Audiol.* 2003; 42(6):348-354.
- Becker K; Conrad A; Kirsch N; Kolossa-Gehring M; Schulz C; Seiwert M, and Seifert B. German Environmental Survey (GerES): human biomonitoring as a tool to identify exposure pathways. *Int J Hyg Environ Health.* 2007; 210:267-269. ISSN:- 3-4.
- Bedi R. Evaluation of occupational environment in two textile plants in Northern India with specific reference to noise. *Ind Health.* 2006; 44(1):112-116. ISSN: 0019-8366.
- Behar A. Hearing protection devices: Do we choose and use them properly? *Hear Rev.* 2007; March:30, 32.
- Behar A. Hockey playoff noise. *CMAJ.* 2007; 176(10):1462. ISSN: 1488-2329.
- Behar A; Eng M; Wong Wi, and Kunov H. Risk of hearing loss in orchestra musicians: Review of the literature. *Med Prob Perf Art.* 2006; 21(4):164-168. ISSN: 0885-1158.
- Behar, A.; MacDonald, E.; Lee, J.; Cui, J.; Kunov, H., and Wong, W. Noise exposure of music teachers. *J Occup Environ Hyg.* 2004; 1(4):243-247. ISSN: 1545-9624.
- Behn A; Laszlo CA; Black D, and Bryce GE. Which is mightier, the tuning fork or the bone oscillator? *J Otolaryngol.* 2005; 34(2):135-139.
- Beisel K; Hansen L; Soukup G, and Fritzsche B. Regenerating cochlear hair cells: quo vadis stem cell. *Cell Tissue Res.* 2008; June 25. ISSN: 0302-766X.
- Beisel KW; Rocha-Sanchez SM; Morris KA; Nie L; Feng F; Kachar B; Yamoah EN, and Fritzsche B. Differential expression of KCNQ4 in inner hair cells and sensory neurons is the basis of progressive high-frequency hearing loss. *J Neurosci.* 2005; 25(40):9285-9293. ISSN: 1529-2401.
- Bektas D; Martin GK; Stagner BB, and Lonsbury-Martin BL. Noise-induced hearing loss in mice treated with antiretroviral drugs. *Hear Res.* 2008; Feb 8. ISSN: 0378-5955.
- Bell-Lehmkuhler B; Meinke DK; Sedey A, and Tuell C. Reliability of audiometric thresholds obtained with insert earphones when used by certified audiometric technicians. *Noise Health.* 2009; 11(42):59-68. ISSN: 1463-1741.
- Belle M; Sartori Sdo A, and Rossi AG. Alcoholism: effects on the cochleo-vestibular apparatus. *Rev Bras Otorrinolaringol (Engl Ed).* 2007; 73(1):110-116. ISSN: 1808-8694.
- Bellet R; Cochelin B; Mattei PO, and Herzog P. Energy pumping in acoustics. *J Acoust Soc Am.* 2008; 123(5):3695. ISSN: 1520-8524.

- Bellinger WK. The Economic Valuation of Train Horn Noise: a Us Case Study. *Transport Res Part D-Transport Environ.* 2006; 11(4):310-314.
- Bellis TJ. Auditory processing disorders: It's not just kids who have them. *Hear J.* 2003; 56(5):10-19.
- Belojevic G; Jakovljevic B; Stojanov V; Paunovic K, and Ilic J. [Urban noise and myocardial infarction in the population]. *Srp Arh Celok Lek.* 2007; 135(5-6):367-370. ISSN: 0370-8179.
- Belojevic G; Jakovljevic B; Stojanov V; Paunovic K, and Ilic J. Urban road-traffic noise and blood pressure and heart rate in preschool children. *Environ Int.* 2007; Sep 13. ISSN: 0160-4120.
- Bengtsson J; Waye KP, and Kjellberg A. Evaluations of effects due to low-frequency noise in a low demanding work situation. *J Sound Vib.* 2004; 278(1-2):83-99.
- Bengtsson J; Waye KP, and Kjellberg A. Sound characteristics in low frequency noise and their relevance for the perception of pleasantness. 2004; 90, (1): 171-180.
- Bennett GJ and Fitzpatrick JA. Noise-Source Identification for Ducted Fan Systems. *Aiaa J.* 2008; 46(7):1663-1674. ISSN: 0001-1452.
- Benson JM; Stagner BB; Martin GK; Friedman M; Durr SE; Gomez A; McDonald J; Fleming LE; Backer LC; Baden DG; Bourdelais A; Naar J, and Lonsbury-Martin BL. Cochlear function in mice following inhalation of brevetoxin-3. *J Comp Physiol A Neuroethol Sens Neural Behav Physiol.* 2005; 191(7):619-626. ISSN: 0340-7594.
- Beranek LL and Lang WW. America needs a new national noise policy. *Noise Control Eng J.* 2003; 51(3):123-130.
- Berenguer, P.; Soulage, C.; Fautrel, A.; Pequignot, J. M., and Abraini, J. H. Behavioral and neurochemical effects induced by subchronic combined exposure to toluene at 40 ppm and noise at 80 dB-A in rats. *Physiol Behav.* 2004; 81(3):527-534. ISSN: 0031-9384.
- Berg AL; Canellas M; Salbod S, and Velayo R. Exposure to Disability and Hearing Loss Narratives in Undergraduate Audiology Curriculum. *Am J Audiol.* 2008; Oct 7. ISSN: 1059-0889.
- Berg C and Meier H. Customized hearing protection earplug with an acoustic filter and method for manufacturing the same. *J Acoust Soc Am.* 2008; 123(2):591. ISSN: 1520-8524.
- Berger EH. Ear plug article failed the test. *Occup Health Saf.* 2005; 74(5):10, 12; author reply 12. ISSN: 0362-4064.
- Berger EH. Introducing F-MIRE testing: Background and concepts. *Hear Rev.* 2007; March:48, 50.
- Berger EH. Life can be loud- Remember your hearing protection. *Tinnitus Today.* 2003; 28(1):20-22.
- Berger EH. The NRRs, they may be a changin'. *Update.* 2003; 15(2):1, 6.
- Berger EH. Pressure-equalizing earplugs. *Aviat Space Environ Med.* 2006; 77(7):766; author reply 766. ISSN: 0095-6562.
- Berger EH and Gauger D. When the sound gets thru, what can you do? The limits to attenuation. *Spectrum.* 2003; 20 (Suppl 1):22.

Berger EH and Hamery P. Empirical evaluation using impulse noise of the level-dependency of various passive earplug designs. *J Acoust Soc Am*. 2008; 123(5):3528. ISSN: 1520-8524.

Berger EH; Kieper RW, and Gauger D. Hearing protection: Surpassing the limits to attenuation imposed by the bone-conduction pathways. 2003; 114, (4): 1955-1967.

Berglund B and Nilsson ME. On a Tool for Measuring Soundscape Quality in Urban Residential Areas. *Acta Acustica United With Acustica*. 2006; 92(6):938-944. ISSN: 1610-1928.

Beria JU; Raymann BC; Gigante LP; Figueiredo AC; Jotz G; Roithman R; Selaimen da Costa S; Garcez V; Scherer C, and Smith A. Hearing impairment and socioeconomic factors: a population-based survey of an urban locality in southern Brazil. *Rev Panam Salud Publica*. 2007; 21(6):381-387. ISSN: 1020-4989.

Bernstein DP. Electrical noise endemic in a university hospital: validation of the problem. *Intensive Care Med*. 2007; 33(12):2220; author reply 2221-2222. ISSN: 0342-4642.

Bertoli, S.; Smurzynski, J., and Probst, R. Effects of Age, Age-Related Hearing Loss, and Contralateral Cafeteria Noise on the Discrimination of Small Frequency Changes: Psychoacoustic and Electrophysiological Measures. *J Assoc Res Otolaryngol*. 2005:1-16. ISSN: 1525-3961.

Bertsche PK; Mensah E, and Stevens T. Complying with a corporate global noise health surveillance procedure--do the benefits outweigh the costs? *AAOHN J*. 2006; 54(8):369-378. ISSN: 0891-0162.

Besdok E; Civicioglu P, and Alci M. Using Anfis with circular polygons for impulsive noise suppression from highly distorted images. *AEU Int J Electron Comm*. 2005; 59(4):213-221.

Besing J. Resource reviews. *Ear Hear*. 2008; 29(1):134-135. ISSN: 0196-0202.

Bessette RS. Getting Serious About Workplace Hearing Protection. *Chem Eng Progress*. 2008; 104(5):35-39. ISSN: 0360-7275.

Bessette RS. If I had a hammer, I'd wear hearing protection all day long. 2008 ed. *Occup Health Safety*.

Bessette RS. Solving noise hazards of railroads. *Occup Health Saf*. 2008; 77(6):100, 102, 104. ISSN: 0362-4064.

Best V; Marrone N; Mason CR; Kidd G Jr, and Shinn-Cunningham BG. Effects of Sensorineural Hearing Loss on Visually Guided Attention in a Multitalker Environment. *J Assoc Res Otolaryngol*. 2008; Nov 14. ISSN: 1525-3961.

Beutelmann R and Brand T. Prediction of speech intelligibility in spatial noise and reverberation for normal-hearing and hearing-impaired listeners. *J Acoust Soc Am*. 2006; 120(1):331-342. ISSN: 0001-4966.

Bevilacqua MC; Novaes BC, and Morata TC. Audiology in Brazil. *Int J Audiol*. 2008; 47(2):45-50. ISSN: 1708-8186.

Bexelius C; Honeth L; Ekman A; Eriksson M; Sandin S; Bagger-Sjoberg D, and Litton JE. Evaluation of an internet-based hearing test--comparison with established methods for detection of hearing loss. *J Med Internet Res*. 2008; 10(4):e32. ISSN: 1438-8871.

Beyea SC. Noise: a distraction, interruption, and safety hazard. *AORN J*. 2007; 86(2):281-285. ISSN: 0001-2092.

- Bezerra FM and Iorio MC. [Comparative study between the level of discomfort and the acoustic reflex in workers]. *Pro Fono*. 2006; 18(1):5-12. ISSN: 0104-5687.
- Bhagat SP and Davis AM. Modification of otoacoustic emissions following ear-level exposure to MP3 player music. *Int J Audiol*. 2008; 47(12):751-760. ISSN: 1708-8186.
- Bharathan T; Glodan D; Ramesh A; Vardhini B; Baccash E; Kiselev P, and Goldenberg G. What do patterns of noise in a teaching hospital and nursing home suggest? *Noise Health*. 2007; 9(35):31-34. ISSN: 1463-1741.
- Bhat V and Naseeruddin K. Combined tuning fork tests in hearing loss: Explorative clinical study of the patterns. 2004; 33, (4): 227-234.
- Bhatia V; Mulgrew B, and Georgiadis AT. Stochastic Gradient Algorithms for Equalisation in Alpha-Stable Noise. *Sig Process*. 2006; 86(4):835-845.
- Bhusal CL; Guragain RP, and Shrivastav RP. Size of tympanic membrane perforation and hearing loss. *JNMA J Nepal Med Assoc*. 2006; 45(161):167-172. ISSN: 0028-2715.
- Biassoni EC; Serra MR; Richtert U; Joekes S; Yacci MR; Carignani JA; Abraham S; Minoldo G, and Franco G. Recreational noise exposure and its effects on the hearing of adolescents. Part II: development of hearing disorders. *Int J Audiol*. 2005; 44(2):74-85. ISSN: 1499-2027.
- Bielefeld EC and Henderson D. Influence of sympathetic fibers on noise-induced hearing loss in the chinchilla. *Hear Res*. 2006; Nov 6. ISSN: 0378-5955.
- Bielefeld EC; Hu BH; Harris KC, and Henderson D. Damage and threshold shift resulting from cochlear exposure to Paraquat-generated superoxide. *Hear Res*. 2005; 207(1-2):35-42. ISSN: 0378-5955.
- Bielefeld EC; Hynes S; Pryznosch D; Liu J; Coleman JK, and Henderson D. A comparison of the protective effects of systemic administration of a pro-glutathione drug and a Src-PTK inhibitor against noise-induced hearing loss. *Noise Health*. 2005; 7(29):24-30. ISSN: 1463-1741.
- Bielefeld EC; Kopke RD; Jackson RL; Coleman JK; Liu J, and Henderson D. Noise protection with N-acetyl-l-cysteine (NAC) using a variety of noise exposures, NAC doses, and routes of administration. *Acta Otolaryngol*. 2007; 127(9):914-919. ISSN: 0001-6489.
- Bierod K. Hearing Pleasure Instead of Loss of Hearing. *Gesundheitswesen*. 2007; 69(3):173. ISSN: 0941-3790.
- Biesel VB and Cunefare KA. A test system for free-field qualification of anechoic chambers. *Sound and Vibration*. 2003; May:22-26.
- Bigert, C.; Bluhm, G., and Theorell, T. Saliva cortisol--a new approach in noise research to study stress effects. *Int J Hyg Environ Health*. 2005; 208(3):227-230. ISSN: 1438-4639.
- Bijsterveld K. Listening to Machines: Industrial Noise, Hearing Loss and the Cultural Meaning of Sound. *Interdisciplinary Science Reviews*. 2006; 31(4):323-337.
- Billimoria CP; Kraus BJ; Narayan R; Maddox RK, and Sen K. Invariance and sensitivity to intensity in neural discrimination of natural sounds. *J Neurosci*. 2008; 28(25):6304-6308. ISSN: 1529-2401.
- Billon A; Valeau V; Picaut J; Foy C, and Sakout A. On the use of diffusion equations to model the acoustics of coupled rooms. *J Acoust Soc Am*. 2008; 123(5):3910. ISSN: 1520-8524.

- Bin J; Kim M, and Lee S. A Numerical Study on the Generation of Impulsive Noise by Complex Flows Discharging From a Muzzle. *Int J Num Methods Eng*. 2008; 75(8):964-991. ISSN: 0029-5981.
- Birch RS; Gerges SN, and Vergara EF. Design of a pulse generator and shock tube for measuring hearing protector attenuation of high-amplitude impulsive noise. *Appl Acoust*. 2003; 64(3):269-286.
- Bird, M. J.; MacIntosh, D. L., and Williams, P. L. Occupational exposures during routine activities in coal-fueled power plants. *J Occup Environ Hyg*. 2004; 1(6):403-413. ISSN: 1545-9624.
- Birkner J. Noise in the workplace and hearing loss. *Occup Health Saf*. 2008; 77(9):62, 64. ISSN: 0362-4064.
- Birkner J. Noise under control [Web Page]. 2005; Accessed 2005 Jul 14. Available at: www.stevenspublishing.com/stevens/ohspub.nsf.
- Biro K; Noszek L; Prekopp P; Nagyivanyi K; Geczi L; Gaudi I, and Bodrogi I. Characteristics and Risk Factors of Cisplatin-Induced Ototoxicity in Testicular Cancer Patients Detected by Distorsion Product Otoacoustic Emission. *Oncology*. 2006; 70(3):177-184. ISSN: 0030-2414.
- Biro K; Noszek L; Prekopp P; Nagyivanyi K; Geczi L; Gaudi I, and Bodrogi I. [Detection of late ototoxic side effect of cisplatin by distorsion product otoacoustic emission (DPOAE)]. *Magy Onkol*. 2006; 50(4):329-335. ISSN: 0025-0244.
- Bise C; Frank T, and Michael K. A model hearing conservation program for coal miners. *Spectrum*. 2003; 20(Suppl 1):23.
- Bishop. Promising new strategies. 2005.
- Bishop C. Promising new strategies. *Occup Health Saf*. 2005; 74(9):114, 116, 118-9. ISSN: 0362-4064.
- Bistrup ML; Babisch W; Stansfeld S, and Sulkowski W. PINCHE's policy recommendations on noise: How to prevent noise from adversely affecting children. *Acta Paediatr Suppl*. 2006; 95(453):31-35. ISSN: 0803-5326.
- Bjor B; Burstrom L; Karlsson M; Nilsson T; Naslund U, and Wiklund U. Acute effects on heart rate variability when exposed to hand transmitted vibration and noise. *Int Arch Occup Environ Health*. 2007; Jun 1. ISSN: 0340-0131.
- Bjor OH. Measure speech intelligibility with a sound level meter. *Sound Vib*. 2004; Oct:10-.
- Bjork J; Ardo J; Stroh E; Lovkvist H; Ostergren PO , and Albin M. Road traffic noise in southern Sweden and its relation to annoyance, disturbance of daily activities and health. *Scand J Work Environ Health*. 2006; 32(5):392-401. ISSN: 0355-3140.
- Bjorkman, M. Long time measurements of noise from wind turbines. *J Sound Vib*. 2004; 277(3):567-572.
- Bjorner, TB. Combining socio-acoustic and contingent valuation surveys to value noise reduction. *Transport Res D-Tr E*. 2004; 9(5):341-356.
- Black DA; Black JA; Issarayangyun T, and Samuels SE. Aircraft Noise Exposure and Resident's Stress and Hypertension: a Public Health Perspective for Airport Environmental Management. *Journal of Air Transport Management*. 2007; 13(5):264-276. ISSN: 0969-6997.
- Blackwell, S. B.; Greene, C. R. Jr, and Richardson, W. J. Drilling and operational sounds from an oil production island in the ice-covered Beaufort sea. *J Acoust Soc Am*. 2004; 116(5):3199-3211. ISSN: 0001-4966.

Blake J. Any crash... Bowhunter. 2003; 33(1):152.

Blake W; Plotkin KJ; Gurovich Y, and Donovan P. Noise source mapping for trucks, Part 2: Experimental results. J Acoust Soc Am. 2008; 123(5):3133. ISSN: 1520-8524.

Blakley BW; Hochman J; Wellman M; Gooi A, and Hussain AE. Differences in Ototoxicity across Species. J Otolaryngol Head Neck Surg. 2008; 37(5):700-703. ISSN: 1916-0216.

Blakley BW and Schilling H. Deafness associated with acetaminophen and codeine abuse. J Otolaryngol Head Neck Surg. 2008; 37(4):507-509. ISSN: 1916-0216.

Blandy S and Lutman M. Hearing threshold levels and speech recognition in noise in 7-year-olds. Int J Audiol. 2005; 44(8):435-443. ISSN: 1499-2027.

Bleszynski E; Bleszynski M, and Jaroszewicz T. Numerical simulation of propagation of acoustic and elastic waves in human head with fast integral equation solver. J Acoust Soc Am. 2009; 125(4):2650. ISSN: 1520-8524.

Blevins NH. Our experience in diagnostics and treatment of sudden sensorineural hearing loss-Reply. Otol Neurotol. 2005; 26(2):318. ISSN: 1531-7129.

Blotzer M. Computers: Hearing conservation [Web Page]. 2005; Accessed 2005 May 26. Available at: www.occupationalhazards.com.

Bluhm GL; Berglund N; Nordling E, and Rosenlund M. Road traffic noise and hypertension. Occup Environ Med. 2006; Oct 19. ISSN: 1470-7926.

Blumsack JT and Anderson KL. Back to school! 13 facts revisited. The Hearing Review. 2004; September:14.

Boateng CA and Amedofu GK. Industrial noise pollution and its effects on the hearing capabilities of workers: A study from saw mills, printing presses and corn mills. Afr J Health Sci. 2004; 11(1-2):55-60. ISSN: 1022-9272.

Boatman DF; Miglioretti DL; Eberwein C; Alidoost M, and Reich SG. How accurate are bedside hearing tests? Neurology. 2007; 68(16):1311-1314. ISSN: 1526-632X.

Boccalon P; Tommasini C; Montalti M, and Cupelli V. [Noise related risk: assessment of the efficacy of the prevention in the light of the new legislation]. G Ital Med Lav Ergon. 2007; 29(Suppl 3):720-722. ISSN: 1592-7830.

Bochner JH; Garrison WM; Sussman JE, and Burkard RF. Development of materials for the clinical assessment of speech recognition: The speech sound pattern discrimination test. J Speech Lang Hear Res. 2003; 46(4):889-900.

Bochnia, M.; Morgenroth, K.; Dziewiszek, W., and Kassner, J. Experimental vibratory damage of the inner ear. Eur Arch Otorhinolaryngol. 2005; 262(4):307-313. ISSN: 0937-4477.

Bockelbrink A; Willich SN; Dirzus I; Reich A; Lau S; Wahn U, and Keil T. Environmental Noise and Asthma in Children: Sex-Specific Differences. J Asthma. 2008; 45(9):770-773. ISSN: 0277-0903.

Bockstael A; Botteldooren D, and Vinck B. Verifying the attenuation of earplugs in situ: variability of transfer functions among human subjects. J Acoust Soc Am. 2008; 123(5):3305. ISSN: 1520-8524.

Bockstael A; Keppler H; Dhooge I; D'haenens W; Maes L; Philips B, and Vinck B. Effectiveness of hearing protector devices in impulse noise verified with transiently evoked and distortion product otoacoustic emissions. *Int J Audiol.* 2008; 47(3):119-133. ISSN: 1708-8186.

Bockstael A; Van Renterghem T; Botteldooren D; D'Haenens W; Keppler H; Maes L; Philips B; Swinnen F, and Vinck B. Verifying the attenuation of earplugs in situ: method validation on human subjects including individualized numerical simulations. *J Acoust Soc Am.* 2009; 125(3):1479-1489. ISSN: 1520-8524.

Bodmer D. Protection, regeneration and replacement of hair cells in the cochlea: implications for the future treatment of sensorineural hearing loss. *Swiss Med Wkly.* 2008; Oct 9:HAVE-ELECTRONICALLY. ISSN: 1424-7860.

Boegli H; Wunderli JM, and Brink M. Assessment of military shooting noise. *J Acoust Soc Am.* 2008; 123(5):3820. ISSN: 1520-8524.

Bogoch II; House RA, and Kudla I. Perceptions about hearing protection and noise-induced hearing loss of attendees of rock concerts. 2005; 96, (1): 69-72.

Bogomil'skii MR; D'iakonova IN; Rakhmanova IV; Tikhomirov AM, and Golubovskii OA. [Impact of sound signals of high intensity on the acoustic analyzer]. *Vestn Otorinolaringol.* 2006(3):31-33. ISSN: 0042-4668.

Bogovski S; Lang I; Rjazanov V; Muzyka V; Tuulik V, and Vitak A. Assessment of potential hazards during the process of house building in Estonia. *Int J Environ Health Res.* 2007; 17(2):105-112. ISSN: 0960-3123.

Boheim K; Nahler A, and Schlogel M. [Rehabilitation of high frequency hearing loss: use of an active middle ear implant]. *HNO.* 2007; 55(9):690-695. ISSN: 1433-0458.

Bohlin MC and Erlandsson SI. Risk behaviour and noise exposure among adolescents. *Noise Health.* 2007; 9(36):55-63. ISSN: 1463-1741.

Bohne BA; Harding GW, and Lee SC. Death Pathways in Noise-Damaged Outer Hair Cells. *Hear Res.* 2007; 223(1-2):61-70.

Bohnker B; Rovig G; Page J; Philippi A; Butler F, and Sack D. Navy hearing conservation program: Hearing threshold comparisons to Navy SEALs and divers. *Undersea & Hyperbaric Med.* 2003; 30(2):155-162.

Bohnker BK; Page JC; Rovig GW; Betts LS, and Sack DM. Navy Hearing Conservation Program: 1995-1999 retrospective analysis of threshold shifts for age, sex, and officer/enlisted status. *Mil Med.* 2004; 169(1):73-76. ISSN: 0026-4075.

Bolay H; Bayazit YA; Gunduz B; Ugur AK; Akcali D; Altunyay S; Ilica S, and Babacan A. Subclinical dysfunction of cochlea and cochlear efferents in migraine: an otoacoustic emission study. *Cephalalgia.* 2008; 28(4):309-317. ISSN: 1468-2982.

Boman, E. The effects of noise and gender on children's episodic and semantic memory. *Scand J Psychol.* 2004; 45(5):407-416. ISSN: 0036-5564.

Bombard F; Campo P, and Lataye R. Combined effects of noise and gentamicin on hearing in the guinea pig. *Noise Health.* 2005; 7(28):29-39. ISSN: 1463-1741.

Bonaccorsi S; Marinelli C, and Ziglio G. Stochastic Fitzhugh-Nagumo Equations on Networks With Impulsive Noise. *Electronic J Probability.* 2008; 13:1362-1379. ISSN: 1083-6489.

Boothroyd A. The Performance/Intensity Function: An Underused Resource. *Ear Hear.* 2008; 29. ISSN: 0196-0202.

Boothroyd A. Room acoustics and speech perception. *Sem Hearing.* 2004; 25(2):155-166.

Borchgrevink HM. Does health promotion work in relation to noise? *Noise Health.* 2003; 5(18):25-30.

Borchgrevink HM; Tambs K, and Hoffman HJ. The Nord-Trondelag Norway Audiometric Survey 1996-98: unscreened thresholds and prevalence of hearing impairment for adults > 20 years. *Noise Health.* 2005; 7(28):1-15. ISSN: 1463-1741.

Borg E; Bergkvist C, and Bagger-Sjoberg D. Effect on Directional Hearing in Hunters Using Amplifying (Level Dependent) Hearing Protectors. *Otol Neurotol.* 2008; May 23. ISSN: 1531-7129.

Borowska K; Pietniczka-Zaleska M, and Budzynowska K. [A sudden sensorineural hearing loss caused by a thunderbolt]. *Otolaryngol Pol.* 2008; 62(6):755-757. ISSN: 0030-6657.

Bortoli R and Santiago M. Chloroquine ototoxicity. *Clin Rheumatol.* 2007; 26(11):1809-1810. ISSN: 0770-3198.

Bosch T. Therapeutic apheresis--state of the art in the year 2005. *Ther Apher Dial.* 2005; 9(6):459-468. ISSN: 1744-9979.

Botelho CT; Paz AP; Goncalves AM, and Frota S. [Comparative study of audiometrics tests on metallurgical workers exposed to noise only as well as noise associated to the handling of chemical products.]. *Braz J Otorhinolaryngol.* 2009; 75(1):51-57. ISSN: 1808-8694.

Botteldooren, D. and Lercher, P. Soft-computing base analyses of the relationship between annoyance and coping with noise and odor. *J Acoust Soc Am.* 2004; 115(6):2974-2985. ISSN: 0001-4966.

Botteldooren D; Verkeyn A, and Lercher P. A fuzzy rule based framework for noise annoyance modeling. *J Acoust Soc Am.* 2003; 114(3):1487-1498.

Bouccara D; Dauman R; Geoffray B, and Londero A. [Tinnitus in young adults]. *Ann Otolaryngol Chir Cervicofac.* 2006; 123(6):283-289. ISSN: 0003-438X.

Bouccara D; Ferrary E, and Sterkers O. [Effects of noise on inner ear.]. *Med Sci (Paris).* 2006; 22(11):979-984. ISSN: 0767-0974.

Bouillard P; Almeida JPM; Decouvreux V, and Mertens T. Some Challenges in Computational Vibro-Acoustics: Verification, Validation and Medium Frequencies. *Computational Mech.* 2008; 42(2):317-326. ISSN: 0178-7675.

Boutin DL and Wilson KB. Professional Jobs and Hearing Loss: a Comparison of Deaf and Hard of Hearing Consumers. *J Rehab.* 2009; 75(1):36-40. ISSN: 0022-4154.

Bradley JC. How to select the right hearing and respiratory protection and environmental monitoring equipment. *Occupational Hazards.* 2006; Winter.

Bradley JS and Sato H. The intelligibility of speech in elementary school classrooms. *J Acoust Soc Am.* 2008; 123(4):2078-2086. ISSN: 1520-8524.

Bradlow AR and Alexander JA. Semantic and phonetic enhancements for speech-in-noise recognition by native and non-native listeners. *J Acoust Soc Am.* 2007; 121(4):2339-2349. ISSN: 0001-4966.

- Bragg T. Nine strategies for successfully playing office politics. *Occupational Hazards*. 2004; February:49.
- Brainard JS; Jones AP; Bateman IJ, and Lovett AA. Exposure to environmental urban noise pollution in Birmingham, UK. 2004; 41, (13): 2581-2600.
- Brannstrom KJ and Grenner J. Clinical Application of Long-Term Intensity and Pitch Matches in Fluctuating Low-Frequency Hearing Loss. *Int J Audiol*. 2008; 47(7):412-419. ISSN: 1499-2027.
- Brannstrom KJ and Grenner J. Long-term measurement of binaural intensity matches and pitch matches. I. Normal hearing. *Int J Audiol*. 2008; 47(2):59-66. ISSN: 1708-8186.
- Brattico E; Kujala T; Tervaniemi M; Alku P; Ambrosi L, and Monitillo V. Long-term exposure to occupational noise alters the cortical organization of sound processing. 2005; 116, (1): 190-203.
- Braubach M. Residential Conditions and Their Impact on Residential Environment Satisfaction and Health: Results of the Who Large Analysis and Review of European Housing and Health Status (Lares) Study. *Int J Environ Pol*. 2007; 30(3-4):384-403. ISSN: 0957-4352.
- Brauch R. Ensuring effective HCPs. *Occup Health Saf*. 2009; 78(3):47-48, 50. ISSN: 0362-4064.
- Braut L; Han W; Lansing C; Chambers R; McNew J; Bellina A, and O'Brien WD. Influence of static force on bone conduction threshold measurement. *J Acoust Soc Am*. 2008; 124(4):2456. ISSN: 1520-8524.
- Bray A; Szymanski M; Mills R, and Phil M. Noise induced hearing loss in dance music disc jockeys and an examination of sound levels in nightclubs. 2004; 118,(2): 123-128.
- Brennan PC; Ryan J; Evanoff M; Toomey R; O'Beirne A; Manning D; Chakraborty DP, and McEntee M. The impact of acoustic noise found within clinical departments on radiology performance. *Acad Radiol*. 2008; 15(4):472-476. ISSN: 1076-6332.
- Breuskin I; Bodson M; Thelen N; Thiry M; Nguyen L; Belachew S; Lefebvre PP, and Malgrange B. Strategies to regenerate hair cells: identification of progenitors and critical genes. *Hear Res*. 2008; 236(1-2):1-10. ISSN: 0378-5955.
- Brickner D and Carel R. [Annual rate of development of noise induced hearing loss in exposed workers]. *Harefuah*. 2005; 144(10):692-695, 751. ISSN: 0017-7768.
- Bridger JF; Stulgin SS, and George MM. Leadership in Energy and Environmental Design for schools: Designing mechanical system noise control to be green, affordable, and meet requirements. *J Acoust Soc Am*. 2008; 124(4):2547. ISSN: 1520-8524.
- Briggs RJ; Eder HC; Seligman PM; Cowan RS; Plant KL; Dalton J; Money DK, and Patrick JF. Initial clinical experience with a totally implantable cochlear implant research device. *Otol Neurotol*. 2008; 29(2):114-119. ISSN: 1531-7129.
- Brink M; Wunderli JM, and Boegli H. Community response to military shooting noise immissions. *J Acoust Soc Am*. 2008; 123(5):3819. ISSN: 1520-8524.
- Brocks C; Wollenberg B, and Graefe H. [Acute hearing loss from scuba-diving holidays : Diagnosis and treatment of barotrauma of the inner ear.]. *HNO*. 2008; Jul 12. ISSN: 1433-0458.
- Bromwich MA; Parsa V; Lanthier N; Yoo J, and Parnes LS. Active noise reduction audiometry: a prospective analysis of a new approach to noise management in audiometric testing. *Laryngoscope*. 2007; Nov 26. ISSN:- 1.

- Brookler, K. Questioning the relationship between cochlear otosclerosis and sensorineural hearing loss. *Laryngoscope*. 2005; 115(4):757; author reply 757-758. ISSN: 0023-852X.
- Brooks BM. The need for a unified community noise policy. *Noise Control Eng J*. 2003; 51(3):160-161.
- Brooks PJ. Industrial noise control. *Occup Health Saf*. 2007; 76(10):112, 114, 116-117. ISSN: 0362-4064.
- Brooks R, Jr. Lost in the translation. *Occup Health Saf*. 2003; 72(12):49-51. ISSN: 0362-4064.
- Brosch S; Burner K; Johannsen HS; de Maddalena H, and Mauz PS. [Quality control of audiologic results in a university phoniatic/pediatric institution. An example of expert assessment of occupational noise induced hearing loss]. *HNO*. 2005; 53(8):716-721. ISSN: 0017-6192.
- Brosch S and Pirsig W. Hearing loss in a cultural-historical context. *HNO*. 2003; 51(1):25-29.
- Brown AL and van Kamp I. Response to a change in transport noise exposure: competing explanations of change effects. *J Acoust Soc Am*. 2009; 125(2):905-914. ISSN: 1520-8524.
- Brown DA. Hot topics in engineering acoustics. *J Acoust Soc Am*. 2008; 124(4):2526. ISSN: 1520-8524.
- Brown, G. D. China's factory floors: an industrial hygienist's view. *Int J Occup Environ Health*. 2003; 9(4):326-339. ISSN: 1077-3525.
- Brown JR. Hunters and hearing loss. 2006.
- Brown SD; Hardisty-Hughes RE, and Mburu P. Quiet as a mouse: dissecting the molecular and genetic basis of hearing. *Nat Rev Genet*. 2008; Feb 19. ISSN: 1471-0064.
- Bruce RD and Wood EW. The USA needs a new national policy for occupational noise. *Noise Control Eng J*. 2003; 51(3):162-165.
- Brucks WM and Van Lange PAM. No Control, No Drive: How Noise May Undermine Conservation Behavior in a Commons Dilemma. *European Journal of Social Psychology*. 2008; 38(5):810-822. ISSN: 0046-2772.
- Brungart, D. S.; Kordik, A. J., and Simpson, B. D. The effects of single and double hearing protection on the localization and segregation of spatially-separated speech signals. *J Acoust Soc Am*. 2004; 116(4 Pt 1):1897-1900. ISSN: 0001-4966.
- Brungart, D. S.; Simpson, B. D.; Darwin, C. J.; Arbogast, T. L., and Kidd, G. Jr. Across-ear interference from parametrically degraded synthetic speech signals in a dichotic cocktail-party listening task. *J Acoust Soc Am*. 2005; 117(1):292-304. ISSN: 0001-4966.
- Brungart DS; Kordik AJ; Simpson BD, and McKinley RL. Auditory localization in the horizontal plane with single and double hearing protection. *Aviat Space Environ Med*. 2003; 74(9):937-946.
- Brungart DS and Simpson BD. Within-ear and across-ear interference in a dichotic cocktail party listening task: Effects of masker uncertainty. *J Acoust Soc Am*. 2004; 115(1):301-310.
- Brunger K. Managing tinnitus. *J Fam Health Care*. 2008; 18(2):47-48. ISSN: 1474-9114.
- Brunnberg E; Linden-Bostrom M, and Berglund M. Tinnitus and hearing loss in 15-16-year-old students: mental health symptoms, substance use, and exposure in school. *Int J Audiol*. 2008; 47(11):688-694. ISSN: 1708-8186.

Bruno E; Napolitano B; Di Girolamo S; De Padova A, and Alessandrini M. Paroxysmal positional vertigo in skeet shooters and hunters. *Eur Arch Otorhinolaryngol.* 2007; 264(4):381-383. ISSN: 0937-4477.

Brunskog J; Gade AC; Bellester GP, and Calbo LR. Increase in voice level and speaker comfort in lecture rooms. *J Acoust Soc Am.* 2009; 125(4):2072-2082. ISSN: 1520-8524.

Brunskog J; Gade AC; Paya Bellester G, and Reig Calbo L. Speaker comfort and increase of voice level in lecture rooms. *J Acoust Soc Am.* 2008; 123(5):3498. ISSN: 1520-8524.

Brusis T. [From the Expert's Office: Bilateral High-frequency Hearing Loss with C5-Senke Following Explosion.]. *Laryngorhinootol.* 2008; 87(1):49-51. ISSN:- 1.

Brusis T. [From the Expert's Office: Progress of Hearing Loss Following Acute Acoustic Trauma?]. *Laryngorhinootologie.* 2008; 87(7):507-510. ISSN: 0935-8943.

Brusis T; Hilger R; Niggeloh R; Huedepohl J, and Thiesen KW. [Are professional dental health care workers (dentists, dental technicians, assistants) in danger of noise induced hearing loss?]. *Laryngorhinootologie.* 2008; 87(5):335-340. ISSN: 0935-8943.

Bucci BA and Vipperman JS. Performance of artificial neural network-based classifiers to identify military impulse noise. *J Acoust Soc Am.* 2007; 122(3):1602. ISSN: 1520-8524.

Buchanan MA; Wilkinson JM; Fitzgerald JE, and Prinsley PR. Is golf bad for your hearing? *BMJ.* 2008; 337:a2835. ISSN: 1468-5833.

Buchweiller JP; Mayer A; Klein R; Iotti JM; Kusy A; Reinert D, and Christ E. Safety of electronic circuits integrated into personal protective equipment (PPE). *Safety Sci.* 2003; 41(5):395-408.

Buck K; Hamery P, and McKinley R. Sound path(s) to the ear protected by double hearing protection. *J Acoust Soc Am.* 2008; 123(5):3529. ISSN: 1520-8524.

Bueno M; Vinuela U; Teran F; Paje SE, and Luong J. A first step toward a close proximity noise map. *J Acoust Soc Am.* 2008; 123(5):3686. ISSN: 1520-8524.

Burger NDL; von Wielligh AJ; de Wet PR; Otterman RW, and Steyn JL. Design and development of a low noise rockdrill. *J S Afr Inst Mining Metallurgy.* 2004; 104(7):403-410.

Burgess, G. L.; Dippnall, W. M.; Ravandi, M. R., and Cherry, N. M. Retrospective noise estimates for British nuclear workers using an alternative approach. *Ann Occup Hyg.* 2004; 48(2):117-127. ISSN: 0003-4878.

Burgess M and Stead M. Education for professional career in acoustics. *J Acoust Soc Am.* 2008; 123(5):3795. ISSN: 1520-8524.

Burke MJ; Sarpy SA; Smith-Crowe K; Chan-Serafin S; Salvador RO, and Islam G. Relative effectiveness of worker safety and health training methods. *Am J Public Health.* 2006; 96(2):315-324. ISSN: 0090-0036.

Burns OM and Rajan R. Learning in a task of complex auditory streaming and identification. *Neurobiol Learn Mem.* 2008; 89(4):448-461. ISSN: 1095-9564.

Burow A; Day HE, and Campeau S. A detailed characterization of loud noise stress: Intensity analysis of hypothalamo-pituitary-adrenocortical axis and brain activation. *Brain Res.* 2005; 1062(1-2):63-73. ISSN: 0006-8993.

- Burr H; Bjorner JB; Kristensen TS; Tuchsén F, and Bach E. Trends in the Danish work environment in 1990-2000 and their associations with labor-force changes. *Scand J Work Environ Health*. 2003; 29(4):270-279.
- Burr H; Lund SP; Sperling BB; Kristensen TS, and Poulsen OM. Smoking and height as risk factors for prevalence and 5-year incidence of hearing loss. A questionnaire-based follow-up study of employees in Denmark aged 18-59 years exposed and unexposed to noise. *Int J Audiol*. 2005; 44(9):531-539. ISSN: 1499-2027.
- Busch TA and Nugent RE. A reduced-scale railway noise barrier's insertion loss and absorption coefficients: comparison of field measurements and predictions. *J Sound Vib*. 2003; 267(3):749-759.
- Bush H. Patient satisfaction. Quiet, please! *Hosp Health Netw*. 2008; 82(4):24, 26. ISSN: 1068-8838.
- Buss E; Hall JW, and Grose JH. The importance of temporal fine structure coding for speech perception in listeners with sensorineural hearing impairment as compared to normal hearing listeners. *J Acoust Soc Am*. 2008; 123(5):3712. ISSN: 1520-8524.
- Buyukcakir C. Hearing loss in Turkish aviators. *Mil Med*. 2005; 170(7):572-576. ISSN: 0026-4075.
- Buzduga M and Buzduga V. Testing microphones in small acoustical enclosures. *J Acoust Soc Am*. 2008; 124(4):2488. ISSN: 1520-8524.
- Byrne DC and Reeves ER. Analysis of nonstandard noise dosimeter microphone positions. *J Occup Environ Hyg*. 2008; 5(3):197-209. ISSN: 1545-9624.
- Caban AJ; Lee DJ; Gomez-Marin O; Lam BL, and Zheng DD. Prevalence of concurrent hearing and visual impairment in US adults: The National Health Interview Survey, 1997-2002. *Am J Public Health*. 2005; 95(11):1940-1942. ISSN: 0090-0036.
- Cacace AT. Hearing loss and tinnitus prevention initiatives: partnerships for success. *Am J Audiol*. 2006; 15(2):99-100. ISSN: 1059-0889.
- Cadoni G; Agostino S; Scipione S; Ippolito S; Caselli A; Marchese R, and Paludetti G. Sudden sensorineural hearing loss: our experience in diagnosis, treatment, and outcome. *J Otolaryngol*. 2005; 34(6):395-401. ISSN: 0381-6605.
- Caelers A; Monge A; Brand Y, and Bodmer D. Somatostatin and gentamicin-induced auditory hair cell loss. *Laryngoscope*. 2009; Mar 17. ISSN: 1531-4995.
- Caffier PP; Berl JC; Muggli A; Reinhardt A; Jakob A; Moser M; Fietze I; Scherer H, and Holzl M. Snoring noise pollution--the need for objective quantification of annoyance, regulatory guidelines and mandatory therapy for snoring. *Physiol Meas*. 2007; 28(1):25-40. ISSN: 0967-3334.
- Cagno E; Di Giulio A, and Trucco P. Statistical evaluation of occupational noise exposure. 2005; 66, (3): 297-318.
- Cai S; Ma WL, and Young ED. Encoding Intensity in Ventral Cochlear Nucleus Following Acoustic Trauma: Implications for Loudness Recruitment. *J Assoc Res Otolaryngol*. 2009; 10(1):5-22. ISSN: 1525-3961.
- Cainer KE; James C and Rajan R. Learning speech-in-noise discrimination in adult humans. *Hear Res*. 2008; 238(1-2):155-164. ISSN: 0378-5955.

- Cakir, B. O.; Ercan, I.; Civelek, S.; Korpinar, S.; Toklu, A. S.; Gedik, O.; Isik, G.; Sayin, I., and Turgut, S. Negative Effect of Immediate Hyperbaric Oxygen Therapy in Acute Acoustic Trauma. *Otol Neurotol*. 2006 Jun; 27(4):478-483.
- Cakir BO; Ercan I; Civelek S; Korpinar S; Toklu AS; Gedik O; Isik G; Sayin I, and Turgut S. Negative Effect of Immediate Hyperbaric Oxygen Therapy in Acute Acoustic Trauma. *Otol Neurotol*. 2006; 27(4):478-483. ISSN: 1531-7129.
- Calcagno B; Garcia MDL; Kuhns M, and Lakes RS. On the Nonlinear Creep and Recovery of Open Cell Earplug Foams. *Cellular Polymers*. 2008; 27(3):165-178. ISSN: 0262-4893.
- Cameron S and Dillon H. The listening in spatialized noise-sentences test (LISN-S): test-retest reliability study. *Int J Audiol*. 2007; 46(3):145-153. ISSN: 1499-2027.
- Cameron S; Dillon H, and Newall P. The listening in spatialized noise test: an auditory processing disorder study. *J Am Acad Audiol*. 2006; 17(5):306-320. ISSN: 1050-0545.
- Cameron S; Dillon H, and Newall P. The listening in Spatialized Noise test: normative data for children. *Int J Audiol*. 2006; 45(2):99-108. ISSN: 1499-2027.
- Campanella A. A Review of Reference Sound Sources for Sound Power Measurements. *Sound Vib*. 2008; 42(2):7-9. ISSN: 1541-0161.
- Campbell DM and Skulina D. Live computer-based demonstrations in musical acoustics education. *J Acoust Soc Am*. 2008; 123(5):3654. ISSN: 1520-8524.
- Campbell K. A milligram of prevention. *J Am Acad Audiol*. 2003; 14(3):120.
- Campbell K. Ototoxicity: understanding oxidative mechanisms. *J Am Acad Audiol*. 2003; 14(3):121-123.
- Campbell K. Oxidants vs. antioxidants: the war within- and our cells are at stake. *The Hearing Journal*. 2004; 57(5):10.
- Campbell KC. Bromate-induced ototoxicity. *Toxicology*. 2006; 221(2-3):205-211. ISSN: 0300-483X.
- Campbell KC; Meech RP; Klemens JJ; Gerberi MT; Dyrstad SS; Larsen DL; Mitchell DL; El-Azizi M; Verhulst SJ, and Hughes LF. Prevention of noise- and drug-induced hearing loss with d-methionine. *Hear Res*. 2007; Jan 12. ISSN: 0378-5955.
- Campo P; Blachere V; Payan JP; Cossec B, and Ducos P. Toluene Toxicokinetics and Metabolism Parameters in the Rat and Guinea Pig. *Environ Toxicol Pharmacol*. 2006; 21(3):276-282.
- Campo, P; Blachere, V; Payan, JP; Pouyatos, B, and Lataye, R. Toxicokinetic parameters of toluene in the rat and guinea pig: a comparative study. *Environ Toxicol Pharmacol*. 2005; 19(3):555-559.
- Campo P and Maguin K. Solvent-induced hearing loss: mechanisms and prevention strategy. *Int J Occup Med Environ Health*. 2007; 20(3):265-270. ISSN: 1232-1087.
- Campo P; Maguin K, and Lataye R. Effects of aromatic solvents on acoustic reflexes mediated by central auditory pathways. *Toxicol Sci*. 2007; 99(2):582-590. ISSN: 1096-6080.
- Campo P; Pouyatos B; Lataye R, and Morel G. Is the aged rat ear more susceptible to noise or styrene damage than the young ear? *Noise Health*. 2003; 5(19):3-21.

- Campo P; Waniusiow D; Cossec B; Lataye R; Rieger B; Cosnier F, and Burgart M. Toluene-induced hearing loss in phenobarbital treated rats. *Neurotoxicol Teratol.* 2007; Oct 17.
- Canale A; Lacilla M; Cavalot AL, and Albera R. Auditory steady-state responses and clinical applications. *Eur Arch Otorhinolaryngol.* 2006; Mar 24. ISSN: 0937-4477.
- Canale, A.; Lacilla, M.; Giordano, C.; De Sanctis, A., and Albera, R. The prognostic value of the otoacoustic emission test in low frequency sudden hearing loss. *Eur Arch Otorhinolaryngol.* 2005; 262(3):208-212. ISSN: 0937-4477.
- Candreia, C.; Martin, G. K.; Stagner, B. B., and Lonsbury-Martin, B. L. Distortion product otoacoustic emissions show exceptional resistance to noise exposure in MOLF/Ei mice. *Hear Res.* 2004; 194(1-2):109-117. ISSN: 0378-5955.
- Candy JV; Poggio AJ; Chambers DH; Guidry BL; Robbins CL, and Kent CA. Multichannel time-reversal processing for acoustic communications in a highly reverberant environment. *J Acoust Soc Am.* 2005; 118(4):2339-2354. ISSN: 0001-4966.
- Canetto P and Trompette N. "Real world" noise exposure beneath hearing protectors : a scattered international practise. *J Acoust Soc Am.* 2008; 123(5):3528. ISSN: 1520-8524.
- Canlon B; Henderson D, and Salvi R. Pharmacological strategies for prevention and treatment of hearing loss and tinnitus. *Hear Res.* 2007; 226(1-2):1-2. ISSN: 0378-5955.
- Canlon B; Meltser I; Johansson P, and Tahera Y. Glucocorticoid receptors modulate auditory sensitivity to acoustic trauma. *Hear Res.* 2007; 226(1-2):61-69. ISSN: 0378-5955.
- Cao H; Dong M; Zhao C, and Li H. [Effects of conditioning noise exposure on the expression of F-actin]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi.* 2006; 20(22):1035-1037. ISSN: 1001-1781.
- Cao XM; Fang ZD; Xu H, and Su JZ. Design of Pinion Machine Tool-Settings for Spiral Bevel Gears by Controlling Contact Path and Transmission Errors. *Chi J Aeronautics.* 2008; 21(2):179-186. ISSN: 1000-9361.
- Cao Y; Luo Z; Tao Z; Zhu S; Li J, and Shu J Huang Z. [Analysis of the hearing of patients with obstructive sleep apnea-hypopnea syndrome]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi.* 2006; 20(1):1-3. ISSN: 1001-1781.
- Capacci F and Carnevale F. [Noise damage, report to the judicial authority and natural history of the report]. *Med Lav.* 2006; 97(6):805-807. ISSN: 0025-7818.
- Cappaert NL; Klis SF; Wijnbenga J, and Smoorenburg GF. Acceleration of cisplatin ototoxicity by perilymphatic application of 4-methylthiobenzoic acid. *Hear Res.* 2005; 203(1-2):80-87. ISSN: 0378-5955.
- Cardoso AP; Oliveira MJ; Silva AM; Aguas AP, and Pereira AS. Effects of long term exposure to occupational noise on textile industry workers' lung function. *Rev Port Pneumol.* 2006; 12(1):45-59. ISSN: 0873-2159.
- Caretti DM and Strickler LC. Speech intelligibility during respirator wear: Influences of respirator speech diaphragm size and background noise. *AIHAJ.* 2003; 64(6):846-850.
- Carlsson, P. I.; Van Laer, L.; Borg, E.; Bondeson, M. L.; Thys, M.; Fransen, E., and Van Camp, G. The influence of genetic variation in oxidative stress genes on human noise susceptibility. *Hear Res.* 2005; 202(1-2):87-96. ISSN: 0378-5955.
- Carmichel EL; Harris FP, and Story BH. Effects of binaural electronic hearing protectors on localization and response time to sounds in the horizontal plane. *Noise Health.* 2007; 9(37):83-95. ISSN:- 37.

Carp CM and Dinu C. [Algorithms for adding and subtracting noise levels]. *Rev Med Chir Soc Med Nat Iasi*. 2006; 110(2):351-356. ISSN: 0300-8738.

Carp CM and Dinu C. [Specific effects upon hearing due to occupational noise]. *Rev Med Chir Soc Med Nat Iasi*. 2006; 110(1):103-107. ISSN: 0300-8738.

Carpinello S; L'Hermite P; Berengier M, and Licitra G. A new method to measure the acoustic surface impedance outdoors. 2004; 111,(4): 363-367.

Carrica DO; Petrocelli R; Benedetti M, and Funes MA. Acquisition of low-frequency signals immersed in noise by random sampling and finite impulse response filters. *Rev Sci Instrum*. 2007; 78(4):044702. ISSN: 0034-6748.

Carter CJ. *Cincinnati Enquirer*. Cincinnati, OH; 2008.

Carvalho WB; Pedreira ML, and de Aguiar MA. Noise level in a pediatric intensive care unit. *J Pediatr (Rio J)*. 2005; 81(6):495-498. ISSN: 0021-7557.

Casali JG; Ahroon WA, and Lancaster JA. A field investigation of hearing protection and hearing enhancement in one device: For soldiers whose ears and lives depend upon it. *Noise Health*. 2009; 11(42):69-90. ISSN: 1463-1741.

Casali JG; Robinson GS; Dabney EC, and Gauger D. Effect of electronic ANR and conventional hearing protectors on vehicle backup alarm detection in noise. *Hum Factors*. 2004; 46(1):1-10. ISSN: 0018-7208.

Cassandro E; Sequino L; Mondola P; Attanasio G; Barbara M, and Filippo R. Effect of superoxide dismutase and allopurinol on impulse noise-exposed guinea pigs- Electrophysiological and biochemical study. *Acta Oto-Laryngol*. 2003; 123(7):802-807.

Cassano E; Bavaro P; Aloise I; Bobbio E, and Renna M. [Music through earphones: an underestimated risk]. *Med Lav*. 2008; 99(5):362-365. ISSN: 0025-7818.

Cassano F; Bavaro P; De Marinis G, and Aloise I. No-occupational exposure to noise. *G Ital Med Lav Ergon*. 2005; 27(2):157-159. ISSN: 1592-7830.

Castagnede B; Moussatov A; Lafarge D, and Saeid M. Low Frequency in Situ Metrology of Absorption and Dispersion of Sound Absorbing Porous Materials Based on High Power Ultrasonic Non-Linearly Demodulated Waves. *Appl Acoust*. 2008; 69(7):634-648. ISSN: 0003-682X.

Castane R and Pena RSS. Active Acoustic Noise Control in Motorcycle Helmets. *Revista Iberoamericana De Automatica E Informatica Industrial*. 2007; 4(3):73-+. ISSN: 1697-7912.

Castillo O and Melin P. Intelligent Systems With Interval Type-2 Fuzzy Logic. *International Journal of Innovative Computing Information and Control*. 2008; 4(4):771-783. ISSN: 1349-4198.

Castle JS; Xing JH; Warner MR, and Korsten MA. Environmental noise alters gastric myoelectrical activity: Effect of age. *World J Gastroenterol*. 2007; 13(3):403-407. ISSN: 1007-9327.

Catchpole K and McKeown D. A framework for the design of ambulance sirens. *Ergonomics*. 2007; 50(8):1287-1301. ISSN: 0014-0139.

Catenacci G. [Noise pathology]. *G Ital Med Lav Ergon*. 2006; 28(1):85-88. ISSN: 1592-7830.

Cavaliere, F.; Conti, G.; Costa, R.; Proietti, R.; Sciuto, A., and Masieri, S. Noise exposure during noninvasive ventilation with a helmet, a nasal mask, and a facial mask. *Intensive Care Med.* 2004; 30(9):1755-1760. ISSN: 0342-4642.

Cavaliere F; Conti G; Costa R; Spinazzola G; Proietti R; Sciuto A, and Masieri S. Exposure to noise during continuous positive airway pressure: influence of interfaces and delivery systems. *Acta Anaesthesiol Scand.* 2008; 52(1):52-56. ISSN: 1399-6576.

CDC. Lead exposure from indoor firing ranges among students on shooting teams--Alaska, 2002-2004. *MMWR Morb Mortal Wkly Rep.* 2005; 54(23):577-579. ISSN: 1545-861X.

Cecchini M; Monarca D, and Porceddu PR. Workers' safety in milking premises. *J Agric Saf Health.* 2005; 11(3):293-300. ISSN: 1074-7583.

Cernetic J; Prezelj J, and Cudina M. Simple Feedback Structure of Active Noise Control in a Duct. *Strojnicki Vestnik-Journal of Mechanical Engineering.* 2008; 54(10):649-654. ISSN: 0039-2480.

Cetin B; Cekin E; Cincik H, and Gungor A. Relationship Between Acoustic Trauma and Serum Level of Vitamin B12, Folic Acid, Zinc, Magnesium and Malondialdehyde. *Medit J Otol.* 2008; 4(3):164-169. ISSN: 1305-5267.

Cetin T; Yetiser S; Cekin E; Durmus C; Nevruz O, and Oktenli C. Outer hair cell activity of the cochlea in patients with iron deficiency anemia. 2004; 31, (4): 389-394.

Chai DL; Lu JQ; Zeng L; Su YG; Lei Z, and Zhao YM. [Measurement of personal noise exposure in a cold rolling mill.]. *Zhonghua Yu Fang Yi Xue Za Zhi.* 2006; 40(2):93-96. ISSN: 0253-9624.

Chai JY; Ho YH; Chang YC, and Liaw CM. On Acoustic-Noise-Reduction Control Using Random Switching Technique for Switch-Mode Rectifiers in Pmsm Drive. *Ieee Transactions on Industrial Electronics.* 2008; 55(3):1295-1309. ISSN: 0278-0046.

Chait M; Poeppel D, and Simon JZ. Auditory Temporal Edge Detection in Human Auditory Cortex. *Brain Res.* 2008; 1213:78-90. ISSN: 0006-8993.

Chakraborty MR; Khan HS; Samad MA, and Amin MN. Noise level in different places of Dhaka Metropolitan City (DMC) and noise-induced hearing loss (NIHL) in Dhaka City dwellers. *Bangladesh Med Res Counc Bull.* 2005; 31(2):68-74. ISSN: 0377-9238.

Chan DK; Lieberman DM; Musatov S; Goldfein JA; Selesnick SH, and Kaplitt MG. Protection against cisplatin-induced ototoxicity by adeno-associated virus-mediated delivery of the X-linked inhibitor of apoptosis protein is not dependent on caspase inhibition. *Otol Neurotol.* 2007; 28(3):417-425. ISSN: 1531-7129.

Chan PC; Stuhmiller JH, and Bandak FA. Ear injury from air bag deployment noise? 2005; 10, (1): 33-40.

Chan, V. S.; Wong, E. C., and McPherson, B. Occupational hearing loss: screening with distortion-product otoacoustic emissions. *Int J Audiol.* 2004; 43(6):323-329. ISSN: 1499-2027.

Chang AI and Appasani K. Emphasizing the Need to More Fully Understand Development: a Stem Cells and Regenerative Medicine Meeting Report. *J Tissue Eng Regenerative Med.* 2007; 1(4):274-280. ISSN: 1932-6254.

Chang EF and Merzenich MM. Environmental noise retards auditory cortical development. *Sci.* 2003; 300(5618):498-502.

- Chang NC; Ho KY, and Kuo WR. Audiometric patterns and prognosis in sudden sensorineural hearing loss in southern Taiwan. *Otolaryngol Head Neck Surg.* 2005; 133(6):916-922. ISSN: 0194-5998.
- Chang NC; Yu ML; Ho KY, and Ho CK. Hyperlipidemia in noise-induced hearing loss. *Otolaryngol Head Neck Surg.* 2007; 137(4):603-606. ISSN: 0194-5998.
- Chang S; Chen W, and Wang C. The Study of Hearing Loss Among Mp3 Player Users. *Epidemiol.* 2008; 19(6 Suppl S):S122.
- Chang SJ; Chen CJ; Lien CH, and Sung FC. Hearing loss in workers exposed to toluene and noise. *Environ Health Perspect.* 2006; 114(8):1283-1286. ISSN: 0091-6765.
- Chang SJ; Chen CJ; Shih TS; Chou TC, and Sung FC. Risk for hypertension in workers exposed to carbon disulfide in the viscose rayon industry. *Am J Ind Med.* 2007; 50(1):22-27. ISSN: 0271-3586.
- Chang SJ; Shih TS; Chou TC; Chen CJ; Chang HY, and Sung FC. Aggravated hearing loss in viscose rayon workers with carbon disulfide and noise exposures. *Am J Epidemiol.* 2003; 157(11):S74.
- Chang SJ; Shih TS; Chou TC; Chen CJ; Chang HY, and Sung FC. Hearing loss in workers exposed to carbon disulfide and noise. 2003; 111, (13): 1620-1624.
- Chang TY; Jain RM; Wain CS, and Chan CC. Effects of occupational noise exposure on blood pressure. 2003; 45, (12): 1289-1296.
- Chang TY; Lin SY; Lai JS, and Wang VS. Effects of Co-Exposure to Noise, N,N-Dimethylformamide, and Toluene on Ambulatory Blood Pressure and Heart Rate Among Synthetic Leather Workers. *Epidemiol.* 2006; 17(Suppl 6):S507. ISSN: 1044-3983.
- Chang TY; Su TC; Lin SY; Jain RM, and Chan CC. Effects of occupational noise exposure on 24-hour ambulatory vascular properties in male workers. *Environ Health Perspect.* 2007; 115(11):1660-1664. ISSN: 0091-6765.
- Chang YC; Yeh LJ, and Chiu MC. Optimization of double-layer absorbers on constrained sound absorption system by using genetic algorithm. 2005; 62, (3): 317-333.
- Chang, YM; Lee, SH; Lee, YJ; Hwang, MJ; Bae, SJ; Kim, MN; Lee, JM; Woo, SK; Lee, HJ, and Kang, DS. Auditory neural pathway evaluation on sensorineural hearing loss using diffusion tensor imaging. *Neuroreport.* 2004; 15(11):1699-1703.
- Chao TK and Chen TH. Predictive model for progression of hearing loss: meta-analysis of multi-state outcome. *J Eval Clin Pract.* 2009; 15(1):32-40. ISSN: 1365-2753.
- Charalampidis A; Katsouyanni K; Cadum E; Pershagen G; Babisch W, and Jarup L. Can Exposure to Noise Affect the 24 Hour Blood Pressure Profile? Results From the Hyena Project. *Epidemiol.* 2008; 19(1):S213-S214.
- Charitidi K; Meltser I; Tahera Y, and Canlon B. Functional responses of estrogen receptors in the male and female auditory system. *Hear Res.* 2009; Jan 21. ISSN: 1878-5891.
- Chasin M. Acoustics for hearing protection devices. Understanding how HPDs attenuate sound and their physical limitations. *Hear Rev.* 2007; March:18-19.
- Chasin M. Music and hearing aids. *Hear J.* 2003; 56(7):36-41.

- Chassaing JC; Sayma AI, and Imregun M. A Combined Time and Frequency Domain Approach for Acoustic Resonance Prediction. *J Sound Vib.* 2008; 311(3-5):1100-1113. ISSN: 0022-460X.
- Chatillon J. Influence of Source Directivity on Noise Levels in Industrial Halls: Simulation and Experiments. *Applied Acoustics.* 2007; 68(6):682-698. ISSN: 0003-682X.
- Chau N; Bhattacharjee A, and Kunar BM. Relationship between job, lifestyle, age and occupational injuries. *Occup Med.* 2009; 59(2):114-119. ISSN: 1471-8405.
- Chau N; Bourgakard E; Bhattacharjee A; Ravaud JF; Choquet M, and Mur JM. Associations of job, living conditions and lifestyle with occupational injury in working population: a population-based study. *Int Arch Occup Environ Health.* 2008; 81(4):379-389. ISSN: 0340-0131.
- Chavko M; Koller WA; Prusaczyk WK, and McCarron RM. Measurement of blast wave by a miniature fiber optic pressure transducer in the rat brain. *J Neurosci Methods.* 2007; 159(2):277-281. ISSN: 0165-0270.
- Chen CJ; Dai YT; Sun YM; Lin YC, and Juang YJ. Evaluation of auditory fatigue in combined noise, heat and workload exposure. *Ind Health.* 2007; 45(4):527-534. ISSN: 0019-8366.
- Chen GD. Prestin gene expression in the rat cochlea following intense noise exposure. *Hear Res.* 2006; Sep 25. ISSN: 0378-5955.
- Chen GD; Chi LH; Kostyniak PJ, and Henderson D. Styrene induced alterations in biomarkers of exposure and effects in the cochlea: mechanisms of hearing loss. *Toxicol Sci.* 2007; 98(1):167-177. ISSN: 1096-6080.
- Chen GD and Fechter LD. The relationship between noise-induced hearing loss and hair cell loss in rats. *Hear Res.* 2003; 177(1-2):81-90.
- Chen GD and Henderson D. Cochlear injuries induced by the combined exposure to noise and styrene. *Hear Res.* 2009; Apr 14. ISSN: 1878-5891.
- Chen GD; Li M; Tanaka C; Bielefeld EC; Hu BH; Kermany MH; Salvi R, and Henderson D. Aging outer hair cells (OHCs) in the Fischer 344 rat cochlea: Function and morphology. *Hear Res.* 2008; Dec 10. ISSN: 0378-5955.
- Chen GD and Liu Y. Mechanisms of noise-induced hearing loss potentiation by hypoxia. *Hear Res.* 2005; 200(1-2):1-9. ISSN: 0378-5955.
- Chen GD; Tanaka C, and Henderson D. Relation between outer hair cell loss and hearing loss in rats exposed to styrene. *Hear Res.* 2008; May 28. ISSN: 0378-5955.
- Chen GD and Zhao HB. Effects of intense noise exposure on the outer hair cell plasma membrane fluidity. *Hear Res.* 2006; Jul 24. ISSN: 0378-5955.
- Chen GY; Wang H; Chen K, and Muto K. The Influences of Path Characteristics on Multichannel Feedforward Active Noise Control System. *J Sound Vib.* 2008; 311(3-5):729-736. ISSN: 0022-460X.
- Chen H; Huang M, and Wei J. Elementary school children's knowledge and intended behavior towards hearing conservation. *Noise Health.* 2008; 10(41):105-109. ISSN: 1463-1741.
- Chen HN; Brentner KS; Ananthan S, and Leishman JG. A Computational Study of Helicopter Rotor Wakes and Noise Generated During Transient Maneuvers. *J Am Helicopter Soc.* 2008; 53(1):37-55. ISSN: 0002-8711.

- Chen JD and Tsai JY. Hearing loss among workers at an oil refinery in Taiwan. *Arch Environ Health*. 2003; 58(1):55-58.
- Chen L; Sang J, and Li X. On the level-dependent attenuation of a perforated device. *J Acoust Soc Am*. 2009; 125(5):2995-3005. ISSN: 1520-8524.
- Chen LZ; Pang LJ, and Fu BY. [Epidemiological study on the occupational noise exposure and hypertension in mechanic factory workers]. *Zhonghua Liu Xing Bing Xue Za Zhi*. 2005; 26(11):897-900. ISSN: 0254-6450.
- Chen SR and Too GPJ. Simulations and Experiments for Hybrid Noise Control Systems. *Appl Acoust*. 2009; 70(2):247-255.
- Chen Y; Huang WG; Zha DJ; Qiu JH; Wang JL; Sha SH, and Schacht J. Aspirin attenuates gentamicin ototoxicity: From the laboratory to the clinic. *Hear Res*. 2006; Jul 14. ISSN: 0378-5955.
- Chen, Y.; Turner, S.; McNamee, R.; Ramsay, C. N., and Agius, R. M. The reported incidence of work-related ill-health in Scotland (2002-2003). *Occup Med (Lond)*. 2005; 55(4):252-261. ISSN: 0962-7480.
- Chen YS; Liu TC; Cheng CH; Yeh TH; Lee SY, and Hsu CJ. Changes of hair cell stereocilia and threshold shift after acoustic trauma in guinea pigs: Comparison between inner and outer hair cells. 2004; 65, (5): 266-274.
- Chen YS; Tseng FY; Lin KN; Yang TH; Lin-Shiau SY, and Hsu CJ. Chronologic Changes of Nitric Oxide Concentration in the Cochlear Lateral Wall and Its Role in Noise-Induced Permanent Threshold Shift. *Laryngoscope*. 2008; 118(Jan 30). ISSN: 0023-852X.
- Chen YS; Tseng FY; Liu TC; Lin-Shiau SY, and Hsu CJ. Involvement of nitric oxide generation in noise-induced temporary threshold shift in guinea pigs. *Hear Res*. 2005; 203(1-2):94-100. ISSN: 0378-5955.
- Chen, Z.; Ulfendahl, M.; Ruan, R.; Tan, L., and Duan, M. Protection of auditory function against noise trauma with local caroverine administration in guinea pigs. *Hear Res*. 2004; 197(1-2):131-136. ISSN: 0378-5955.
- Chen ZQ; Kujawa SG; McKenna MJ; Fiering JO; Mescher MJ; Borenstein JT; Swan EEL, and Sewell WF. Inner ear drug delivery via a reciprocating perfusion system in the guinea pig. *J Control Release*. 2005; 110(1):1-19.
- Chen ZQ; Ulfendahl M; Ruan RS; Tan L, and Duan ML. Acute treatment of noise trauma with local caroverine application in the guinea pig. *Acta Oto-Laryngol*. 2003; 123(8):905-909.
- Cheng AG; Cunningham LL, and Rubel EW. Mechanisms of hair cell death and protection. *Curr Opin Otolaryngol Head Neck Surg*. 2005; 13(6):343-348. ISSN: 1068-9508.
- Cheng LR. Can you hear me now? Understanding hearing loss. *Nursing*. 2008; 38(Suppl Therapy):5-6. ISSN: 1538-8689.
- Cheng PW; Liu SH; Young YH; Hsu CJ, and Lin-Shiau SY. Protection from Noise-Induced Temporary Threshold Shift by d-Methionine is Associated with Preservation of ATPase Activities. *Ear Hear*. 2007; Dec 4. ISSN:- 1.
- Chepesiuk R. Decibel hell: the effects of living in a noisy world. *Environ Health Perspect*. 2005; 113(1):A34-A41. ISSN: 0091-6765.
- Chepesiuk R. Hearing Loss, Loud and Clear- Combined Effect of Noise and Toluene in Workers. *Environ Health Perspect*. 2006; 114(8):A487.

Chermak GD; Silva ME; Nye J; Hasbrouck J, and Musiek FE. An update on professional education and clinical practices in central auditory processing. *J Am Acad Audiol.* 2007; 18(5):428-452; quiz 455. ISSN: 1050-0545.

Cherney DP; Ekman DR; Dix DJ, and Collette TW. Raman spectroscopy-based metabolomics for differentiating exposures to triazole fungicides using rat urine. *Anal Chem.* 2007; 79(19):7324-7332. ISSN: 0003-2700.

Chertoff ME; Lichtenhan JT; Tourtillott BM, and Esau KS. The Influence of Noise Exposure on the Parameters of a Convolution Model of the Compound Action Potential. *J Acoust Soc Am.* 2008; 124(4):2174-2185. ISSN: 0001-4966.

Chesky K; Pair M; Lanford S, and Yoshimura E. Attitudes of college music students towards noise in youth culture. *Noise Health.* 2009; 11(42):49-53. ISSN: 1463-1741.

Cheung CK. Organizational influence on working people's occupational noise protection in Hong Kong. *J Saf Res.* 2004; 35(4):465-475.

Cheung, S. W. Frequency map variations in squirrel monkey primary auditory cortex. *Laryngoscope.* 2005; 115(7):1136-1144. ISSN: 0023-852X.

Chi FL. [Pay attention to research on clinical application of hearing loss genes]. *Zhonghua Yi Xue Za Zhi.* 2007; 87(16):1084-1085. ISSN: 0376-2491.

Chia EM; Wang JJ; Rochtchina E; Cumming RR; Newall P, and Mitchell P. Hearing impairment and health-related quality of life: the Blue Mountains Hearing Study. *Ear Hear.* 2007; 28(2):187-195. ISSN: 0196-0202.

Chien YC; Ton S; Lee MH; Chia T; Shu HY, and Wu YS. Assessment of occupational health hazards in scrap-tire shredding facilities. *Sci Total Environ.* 2003; 309(1-3):35-46.

Chinet L; Stephan P; Zobel F, and Halfon O. Party drug use in techno nights: a field survey among French-speaking Swiss attendees. *Pharmacol Biochem Behav.* 2007; 86(2):284-289. ISSN: 0091-3057.

Chiovenda P; Pasqualetti P; Zappasodi F; Ercolani M; Milazzo D; Tomei G; Capozzella A; Tomei F; Rossini PM, and Tecchio F. Environmental noise-exposed workers: Event-related potentials, neuropsychological and mood assessment. *Int J Psychophysiol.* 2007; after april. ISSN: 0167-8760.

Chisolm, T. H.; Abrams, H. B., and McArdle, R. Short- and long-term outcomes of adult audiological rehabilitation. *Ear Hear.* 2004; 25(5):464-477. ISSN: 0196-0202.

Chiu MC. Noise Identification in Reverberant Sound Field by Using Simulated Annealing. *Proc Institution Mech Eng Part C-J Mech Eng Sci.* 2008; 222(2):163-179. ISSN: 0954-4062.

Chiu MC and Lan TS. Noise Source Identification in Sound Field by Using Simulated Annealing. *Acta Acustica United With Acustica.* 2007; 93(3):486-497. ISSN: 1610-1928.

Chloupek P; Voslarova E; Chloupek J; Bedanova I; Pistekova V, and Vecerek V. Stress in Broiler Chickens Due to Acute Noise Exposure. *Acta Veterinaria Brno.* 2009; 78(1):93-98. ISSN: 0001-7213.

Cho DS and Mun S. Determination of the Sound Power Levels Emitted by Various Vehicles Using a Novel Testing Method. *Appl Acoust.* 2008; 69(3):185-195. ISSN: 0003-682X.

Cho, YS; Gong, TWL; Kanicki, A; Altschuler, RA, and Lomax, MI. Noise overstimulation induces immediate early genes in the rat cochlea. *Mol Brain Res.* 2004; 130(1-2):134-148.

- Choi CH; Chen K; Vasquez-Weldon A; Jackson RL; Floyd RA, and Kopke RD. Effectiveness of 4-hydroxy phenyl N-tert-butyl nitrate (4-OHPBN) alone and in combination with other antioxidant drugs in the treatment of acute acoustic trauma in chinchilla. *Free Radic Biol Med*. 2008; Feb 20. ISSN: 0891-5849.
- Choi SW; Peek-Asa C; Sprince NL; Rautiainen RH; Donham KJ; Flamme GA; Whitten PS, and Zwerling C. Hearing loss as a risk factor for agricultural injuries. *Am J Ind Med*. 2005; 48(4):293-301. ISSN: 0271-3586.
- Choi SW; Peek-Asa C; Zwerling C; Sprince NL; Rautiainen RH; Whitten PS, and Flamme GA. A comparison of self-reported hearing and pure tone threshold average in the Iowa farm family health and hazard survey. *J Agromedicine*. 2005; 10(3):31-39. ISSN: 1059-924X.
- Choi Y; Hu H; Weisskopf M; Mukherjee B; Sparrow D; Spiro A; Tak S, and Park S. The Impact of Occupation-Related Noise Exposure on Hearing Thresholds in Middle-Aged and Elderly Men: the Normative Aging Study. *Epidemiol*. 2008; 19(6 Suppl S):S276-S277.
- Choi YC and Kim YH. Impulsive Sources Localisation in Noisy Environment Using Modified Beamforming Method. *Mechanical Systems and Signal Processing*. 2006; 20(6):1473-1481.
- Christensen M. Noise levels in a general intensive care unit: a descriptive study. *Nurs Crit Care*. 2007; 12(4):188-197. ISSN: 1478-5153.
- Christensen M. Noise levels in a General Surgical Ward: a descriptive study. 2005; 14, (2): 156-164.
- Christensen M. What knowledge do ICU nurses have with regard to the effects of noise exposure in the Intensive Care Unit? *Intensive Crit Care Nurs*. 2005; 21(4):199-207. ISSN: 0964-3397.
- Chu PL; Wu CC; Hsu CJ; Wang YT, and Wu KD. Potential ototoxicity of aluminum in hemodialysis patients. *Laryngoscope*. 2007; 117(1):137-141. ISSN: 0023-852X.
- Chuang HY; Hi CK; Lee TY; Ho KY; Wu TN; Chang SJ; Chen CJ, and Hsu LC. A case-control study on chemical exposure and hearing loss at work place. *Epidemiol*. 2003; 14(5):S96.
- Chuang HY; Kuo CH; Chiu YW; Ho CK; Chen CJ, and Wu TN. A case-control study on the relationship of hearing function and blood concentrations of lead, manganese, arsenic, and selenium. *Sci Total Environ*. 2007; 387(1-3):79-85. ISSN: 0048-9697.
- Chung, J. H.; Des Roches, C. M.; Meunier, J., and Eavey, R. D. Evaluation of noise-induced hearing loss in young people using a web-based survey technique. *Pediatrics*. 2005; 115(4):861-867. ISSN: 1098-4275.
- Chung JW; Ahn JH; Kim JY; Lee HJ; Kang HH; Lee YK; Kim JU, and Koo SW. The effect of isoflurane, halothane and pentobarbital on noise-induced hearing loss in mice. *Anesth Analg*. 2007; 104(6):1404-1408. ISSN: 1526-7598.
- Chung K. Effective Compression and Noise Reduction Configurations for Hearing Protectors. *J Acoust Soc Am*. 2007; 121(2):1090-1101.
- Chung K; Neuman AC, and Higgins M. Effects of in-the-ear microphone directionality on sound direction identification. *J Acoust Soc Am*. 2008; 123(4):2264-2275. ISSN: 1520-8524.
- Chung K; Tufts J, and Nelson L. Modulation-Based Digital Noise Reduction for Application to Hearing Protectors to Reduce Noise and Maintain Intelligibility. *Human Factors*. 2009; 51(1):78-89. ISSN: 0018-7208.
- Cianfrone G; Pace M; Turchetta R; Cianfrone F, and Altissimi G. [An updated guide on drugs inducing ototoxicity, tinnitus and vertigo]. *Acta Otorhinolaryngol Ital*. 2005; 25(5 Suppl 81):3-31. ISSN: 0392-100X.

- Ciesielka W. Active Noise Reduction System. *Arch Acoust.* 2007; 32(2):205-213. ISSN: 0137-5075.
- Cigada A; Lurati M; Ripamonti F, and Vanali M. Moving microphone arrays to reduce spatial aliasing in the beamforming technique: theoretical background and numerical investigation. *J Acoust Soc Am.* 2008; 124(6):3648-3658. ISSN: 1520-8524.
- Cigada A; Manzoni S, and Vanali M. Vibro-Acoustic Characterization of Railway Wheels. *Appl Acoust.* 2008; 69(6):530-545. ISSN: 0003-682X.
- Cilento BW; Norton SJ, and Gates GA. The effects of aging and hearing loss on distortion product otoacoustic emissions. 2003; 1239, (382-389).
- Ciletti L and Flamme GA. Prevalence of Hearing Impairment by Gender and Audiometric Configuration: Results From the National Health and Nutrition Examination Survey (1999-2004) and the Keokuk County Rural Health Study (1994-1998). *J Am Acad Audiol.* 2008; 19(9):672-685. ISSN: 1050-0545.
- Cinamon RG; Most T, and Michael R. Role Salience and Anticipated Work-Family Relations Among Young Adults With and Without Hearing Loss. *J Deaf Studies Deaf Education.* 2008; 13(3):351-361. ISSN: 1081-4159.
- Ciofi C; Cannata G; Scandurra G, and Merlino R. A Very Low Noise, High Stability, Voltage Reference for High Sensitivity Noise Measurements. *Fluctuation and Noise Letters.* 2007; 7(3):L231-L238. ISSN: 0219-4775.
- Ciric DG and Hammershoi D. Coupling of earphones to human ears and to standard coupler. *J Acoust Soc Am.* 2006; 120(4):2096-2107. ISSN: 0001-4966.
- Cirillo E; D'Alba M, and Martellotta F. [Noise and office work]. *Med Lav.* 2006; 97(6):749-761. ISSN: 0025-7818.
- Clark C; Martin R; van Kempen E; Alfred T; Head J; Davies HW; Haines MM; Barrio IL; Matheson M, and Stansfeld SA. Exposure-Effect Relations between Aircraft and Road Traffic Noise Exposure at School and Reading Comprehension: The RANCH Project. *Am J Epidemiol.* 2006; 163(1):27-37. ISSN: 0002-9262.
- Clark C; Martin R; van Kempen E; Alfred T; Head J; Davies HW; Haines MM; Lopez Barrio I; Matheson M, and Stansfeld SA. Exposure-effect relations between aircraft and road traffic noise exposure at school and reading comprehension: the RANCH project. *Am J Epidemiol.* 2006; 163(1):27-37. ISSN: 0002-9262.
- Clark JL. Hearing Loss in Mozambique: Current Data From Inhambane Province. *Int J Audiol.* 2008; 47(Suppl 1):S49-S56. ISSN: 1499-2027.
- Clark WW and Bohl CD. Editorial Note Regarding Sufficiency of Authors' Disclosures: Hearing Levels of Firefighters: Risk of Occupational Noise-Induced Hearing Loss Assessed by Cross-Sectional and Longitudinal Data [*Ear Hear* 2005;26(3):327-340]- Response. *Ear Hear.* 2008; 29(5):816-817. ISSN: 0196-0202.
- Clark WW and Bohl CD. Hearing levels of firefighters: risk of occupational noise-induced hearing loss assessed by cross-sectional and longitudinal data. *Ear Hear.* 2005; 26(3):327-330. ISSN: 0196-0202.
- Clausen T; Christensen KB; Lund T, and Kristiansen J. Self-reported noise exposure as a risk factor for long-term sickness absence. *Noise Health.* 2009; 11(43):93-97. ISSN: 1463-1741.
- Clausznitzer D; Lindner B; Julicher F, and Martin P. Two-State Approach to Stochastic Hair Bundle Dynamics. *Physical Review E.* 2008; 77(4 Part 1). ISSN: 1539-3755.

Cmiel, C. A.; Karr, D. M.; Gasser, D. M.; Oliphant, L. M., and Neveau, A. J. Noise control: a nursing team's approach to sleep promotion. *Am J Nurs.* 2004; 104(2):40-48;quiz 48-49. ISSN: 0002-936X.

Coelho CB; Tyler R, and Hansen M. Zinc as a possible treatment for tinnitus. *Prog Brain Res.* 2007; 166:279-285. ISSN: 0079-6123.

Coghlan A. Dying for some quiet: The truth about noise pollution. *New Scientist.* 2007; August(2618).

Cohen BS; Bronzaft AL; Heikkinen M, and Goodman J Nadas A. Airport-related air pollution and noise. *J Occup Environ Hyg.* 2008; 5(2):119-129. ISSN:- 2.

Coleman JK; Kopke RD; Liu J; Ge X; Harper EA; Jones GE; Cater TL, and Jackson RL. Pharmacological rescue of noise induced hearing loss using N-acetylcysteine and acetyl-l-carnitine. *Hear Res.* 2006; Oct 3. ISSN: 0378-5955.

Coleman JK; Littlesunday C; Jackson R, and Meyer T. AM-111 protects against permanent hearing loss from impulse noise trauma. *Hear Res.* 2006; Jul 11. ISSN: 0378-5955.

Coles RR; Macnamara S, and Macnamara N. Idiopathic Hearing Loss Mimicking Noise-induced Hearing Loss. *Clin Otolaryngol.* 2006; 31(1):53. ISSN: 1749-4478.

Concha-Barrientos M; Nelson DI; Fingerhut M; Driscoll T, and Leigh J. The global burden due to occupational injury. *Am J Ind Med.* 2005; 48(6):470-481. ISSN: 0271-3586.

Conlin AE and Parnes LS. Treatment of sudden sensorineural hearing loss: I. A systematic review. *Arch Otolaryngol Head Neck Surg.* 2007; 133(6):573-581. ISSN: 0886-4470.

Conlin AE and Parnes LS. Treatment of sudden sensorineural hearing loss: II. A Meta-analysis. *Arch Otolaryngol Head Neck Surg.* 2007; 133(6):582-586. ISSN: 0886-4470.

Coppola CL; Enns RM, and Grandin T. Noise in the animal shelter environment: building design and the effects of daily noise exposure. *J Appl Anim Welf Sci.* 2006; 9(1):1-7. ISSN: 1088-8705.

Coppola CL; Grandin T, and Enns RM. Human interaction and cortisol: can human contact reduce stress for shelter dogs? *Physiol Behav.* 2006; 87(3):537-541. ISSN: 0031-9384.

Corbacella, E.; Lanzoni, I.; Ding, D.; Previati, M., and Salvi, R. Minocycline attenuates gentamicin induced hair cell loss in neonatal cochlear cultures. *Hear Res.* 2004; 197 (1-2):11-18. ISSN: 0378-5955.

Corbett CE; El Khouri M; Costa AN; Gyuricza JV; Corbett JF; Frizzarini R; de Araujo Andrade DC; Cordeiro Q; Stravogiannis A; Chassot CA; Vieira JL, and Pinheiro Mda C. Health evaluation of gold miners living in a mercury-contaminated village in serra pelada, para, Brazil. *Arch Environ Occup Health.* 2007; 62(3):121-128. ISSN: 1933-8244.

Cord MT; Walden BE; Surr RK, and Dittberner AB. Field evaluation of an asymmetric directional microphone fitting. *J Am Acad Audiol.* 2007; 18(3):245-256. ISSN: 1050-0545.

Cordeiro, R.; Clemente, A. P.; Diniz, C. S., and Dias, A. [Occupational noise as a risk factor for work-related injuries.]. *Rev Saude Publica.* 2005; 39(3):461-466. ISSN: 0034-8910.

Corthals P. Integrating the acoustics of running speech into the pure tone audiogram: a step from audibility to intelligibility and disability. *Folia Phoniater Logop.* 2008; 60(1):25-32. ISSN: 1421-9972.

- Costa MH; Ximenes LR, and Bermudez JCM. Statistical Analysis of the Lms Adaptive Algorithm Subjected to a Symmetric Dead-Zone Nonlinearity at the Adaptive Filter Output. *Signal Processing*. 2008; 88(6):1485-1495. ISSN: 0165-1684.
- Cotanche DA. Genetic and pharmacological intervention for treatment/prevention of hearing loss. *J Commun Disord*. 2008; Mar 25. ISSN: 0021-9924.
- Cox RM. Evidence-based practice in audiology. *J Am Acad Audiol*. 2005; 16(7):408-409. ISSN: 1050-0545.
- Cox RM; Alexander GC, and Gray GA. Personality, hearing problems, and amplification characteristics: contributions to self-report hearing aid outcomes. *Ear Hear*. 2007; 28(2):141-162. ISSN: 0196-0202.
- Crandell, C.; Mills, T. L., and Gauthier, R. Knowledge, behaviors, and attitudes about hearing loss and hearing protection among racial/ethnically diverse young adults. *J Natl Med Assoc*. 2004; 96(2):176-186. ISSN: 0027-9684.
- Crandell CC; Kreisman BM; Smaldino JJ, and Kreisman NV. Room acoustics intervention efficacy measures. *Sem Hearing*. 2004; 25(2):201-206.
- Crandell CC; Smaldino JJ, and Kreisman BM. Classroom acoustic measurements. *Sem Hearing*. 2004; 25(2):189-200.
- Crawford JM; Hoppin JA; Alavanja MC; Blair A; Sandler DP, and Kamel F. Hearing Loss Among Licensed Pesticide Applicators in the Agricultural Health Study. *J Occup Environ Med*. 2008; 50(7):817-826. ISSN: 1076-2752.
- Crnivec, R. Assessment of health risks in musicians of the Slovene Philharmonic Orchestra, Ljubljana, Slovenia. *Med Probl Perform Art*. 2004; 19(3):140-145.
- Crocker, MJ; Hanson, D; Li, Z; Karjatkar, R, and Vissamraju, KS. Measurement of acoustical and mechanical properties of porous road surfaces and tire and road noise. *BITUMINOUS PAVING MIXTURES 2004*. 2004; 1891(7):16-22.
- Crofton KM. Bromate: Concern for developmental neurotoxicity? *Toxicology*. 2006; 221(2-3):212-216. ISSN: 0300-483X.
- Cruikshanks KJ; Tweed TS; Wiley TL; Klein BEK; Klein R; Chappell R; Nondahl DM, and Dalton DS. The 5-year incidence and progression of hearing loss- The epidemiology of hearing loss study. 2004; 129, (10): 1041-1046.
- Crummer RW and Hassan GA. Diagnostic approach to tinnitus. 2004; 69, (1): 120-126.
- Cruz MS; de Oliveira LR; Carandina L; Lima MC; Cesar CL; Barros MB; Alves MC, and Goldbaum M. [Prevalence of self-reported hearing loss and attributed causes: a population-based study]. *Cad Saude Publica*. 2009; 25(5):1123-1131. ISSN: 1678-4464.
- Csaba S. Hearing Loss in Occupationally Exposed to Radio Frequencies (Rf) and Microwave (Mw) Non-Ionising Radiations. *Toxicol Lett*. 2008; 180(Suppl 1):S46-S47. ISSN: 0378-4274.
- Cudina M and Prezelj I. Noise due to firecracker explosions. *P I MECH ENG C-J MEC*. 2005; 219(16):523-537.
- Cudina M and Prezelj J. Probability Density Prediction of Peak Sound Pressure Levels From Firecracker Explosions. *Acoustical Physics*. 2006; 52(3):351-363.

Cui J; Behar A; Wong W, and Kunov H. Insertion loss testing of active noise reduction headsets using acoustic fixture. *Appl Acoust.* 2003; 64(10):1011-1031.

Culling JF; Zhao F, and Stephens D. The viability of speech-in-noise audiometric screening using domestic audio equipment. *Int J Audiol.* 2005; 44(12):691-700. ISSN: 1499-2027.

Cunningham D; Curk A; Hoffman J, and Pride J. Despite high risk of hearing loss, many percussionists play unprotected. *Hear J.* 2006; 59(6):58-.

Cunningham LL. The adult mouse utricle as an in vitro preparation for studies of ototoxic-drug-induced sensory hair cell death. *Brain Res.* 2006; 1091(1):277-281. ISSN: 0006-8993.

Curk AE and Cunningham DR. A Profile of Percussionists' Behaviors and Attitudes Toward Hearing Conservation. *Med Probl Perform Art.* 2006; 21(2):59-64.

Cutter G and Aran I. Rules of Evidence for Clinical Trials- the Science of Finding the Truth? In. *Myasthenia Gravis and Related Disorders: 11th International Conference.* 2008; pp. 233-237.

Cyru K. Us Senate Committee on Agriculture Hearing on Conservation Policy. *J Soil Water Conserv.* 2007; 62(3):52A. ISSN: 0022-4561.

Czyzewski A; Kotus J, and Kostek B. Determining the Noise Impact on Hearing Using Psychoacoustical Noise Dosimeter. *Arch Acoust.* 2007; 32(2):215-229. ISSN: 0137-5075.

D'Alessandro LM and Norwich KH. Loudness adaptation measured by the simultaneous dichotic loudness balance technique differs between genders. *Hear Res.* 2009; 247(2):122-127. ISSN: 1878-5891.

D'Amelio, R.; Archonti, C.; Scholz, S.; Falkai, P.; Plinkert, P. K., and Delb, W. [Psychological distress associated with acute tinnitus]. *HNO.* 2004; 52(7):599-603. ISSN: 0017-6192.

D'haenens W; Dhooge I; Maes L; Bockstael A; Keppler H; Philips B; Swinnen F, and Vinck BM. The clinical value of the multiple-frequency 80-Hz auditory steady-state response in adults with normal hearing and hearing loss. *Arch Otolaryngol Head Neck Surg.* 2009; 135(5):496-506. ISSN: 1538-361X.

D'Haenens W; Vinck BM; De Vel E; Maes L; Bockstael A; Keppler H; Philips B; Swinnen F, and Dhooge I. Auditory steady-state responses in normal hearing adults: a test-retest reliability study. *Int J Audiol.* 2008; 47(8):489-498. ISSN: 1708-8186.

D'Sa C; Gross J; Francone VP, and Morest DK. Plasticity of synaptic endings in the cochlear nucleus following noise-induced hearing loss is facilitated in the adult FGF2 overexpressor mouse. *Eur J Neurosci.* 2007; 26(3):666-680. ISSN: 0953-816X.

Da Costa EA; Castro JC, and Macedo ME. Iris pigmentation and susceptibility to noise-induced hearing loss. *Int J Audiol.* 2008; 47(3):115-118. ISSN: 1708-8186.

da Paz EC; Ferreira AM, and Zannin PH. [Comparative study of the perception of urban noise]. *Rev Saude Publica.* 2005; 39(3):467-472. ISSN: 0034-8910.

Dahlquist M; Lutman ME; Wood S, and Leijon A. Methodology for quantifying perceptual effects from noise suppression systems. *Int J Audiol.* 2005; 44(12):721-732. ISSN: 1499-2027.

Dai YJ; Fu JS, and Man YX. [Analysis of occupational hearing loss induced by noise in copper mining workers.]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2009; 27(3):163-164. ISSN: 1001-9391.

Daldal A; Odabasi O, and Serbetcioglu B. The protective effect of intratympanic dexamethasone on cisplatin-induced ototoxicity in guinea pigs. *Otolaryngol Head Neck Surg.* 2007; 137(5):747-752. ISSN:- 5.

Dalhoff E; Turcanu D; Zenner HP, and Gummer AW. Distortion product otoacoustic emissions measured as vibration on the eardrum of human subjects. *Proc Natl Acad Sci U S A.* 2007; 104(5):1546-1551. ISSN: 0027-8424.

Dammeijer PF; Dijk P; Chenault MN; Manni JJ, and Mameren H. Stapedius muscle fibre characterization in the noise exposed and auditory deprived rat. *Hear Res.* 2007; 233 (1-2):54-66. ISSN:- 1-2.

Danhauer JL; Johnson CE; Byrd A; Degood L; Meuel C; Pecile A, and Koch LL. Survey of College Students on Ipod Use and Hearing Health. *J Am Acad Audiol.* 2009; 20(1):5-27. ISSN: 1050-0545.

Daniel E. Noise and hearing loss: a review. *J Sch Health.* 2007; 77(5):225-231. ISSN: 0022-4391.

Daniell WE; Stover BD, and Takaro TK. Comparison of criteria for significant threshold shift in workplace hearing conservation programs. *J Occup Environ Med.* 2003; 45(3):295-304.

Daniell WE; Swan SS; McDaniel MM; Camp JE; Cohen MA, and Stebbins JG. Noise exposure and hearing loss prevention programs after twenty years of regulations in the United States. *Occup Environ Med.* 2006; 63:343-351. ISSN: 1470-7926.

Darcy AE; Hancock LE, and Ware EJ. A descriptive study of noise in the neonatal intensive care unit. Ambient levels and perceptions of contributing factors. *Adv Neonatal Care.* 2008; 8(3):165-175. ISSN: 1536-0903.

Darrat I; Ahmad N; Seidman K, and Seidman MD. Auditory research involving antioxidants. *Curr Opin Otolaryngol Head Neck Surg.* 2007; 15(5):358-363. ISSN: 1068-9508.

Darrow AA and Novak J. The effect of vision and hearing loss on listeners' perception of referential meaning in music. *J Music Ther.* 2007; 44(1):57-73. ISSN: 0022-2917.

Darrow KN; Maison SF, and Liberman MC. Selective removal of lateral olivocochlear efferents increases vulnerability to acute acoustic injury. *J Neurophysiol.* 2007; 97(2):1775-1785. ISSN: 0022-3077.

Darvennesa, C. M. Help! There are 60 screaming kids in my lab!--Outreach activities for 5th graders. *J Acoust Soc Am.* 2005; 117(2):483-485. ISSN: 0001-4966.

Davey R; McCullagh P; Lightbody G, and McAllister G. Auditory brainstem response classification: a hybrid model using time and frequency features. *Artif Intell Med.* 2007; 40(1):1-14. ISSN: 0933-3657.

Davidson HC and Lutman ME. Survey of mobile phone use and their chronic effects on the hearing of a student population. *Int J Audiol.* 2007; 46(3):113-118. ISSN: 1499-2027.

Davidson J; Frankel AS; Ellison WT; Surnmerfelt S; Popper AN; Mazik P, and Bebak J. Minimizing Noise in Fiberglass Aquaculture Tanks: Noise Reduction Potential of Various Retrofits. *Aquacultural Eng.* 2007; 37(2):125-131. ISSN: 0144-8609.

Davies H; Marion S, and Teschke K. The impact of hearing conservation programs on incidence of noise-Induced hearing loss in Canadian workers. *Am J Ind Med.* 2008; 51(12):923-931. ISSN: 1097-0274.

Davies HW; Teschke K; Kennedy SM; Hodgson MR, and Demers PA. Occupational noise exposure and hearing protector use in Canadian lumber mills. *J Occup Environ Hyg.* 2009; 6(1):32-41. ISSN: 1545-9632.

- Davies HW; Teschke K; Kennedy SM; Hodgson MR, and Demers PA. A Retrospective Assessment of Occupational Noise Exposures for a Longitudinal Epidemiologic Study. *Occup Environ Med.* 2008; Dec 5. ISSN: 1470-7926.
- Davies HW; Teschke K; Kennedy SM; Hodgson MR; Hertzman C, and Demers PA. Occupational exposure to noise and mortality from acute myocardial infarction. 2005; 16, (1): 25-32.
- Davis, A. Population study of the ability to benefit from amplification and the provision of a hearing aid in 55-74-year-old first-time hearing aid users. *Int J Audiol.* 2003; 42(Suppl 2):2S39-2S52. ISSN: 1499-2027.
- Davis, B.; Qiu, W., and Hamernik, R. P. Sensitivity of distortion product otoacoustic emissions in noise-exposed chinchillas. *J Am Acad Audiol.* 2005; 16(2):69-78. ISSN: 1050-0545.
- Davis B; Qiu W, and Hamernik RP. The use of distortion product otoacoustic emissions in the estimation of hearing and sensory cell loss in noise-damaged cochleas. *Hear Res.* 2004; 187(1-2):12-24.
- Davis B and Richardson K. Conceptual design considerations for the acoustical design of an animal research facility. *J Acoust Soc Am.* 2008; 124(4):2442. ISSN: 1520-8524.
- Davis PB; Wilde RA; Steed LG, and Hanley PJ. Treatment of Tinnitus With a Customized Acoustic Neural Stimulus: a Controlled Clinical Study. *Ent-Ear Nose Throat J.* 2008; 87(6):330+. ISSN: 0145-5613.
- Davis RR. Acoustic measurement: a tutorial for molecular biologists. *Brain Res.* 2006; 1091(1):32-39. ISSN: 0006-8993.
- Davis RR. What do we know about hearing protector comfort? *Noise Health.* 2008; 10(40):83-89. ISSN: 1463-1741.
- Davis RR; Kozel P, and Erway LC. Genetic influences in individual susceptibility to noise: a review. *Noise Health.* 2003; 5(20):19-28.
- Davis RR; Kuo MW; Stanton SG; Canlon B; Krieg E, and Alagramam KN. N-Acetyl l-cysteine does not protect against premature age-related hearing loss in C57BL/6J mice: A pilot study. *Hear Res.* 2007; 226(1-2):203-208. ISSN: 0378-5955.
- Dazel O; Allard JF; Boeckx L; Geebelen N; Khurana P, and Lauriks W. Anisotropy effects on the acoustical properties of porous materials. *J Acoust Soc Am.* 2008; 123(5):3035. ISSN: 1520-8524.
- de Andrade V and Ross E. Beliefs and practices of Black South African traditional healers regarding hearing impairment. *Int J Audiol.* 2005; 44(9):489-499. ISSN: 1499-2027.
- De Barba MC; Jurkiewicz AL; Zeigelboim BS; de Oliveira LA, and Belle AP. Audiometric findings in petrochemical workers exposed to noise and chemical agents. *Noise Health.* 2005; 7(29):7-11. ISSN: 1463-1741.
- de Beer BA; Graamans K; Snik AFM; Ingels K, and Zielhuis GA. Hearing deficits in young adults who had a history of otitis media in childhood: Use of personal stereos had no effect on hearing. *Pediatr.* 2003; 111(4):299-304.
- de Boer J and Thornton AR. Volterra Slice otoacoustic emissions recorded using maximum length sequences from patients with sensorineural hearing loss. *Hear Res.* 2006; 219(1-2):121-136. ISSN: 0378-5955.

- De Coensel B; Botteldooren D; Berglund B; Nilsson ME; De Muer T, and Lercher P. Experimental Investigation of Noise Annoyance Caused by High-Speed Trains. *Acta Acustica United With Acustica*. 2007; 93(4):589-601. ISSN: 1610-1928.
- de Kluizenaar Y; Gansevoort RT; Miedema HM, and de Jong PE. Hypertension and road traffic noise exposure. *J Occup Environ Med*. 2007; 49 (5):484-492. ISSN: 1076-2752.
- De La Rochefoucauld O; Decraemer WF; Khanna SM, and Olson ES. Simultaneous Measurements of Ossicular Velocity and Intracochlear Pressure Leading to the Cochlear Input Impedance in Gerbil. *J Assoc Res Otolaryngol*. 2008; 9(2):161-177. ISSN: 1525-3961.
- De Medeiros AM; Barreto SM, and Assuncao AA. Voice Disorders (Dysphonia) in Public School Female Teachers Working in Belo Horizonte: Prevalence and Associated Factors. *J Voice*. 2008; 22(6):676-687. ISSN: 0892-1997.
- de Moraes Marchiori LL; de Almeida Rego Filho E, and Matsuo T. Hypertension as a factor associated with hearing loss. *Rev Bras Otorrinolaringol (Engl Ed)*. 2006; 72(4):533-540. ISSN: 1808-8694.
- De Roo F; Gerretsen E, and Borst J. Environmental impact of noise from mobile outdoor equipment. *J Acoust Soc Am*. 2008; 123(5):3030. ISSN: 1520-8524.
- De Santis E; Ordonez R; Reuter K, and Hammershoi D. Effects of personal stereo use: pilot results from 20 university students. *J Acoust Soc Am*. 2008; 123(5):3254. ISSN: 1520-8524.
- Degagne DC and Lapka SD. Incorporating Low Frequency Noise Legislation for the Energy Industry in Alberta, Canada. *J Low Freq Noise Vib Active Contr*. 2008; 27(2):105-120. ISSN: 0263-0923.
- Dejonckere PH and Lebacqz J. Medicolegal decision making in noise-induced hearing loss-related tinnitus. *Int Tinnitus J*. 2005; 11(1):92-96. ISSN: 0946-5448.
- Dekluizenaar Y; Oudshoorn CGM, and Miedema HME. Improving the Spatial Resolution in Exposure Assessment of Air Pollution and Road Traffic Noise for Health Effect Studies. *Epidemiol*. 2006; 17(Suppl 6):S109-S110. ISSN: 1044-3983.
- Dellian M. Acute Hearing Loss- Corticoid-Massive-Dose Therapy Brings No Advantage- Comment. *Laryngo-Rhino-Otologie*. 2007; 86(11):767. ISSN: 0935-8943.
- Demeester K; Van Wieringen A; Hendrickx JJ; Topsakal V; Fransen E; Van Laer L; De Ridder D; Van Camp G, and Van De Heyning P. Prevalence of Tinnitus and Audiometric Shape. *B-Ent*. 2007; 3(Suppl 7):37-49. ISSN: 0001-6497.
- Demeester K; van Wieringen A; Hendrickx JJ; Topsakal V; Fransen E; van Laer L; Van Camp G, and Van de Heyning P. Audiometric shape and presbycusis. *Int J Audiol*. 2009; 48(4):222-232. ISSN: 1708-8186.
- Dement J; Ringen K; Welch L; Bingham E, and Quinn P. Surveillance of hearing loss among older construction and trade workers at Department of Energy nuclear sites. *Am J Ind Med*. 2005; 48(5):348-358. ISSN: 0271-3586.
- Deniau V; Ben Slimen N; Baranowski S; Ouaddi H; Rioult J, and Dubalen N. Characterisation of the Em Disturbances Affecting the Safety of the Railway Communication Systems. *Eur Physical J-Appl Phys*. 2008; 43 (2):225-230. ISSN: 1286-0042.
- Denisov, E. I.; Il'kaeva, E. N., and Kur'erov, N. N. [Principles and criteria of occupational medicine standard in prevention of occupational deafness]. *Med Tr Prom Ekol*. 2005(2):16-19. ISSN: 1026-9428.

Dennis C. Deaf by design. *Nature*. 2004; 431:894.

Depczynski J; Franklin RC; Challinor K; Williams W, and Fragar LJ. Farm noise emissions during common agricultural activities. *J Agric Saf Health*. 2005; 11(3):325-334. ISSN: 1074-7583.

Deshleria AD. Detection of warning signals while operating a motorcycle and wearing hearing protection. *J Acoust Soc Am*. 2009; 125(4):2527. ISSN: 1520-8524.

Desloge JG and Zurek PM. Hearing protector allowing improved acoustic communication. *Spectrum*. 2003; 20(Suppl 1):24.

Destuynder P and Vetillard J. Modelling and Control of Noise in a Flexible Flow Duct. *Computer Methods ApplMech Eng*. 2008; 197(19-20):1801-1812. ISSN: 0045-7825.

Detaille SI; Haafkens JA, and van Dijk FJH. What employees with rheumatoid arthritis, diabetes mellitus and hearing loss need to cope at work. *Scan J Work Environ Health*. 2003; 29(2):134-142.

DeVaul R. Sounds good to me. *Occup Health Saf*. 2007; 76(3):61-62, 64-68. ISSN: 0362-4064.

Devlin S; Healy O; Leader G, and Reed P. The Analysis and Treatment of Problem Behavior Evoked by Auditory Stimulation. *Research in Autism Spectrum Disorders*. 2008; 2(4):671-680. ISSN: 1750-9467.

Devlin TH and Leandro S. Protect your hearing. *J Am Dent Assoc*. 2003; 134(3):274.

Dhar S; Long GR; Talmadge CL, and Tubis A. The effect of stimulus-frequency ratio on distortion product otoacoustic emission components. *J Acoust Soc Am*. 2005; 117(6):3766-3776.

Dhar S and Shaffer LA. Effects of a suppressor tone on distortion product otoacoustic emissions fine structure: why a universal suppressor level is not a practical solution to obtaining single-generator DP-grams. *Ear Hear*. 2004; 25(6):573-585. ISSN: 0196-0202.

Di Duro JO. Improvement in hearing after chiropractic care: a case series. *Chiropr Osteopat*. 2006; 14(1):2. ISSN: 1746-1340.

Diao M; Gao W, and Sun J. Nitric oxide synthase inhibitor reduces noise-induced cochlear damage in guinea pigs. *Acta Otolaryngol*. 2007; May 8:1-6. ISSN: 0001-6489.

Diao MF; Gao WY; Sun JJ; Liu Y; Chen DL; Jiang W; Zhao J, and Chen X. [Protection from noise-induced hearing loss by a nitric oxide synthase inhibitor and neurotrophin 3 in the guinea pig cochlea]. *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi*. 2007; 42(4):281-285. ISSN: 1673-0860.

Dias A and Cordeiro R. Attributable fraction of work accidents related to occupational noise exposure in a Southeastern city of Brazil. *Cad Saude Publica*. 2007; 23(7):1649-1655. ISSN: 0102-311X.

Dias A and Cordeiro R. Fraction of work-related accidents attributable to occupational noise in the city of Botucatu, Sao Paulo, Brazil. *Noise Health*. 2008; 10(40):69-73. ISSN: 1463-1741.

Dias A; Cordeiro R; Corrente JE, and Goncalves CG. [Association between noise-induced hearing loss and tinnitus]. *Cad Saude Publica*. 2006; 22(1):63-68. ISSN: 0102-311X.

Dias A; Cordeiro R, and Goncalves CG. [Occupational noise exposure and work accidents]. *Cad Saude Publica*. 2006; 22(10):2125-2130. ISSN: 0102-311X.

Diaz C and Pedrero A. Sound exposure during daily activities. *Appl Acoust*. 2006; 67(3):271-283.

- Diaz RC; Vazquez AE; Dou H; Wei D; Cardell EL; Lingrel J; Shull GE; Doyle KJ, and Yamoah EN. Conservation of hearing by simultaneous mutation of Na,K-ATPase and NKCC1. *JARO*. 2007; 8(4):422-434. ISSN:- 4.
- Dibb B and Yardley L. How does social comparison within a self-help group influence adjustment to chronic illness? A longitudinal study. *Soc Sci Med*. 2006; 63(6):1602-1613. ISSN: 0277-9536.
- Dick FD. Solvent neurotoxicity. *Occup Environ Med*. 2006; 63(3):221-226. ISSN: 1470-7926.
- Dickey DT; Wu, YJ; Muldoon LL, and Neuwelt EA. Protection against cisplatin-induced toxicities by N-acetylcysteine and sodium thiosulfate as assessed at the molecular, cellular, and in vivo levels. *J Pharmacol Exp Ther*. 2005; 314(3):1052-1058. ISSN: 0022-3565.
- Diesch, E.; Struve, M.; Rupp, A.; Ritter, S.; Hulse, M., and Flor, H. Enhancement of steady-state auditory evoked magnetic fields in tinnitus. *Eur J Neurosci*. 2004; 19(4):1093-1104. ISSN: 0953-816X.
- DiGiovanni JJ; Nelson PB, and Schlauch RS. A psychophysical evaluation of spectral enhancement. *J Speech Lang Hear Res*. 2005; 48(5):1121-1135. ISSN: 1092-4388.
- Digiovanni JJ and Stover AK. The role of consonant duration and amplitude processing on speech intelligibility in noise. *J Acoust Soc Am*. 2008; 123(5):3865. ISSN: 1520-8524.
- Dimakopoulou K; Charalampidis A; Vigna-Taglianti F; Bluhm G; Houthuijs D, and Dudley M. Acute Effects of Night Time Noise Exposure on Blood Pressure in Populations Living Near Airports. *Epidemiol*. 2008; 19(1):S213.
- Dittrich M. The Imagine Source Model for Railway Noise Prediction. *Acta Acustica United With Acustica*. 2007; 93(2):185-200. ISSN: 1610-1928.
- Dittrich MG. Evaluation of Directive 200014EC on outdoor machinery noise. *J Acoust Soc Am*. 2008; 123(5):3028. ISSN: 1520-8524.
- Dittrich MG and Zhang X. The Harmonoise/Imagine Model for Traction Noise of Powered Railway Vehicles. *J Sound Vib*. 2006; 293(3-5):986-994.
- Djurovic I; Stankovic L, and Barkat B. Robust time-frequency distributions based on the robust short time Fourier transform. *Ann Telecommun*. 2005; 60(5-6):681-697.
- Dmochowski J; Benesty J, and Affes S. On Spatial Aliasing in Microphone Arrays. *Ieee Transactions on Signal Processing*. 2009; 57(4):1383-1395. ISSN: 1053-587X.
- Dobie RA. Audiometric threshold shift definitions: Simulations and suggestions. 2005; 26, (1): 62-77.
- Dobie RA. The Burdens of Age-related and Occupational Noise-Induced Hearing Loss in the United States. *Ear Hear*. 2008; May 8. ISSN: 0196-0202.
- Dobie RA. Estimating Noise-Induced Permanent Threshold Shift from Audiometric Shape: The ISO-1999 Model. *Ear Hear*. 2005; 26(6):630-635. ISSN: 0196-0202.
- Dobie RA. Hearing loss litigation. *J Acoust Soc Am*. 2009; 125(4):2628. ISSN: 1520-8524.
- Dobie RA. Methodological issues when comparing hearing thresholds of a group with population standards: the case of the Ferry engineers. *Ear Hear*. 2006; 27(5):526-537. ISSN: 0196-0202.

- Dobie RA. Noise-induced permanent threshold shifts in the occupational noise and hearing survey: an explanation for elevated risk estimates. *Ear Hear*. 2007; 28(4):580-591. ISSN: 0196-0202.
- Dockrell, J. E. and Shield, B. Children's perceptions of their acoustic environment at school and at home. *J Acoust Soc Am*. 2004; 115(6):2964-2973. ISSN: 0001-4966.
- Dockrell JE and Shield BM. Acoustical Barriers in Classrooms: the Impact of Noise on Performance in the Classroom. *Br Ed Res J*. 2006; 32(3):509-525.
- Dogru H; Tuz M, and Uygur K. Correlation between blood group and noise-induced hearing loss. *Acta Oto Laryngol*. 2003; 123(8):941-942.
- Doko Jelinic J; Mustajbegovic J; Zuskin E; Lukic J; Cavar V, and Ivankovic A. Managing occupational safety and health in aluminum production: case study of aluminum production factory, Mostar, Bosnia and Herzegovina. *Croat Med J*. 2005; 46(5):838-847. ISSN: 0353-9504.
- Dolan TG and O'Loughlin D. Amplified earmuffs: impact on speech intelligibility in industrial noise for listeners with hearing loss. *Am J Audiol*. 2005; 14(1):80-85. ISSN: 1059-0889.
- Dominguez M; Becker S; Bruce I, and Read H. A Spiking Neuron Model of Cortical Correlates of Sensorineural Hearing Loss: Spontaneous Firing, Synchrony, and Tinnitus. *Neural Computation*. 2006; 18(12):2942-2958.
- Dominici F; Wang C; Crainiceanu C, and Parmigiani G. Model Selection and Health Effect Estimation in Environmental Epidemiology. *Epidemiol*. 2008; 19(4):558-560. ISSN: 1044-3983.
- Dong W and Loverde J. Evaluation of metrics for field airborne sound isolation. *J Acoust Soc Am*. 2008; 123(5):3190. ISSN: 1520-8524.
- Dong W and Olson ES. Supporting evidence for reverse cochlear traveling waves. *J Acoust Soc Am*. 2008; 123(1):222-240. ISSN: 1520-8524.
- Donoghue, A. M. Occupational health hazards in mining: an overview. *Occup Med (Lond)*. 2004; 54(5):283-289. ISSN: 0962-7480.
- Doshi J; Anari S, and Carrie S. Objective pulsatile tinnitus: a video clip demonstration of the condition. *Laryngoscope*. 2006; 116(10):1926. ISSN: 0023-852X.
- Dossey L. Quiet, please: observations on noise. *Explore (NY)*. 2008; 4(3):157-63. ISSN: 1550-8307.
- Downey M. Deaf defining- Today's noise pollution solutions. *Better Nutrition*. 2003; 65(8):48-49.
- Doyle KL; Kazda A; Hort Y; McKay SM, and Oleskevich S. Differentiation of adult mouse olfactory precursor cells into hair cells in vitro. *Stem Cells*. 2006; Nov 16. ISSN: 1066-5099.
- Draper TH and Bamiou DE. Auditory neuropathy in a patient exposed to xylene: case report. *J Laryngol Otol*. 2008; Apr 28:1-4. ISSN: 1748-5460.
- Dreisbach, L. E. and Siegel, J. H. Level dependence of distortion-product otoacoustic emissions measured at high frequencies in humans. *J Acoust Soc Am*. 2005; 117(5):2980-2988. ISSN: 0001-4966.
- Dreisbach LE; Leek MR, and Lentz JJ. Perception of spectral contrast by hearing-impaired listeners. *J Speech Lang Hear Res*. 2005; 48(4):910-921. ISSN: 1092-4388.

- Drennan WR; Gatehouse S; Howell P; Van Tasell D, and Lund S. Localization and speech-identification ability of hearing-impaired listeners using phase-preserving amplification. *Ear Hear.* 2005; 26(5):461-472. ISSN: 0196-0202.
- Dreossi RCF and Momensohn-Santos T. [Noise and its interference over students in a classroom environment: literature review]. *Pro Fono.* 2005; 17(2):251-258. ISSN: 0104-5687.
- Driscoll T; Takala J; Steenland K; Corvalan C, and Fingerhut M. Review of estimates of the global burden of injury and illness due to occupational exposures. *Am J Ind Med.* 2005; 48(6):491-502. ISSN: 0271-3586.
- Drozdova TV and Morenko VM. [Interhemispherical interaction of brain biopotentials in neurosensory deafness due to occupational factors]. *Med Tr Prom Ekol.* 2008(4):19-24. ISSN: 1026-9428.
- Drummond I; Murray N; Armstrong T; Schnatter AR, and Lewis RJ. Exposure assessment methods for a study of mortality and cancer morbidity in relation to specific petroleum industry exposures. *J Occup Environ Hyg.* 2006; 3(10):513-520. ISSN: 1545-9624.
- Du B; Gong W, and Wang XR. [Discussion on hygienic standard of occupational noise]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2005; 23(3):238. ISSN: 1001-9391.
- Du Y; Homma K, and Saunders WR. Noise Attenuation Performance of Deep-Insert Custom Earplugs Under Single and Double Hearing Protection. *Noise Control Eng J.* 2008; 56(3):183-202. ISSN: 0736-2501.
- Duan M; Chen Z; Qiu J; Ulfendahl M; Laurell G; Borg E, and Ruan R. Low-dose, long-term caroverine administration attenuates impulse noise-induced hearing loss in the rat. *Acta Otolaryngol.* 2006; 126(11):1140-1147. ISSN: 0001-6489.
- Duan M; Laurell G; Qiu J, and Borg E. Susceptibility to impulse noise trauma in different species: guinea pig, rat and mouse. *Acta Otolaryngol.* 2008; 128(3):277-283. ISSN: 0001-6489.
- Duan, ML; Qin, JX; Laurell, G; Olofsson, A; Counter, SA, and Borg, E. Dose and time-dependent protection of the antioxidant N-L-acetylcysteine against impulse noise trauma. *Hear Res.* 2004; 192(1-2):1-9.
- Dubno JR; Horwitz AR, and Ahlstrom JB. Estimates of basilar-membrane nonlinearity effects on masking of tones and speech. *Ear Hear.* 2007; 28(1):2-17. ISSN: 0196-0202.
- Ducourneau J; Planeau V; Chatillon J, and Nejade A. Measurement of Sound Absorption Coefficients of Flat Surfaces in a Workshop. *Appl Acoust.* 2009; 70(5):710-721. ISSN: 0003-682X.
- Dudarewicz A; Pawlaczyk-Luszczynska M, and Sliwinska-Kowalska M. [Developing the method for assessing non-occupational exposure to noise]. *Med Pr.* 2007; 58(3):231-242. ISSN: 0465-5893.
- Dudarewicz A; Pawlaczyk-Luszczynska M, and Sliwinska-Kowalska M. An Optimal Method of Assessment the Individual Susceptibility to Noise-Induced Hearing Loss. *Arch Acoust.* 2007; 32(2):241-250. ISSN: 0137-5075.
- Duijhuis H. Distortion product otoacoustic emissions: a time domain analysis. *ORL J Otorhinolaryngol Relat Spec.* 2006; 68(6):340-346. ISSN: 0301-1569.
- Duijvestijn JA; Anteunis LJC; Hoek CJ; Van den Brink RHS; Chenault MN, and Manni JJ. Help-seeking behaviour of hearing-impaired persons aged ≥ 55 years; Effect of complaints, significant others and hearing aid image. *Acta Oto-Laryngol.* 2003; 123(7):846-850.

- Dumcius A and Bartusis A. Modeling and Investigation of Active Noise Control System. *Elektronika Ir Elektrotechnika*. 2009(3):27-30. ISSN: 1392-1215.
- Duncan E and Kaliski K. Improving sound propagation modeling for wind power projects. *J Acoust Soc Am*. 2008; 123(5):3535. ISSN: 1520-8524.
- Dunckley, K. T. and Dreisbach, L. E. Gender effects on high frequency distortion product otoacoustic emissions in humans. *Ear Hear*. 2004; 25(6):554-564. ISSN: 0196-0202.
- Duplessis C and Hoffer M. Tinnitus in an active duty navy diver: A review of inner ear barotrauma, tinnitus, and its treatment. *Undersea Hyperb Med*. 2006; 33(4):223-230. ISSN: 1066-2936.
- Dupont JB and Galland MA. Active Absorption to Reduce the Noise Transmitted Out of an Enclosure. *Appl Acoust*. 2009; 70(1):142-152. ISSN: 0003-682X.
- Duroux A; Sabra KG; Ruzzene M; Sharma V, and Ayers J. Estimation of guided waves from cross-correlations of diffuse Wavefields for passive Structural Health Monitoring. *J Acoust Soc Am*. 2008; 123(5):3184. ISSN: 1520-8524.
- Durrant JD. Simulated hearing loss via masking: research and heuristic applications. *Seminars in Hearing*. 2004; 25(1):25.
- Duvdevany A and Furst M. The effect of longitudinal noise exposure on behavioral audiograms and transient-evoked otoacoustic emissions. *Int J Audiol*. 2007; 46(3):119-127. ISSN: 1499-2027.
- Duvdevany A and Furst M. Immediate and long-term effect of rifle blast noise on transient-evoked otoacoustic emissions. *J Basic Clin Physiol Pharmacol*. 2006; 17(3):173-185. ISSN: 0792-6855.
- Dybenko I and Savory E. An Experimental Investigation of Turbulent Boundary Layer Flow Over Surface-Mounted Circular Cavities. *Proceedings of the Institution of Mechanical Engineers Part G-Journal of Aerospace Engineering*. 2008; 222(G1):109-125. ISSN: 0954-4100.
- Eagan ME. Supplemental Metrics to Communicate Aircraft Noise Effects. *Transportation Res Record*. 2007(2011):175-183. ISSN: 0361-1981.
- Eckenfelder DJ. Getting the safety culture right. *Occup Haz*. 2006; 65(10):32. ISSN: 00297909.
- Ecob R; Sutton G; Rudnicka A; Smith P; Power C; Strachan D, and Davis A. Is the relation of social class to change in hearing threshold levels from childhood to middle age explained by noise, smoking, and drinking behaviour? *Int J Audiol*. 2008; 47(3):100-108. ISSN: 1708-8186.
- Edwards B. The distortion of auditory perception by sensorineural hearing impairment. 2003.
- Edwards CG; Schwartzbaum JA; Lonn S; Ahlbom A, and Feychting M. Exposure to Loud Noise and Risk of Acoustic Neuroma. *Am J Epidemiol*. 2006; 163(4):327-333. ISSN: 0002-9262.
- Edwards CG; Schwartzbaum JA; Lonn S; Ahlbom A, and Feychting M. Re: "Exposure to loud noise and risk of acoustic neuroma". *Am J Epidemiol*. 2006; 164(7):author reply 706-707. ISSN: 0002-9262.
- Edwards CG; Schwartzbaum JA; Nise G; Forssen UM; Ahlbom A; Lonn S, and Feychting M. Occupational Noise Exposure and Risk of Acoustic Neuroma. *Am J Epidemiol*. 2007; Sep 5. ISSN: 0002-9262.
- Edwards J. The comfort and effectiveness of hearing protection devices. *Annals Occup Med*. 2003; 47(4):337.

Edworthy J and Hellier E. Alarms and human behaviour: implications for medical alarms. *Br J Anaesth*. 2006; 97(1):12-17. ISSN: 0007-0912.

Edworthy J and Hellier E. Fewer but better auditory alarms will improve patient safety. *Qual Saf Health Care*. 2005; 14(3):212-215. ISSN: 1475-3901.

Eggermont, J. J. and Roberts, L. E. The neuroscience of tinnitus. *Trends Neurosci*. 2004; 27(11):676-682. ISSN: 0166-2236.

Eggermont JJ. Central tinnitus. *Auris Nasus Larynx*. 2003; 30:S7-S12.

Ehrlich GE and Gurovich Y. A typical case study of school sound insulation. *Sound Vib*. 2004; June:16.

Eijkemans GJ and Takala J. Moving knowledge of global burden into preventive action. *Am J Ind Med*. 2005; 48(6):395-399. ISSN: 0271-3586.

Eisenbeis JF and Jones SC. What did you say? Pump up the volume: noise induced hearing loss in the young. *Mo Med*. 2007; 104(2):112-113. ISSN: 0026-6620.

Eisler R. Health risks of gold miners: A synoptic review. *Environ Geochem Health*. 2003; 25 (3):325-345.

Ekpanyaskul C and Jiamjarasrangsri W. The influence of indoor environment quality on psychosocial work climate among office workers. *J Med Assoc Thai*. 2004; 87(Suppl 2):S202-S206. ISSN: 0125-2208.

El-Badry MM; Ding DL; McFadden SL, and Eddins AC. Physiological effects of auditory nerve myelinopathy in chinchillas. *Eur J Neurosci*. 2007; 25(5):1437-1446. ISSN: 0953-816X.

El Dib RP and Atallah AN. Evidence-based speech, language and hearing therapy and the Cochrane Library's systematic reviews. *Sao Paulo Med J*. 2006; 124(2):51-54. ISSN: 1516-3180.

El Dib RP; Atallah AN; Andriolo RB; Soares BG, and Verbeek J. A systematic review of the interventions to promote the wearing of hearing protection. *Sao Paulo Med J*. 2007; 125(6):362-369. ISSN: 1516-3180.

El Dib RP; Silva EM; Morais JF, and Trevisani VF. Prevalence of high frequency hearing loss consistent with noise exposure among people working with sound systems and general population in Brazil: a cross-sectional study. *BMC Public Health*. 2008; 8(1):151. ISSN: 1471-2458.

El Dib RP; Verbeek J; Atallah AN; Andriolo RB, and Soares BG. Interventions to promote the wearing of hearing protection. *Cochrane Database Syst Rev*. 2006(2):CD005234. ISSN: 1469-493X.

El-Kashlan HK and Shore SE. Effects of trigeminal ganglion stimulation on the central auditory system. *Hear Res*. 2004; 189(1-2):25-30. ISSN: 0378-5955.

El-Mahdy AES. Adaptive signal detection over fast frequency-selective fading channels under class-A impulsive noise. *IEEE Trans Comm*. 2005; 53(7):1110-1113.

el-Said KF; el-Sharkawy MF, and Abdel-Hamid HA. Biochemical changes and environmental factors in manual and semiautomatic bakeries. *J Egypt Public Health Assoc*. 2003; 78(1-2):95-111. ISSN: 0013-2446.

El-Shazly A. Toxic solvents in car paints increase the risk of hearing loss associated with occupational exposure to moderate noise intensity. *B-ENT*. 2006; 2(1):1-5. ISSN: 1781-782X.

El Zir E; Mansour S; Salameh P, and Chahine R. Environmental noise in Beirut, smoking and age are combined risk factors for hearing impairment. *East Mediterr Health J*. 2008; 14(4):888-896. ISSN: 1020-3397.

Elangovan S and Stuart A. Interactive effects of high-pass filtering and masking noise on word recognition. *Ann Otol Rhinol Laryngol*. 2005; 114(11):867-878. ISSN: 0003-4894.

Eleftheriadou A; Chalastras T; Kyrmizakis D; Sfetsos S; Dagalakis K, and Kandiloros D. Metallic foreign body in middle ear: an unusual cause of hearing loss. *Head Face Med*. 2007; 3:23. ISSN: 1746-160X.

Elgeti A; Zehnhoff-Dinnesen AGA; Matulat P; Schmidt CM, and Knief A. Spontaneous Otoacoustic Emission Enhancement in Children With Reduced Speech-in-Noise Intelligibility. *Audiol Neuro-Otol*. 2008; 13(6):357-364. ISSN: 1420-3030.

Ellingson RM; Helt WJ; Kelt PV, and Fausti SA. Instrumentation system upgrade supports mobile personalized healthcare delivery. *Conf Proc IEEE Eng Med Biol Soc*. 2006; 1:6233-6236. ISSN: 1557-170X.

Ellison JC and Keefe DH. Audiometric predictions using stimulus-frequency otoacoustic emissions and middle ear measurements. *Ear Hear*. 2005; 26(5):487-503. ISSN: 0196-0202.

Elsayed NM and Gorbunov NV. Interplay between high energy impulse noise (blast) and antioxidants in the lung. *Toxicol*. 2003; 189(1-2):63-74.

Elsayed NM and Gorbunov NV. Pulmonary Biochemical and Histological Alterations After Repeated Low-Level Blast Overpressure Exposures. *Toxicol Sci*. 2006; Oct 23. ISSN: 1096-6080.

Elsberry RB. Thirty million workers still ignoring sound advice. *Electrical Apparatus*. 2003; 56(3):38.

Emiroglu S and Kollmeier B. Timbre discrimination in normal-hearing and hearing-impaired listeners under different noise conditions. *Brain Res*. 2007; Sep8. ISSN: 0006-8993.

Emmerich E; Richter F; Linss V, and Linss W. Frequency-specific cochlear damage in guinea pig after exposure to different types of realistic industrial noise. *Hear Res*. 2005; 201(1-2):90-98. ISSN: 0378-5955.

Emmerich E; Rudel L, and Richter F. Is the audiologic status of professional musicians a reflection of the noise exposure in classical orchestral music? *Eur Arch Otorhinolaryngol*. 2008; 265(7):753-758. ISSN: 0937-4477.

Endo T; Nakagawa T; Iguchi F; Kita T; Okano T; Sha SH; Schacht J; Shiga A; Kim TS, and Ito J. Elevation of superoxide dismutase increases acoustic trauma from noise exposure. *Free Radic Biol Med*. 2005; 38(4):492-498. ISSN: 0891-5849.

Engdahl B; Tambs K; Borchgrevink HM, and Hoffman HJ. Otoacoustic emissions in the general adult population of Nord-Trøndelag, Norway: III. Relationships with pure-tone hearing thresholds. *Int J Audiol*. 2005; 44(1):15-23. ISSN: 1499-2027.

Engdahl B; Tambs K; Borchgrevink HM, and Hoffman HJ. Screened and unscreened hearing threshold levels for the adult population: results from the Nord-Trøndelag Hearing Loss Study. *Int J Audiol*. 2005; 44(4):213-230. ISSN: 1499-2027.

Engel J; Braig C; Rüttiger L; Kuhn S; Zimmermann U; Blin N; Sausbier M; Kalbacher H; Munkner S; Rohbock K; Ruth P; Winter H, and Knipper M. Two classes of outer hair cells along the tonotopic axis of the cochlea. *Neuroscience*. 2006; Oct 27. ISSN: 0306-4522.

Engel JR and Kosala K. Sources of Vibroacoustic Hazards in Open-Pit Mines of Mineral Raw Materials. *Arch Acoust*. 2007; 32(2):251-262. ISSN: 0137-5075.

Engvall K; Norrby C, and Sandstedt E. The Stockholm Indoor Environment Questionnaire: a sociologically based tool for the assessment of indoor environment and health in dwellings. 2004; 14, (1): 24-33.

Enmarker I. The effects of meaningful irrelevant speech and road traffic noise on teachers' attention, episodic and semantic memory. *Scand J Psychol.* 2004; 45(5):393-405. ISSN: 0036-5564.

Enmarker, I. and Boman, E. Noise Annoyance Responses of Middle School Pupils and Teachers. *J Environ Psychol.* 2004; 24(4):527-536.

Enmarker I; Boman E, and Hygge S. Structural equation models of memory performance across noise conditions and age groups. *Scand J Psychol.* 2006; 47(6):449-460. ISSN: 0036-5564.

Epstein M and Florentine M. Reaction time to 1- and 4-kHz tones as a function of sensation level in listeners with normal hearing. *Ear Hear.* 2006; 27(4):424-429. ISSN: 0196-0202.

Eramudugolla R; McAnally KI; Martin RL; Irvine DR, and Mattingley JB. The role of spatial location in auditory search. *Hear Res.* 2008; 238(1-2):139-146. ISSN: 0378-5955.

Erbek S. Re: Vestibular-evoked myogenic potentials in chronic noise-induced hearing loss. *Otolaryngol Head Neck Surg.* 2008; 138(3):409-410; author reply 410. ISSN: 0194-5998.

Erbek S. Vestibular-evoked myogenic potentials in chronic noise-induced hearing loss. *Otolaryngol Head Neck Surg.* 2008; 138(3):409-410. ISSN: 0194-5998.

Erdem T; Ozturan O; Iraz M; Miman MC, and Olmez E. Dose-dependent dual effect of melatonin on ototoxicity induced by amikacin in adult rats. *Eur Arch Otorhinolaryngol.* 2005; 262(4):314-321. ISSN: 0937-4477.

Erickson JA. Survey says: uncovering employees' views about safety. *Occupational Hazards.* 2006; January:45.

Eriksson C; Rosenlund M; Pershagen G; Hilding A; Ostenson CG, and Bluhm G. Aircraft Noise and Incidence of Hypertension. *Epidemiology.* 2007; OCT 3. ISSN: 1044-3983.

Erken G; Bor Kucukatay M; Erken HA; Kursunluoglu R, and Genc O. Influence of classical and rock music on red blood cell rheological properties in rats. *Med Sci Monit.* 2008; 14(1):BR28-BR33. ISSN: 1234-1010.

Ernst E. Ear candles: a triumph of ignorance over science. *J Laryngol Otol.* 2004; 118(1):1-2.

Eshraghi AA; Adil E; He J; Graves R; Balkany TJ, and Van De Water TR. Local Dexamethasone Therapy Conserves Hearing in an Animal Model of Electrode Insertion Trauma-Induced Hearing Loss. *Otol Neurotol.* 2007; Apr 27. ISSN: 1531-7129.

Esprit S; Kothari P, and Dhillon R. Injury from lightning strike while using mobile phone. *BMJ.* 2006; 332(7556):1513. ISSN: 1468-5833.

Esterhuizen GS and Gurtunca RG. Coal Mine Safety Achievements in the Usa and the Contribution of Niosh Research. *J South Afr Institute Mining Metallurgy.* 2006; 106(12):813-820.

Ettelt S; Nolte E; McKee M; Haugen OA; Karlberg I; Klazinga N; Ricciardi W, and Teperi J. Evidence-based policy? The use of mobile phones in hospital. *J Public Health (Oxf).* 2006; Oct 27. ISSN: 1741-3842.

Eulberg T. Now hear this- Invention result of desperation. *Coloradobiz.* 2003; 30(8):14.

European Parliament and the Council of the European Union. Directive 2003/10/EC on the minimum health and safety requirements regarding the exposure of workers to the risks arising from physical agents (noise). *Official Journal of the European Union.* 2003; February.

- Evans, G. W. and Marcynyszyn, L. A. Environmental justice, cumulative environmental risk, and health among low- and middle-income children in upstate New York. *Am J Public Health*. 2004; 94(11):1942-1944. ISSN: 0090-0036.
- Evans GW. Child development and the physical environment. *Annu Rev Psychol*. 2006; 57:423-51. ISSN: 0066-4308.
- Evans JB; Himmel CN, and Kupersztoch DJ. Nanotechnology research facility- A vibration and noise control design case study. *J Acoust Soc Am*. 2008; 123(5):3677. ISSN: 1520-8524.
- Evans TA and Moorhouse AT. Variance in predicted structure borne sound power due to simplified characterisation of the source. *J Acoust Soc Am*. 2008; 123(5):3267. ISSN: 1520-8524.
- Faber BM and Sommerfeldt SD. Global Active Control of Energy Density in a Mock Tractor Cabin. *Noise Control Engineering Journal*. 2006; 54(3):187-193.
- Fairfield DA; Lomax MI; Dootz GA; Chen S; Galecki AT; Benjamin IJ; Dolan DF, and Altschulet RA. Heat shock factor 1-deficient mice exhibit decreased recovery of hearing following noise overstimulation. *J Neurosci Res*. 2005; 81(4):589-596. ISSN: 0360-4012.
- Farina A. Assessment of hearing damage when listening to music through a personal digital audio player. *J Acoust Soc Am*. 2008; 123(5):3458. ISSN: 1520-8524.
- Fausti SA; Wilmington DJ; Helt PV; Helt WJ, and Konrad-Martin D. Hearing health and care: The need for improved hearing loss prevention and hearing conservation practices. *J Rehabil Res Dev*. 2005; 42(4 Suppl 2):45-62. ISSN: 0748-7711.
- Fayad JN and House JW. Near-total tympanic membrane perforation. *Ear Nose Throat J*. 2005; 84(4):192. ISSN: 0145-5613.
- Fechter, L. D. Promotion of noise-induced hearing loss by chemical contaminants. *J Toxicol Environ Health A*. 2004; 67(8-10):727-740. ISSN: 1528-7394.
- Fechter LD. Oxidative stress: a potential basis for potentiation of noise-induced hearing loss. *Environ Toxicol Pharmacol*. 2005; 19:543-546.
- Fechter LD; Gearhart C; Fulton S; Campbell J; Fisher J; Na K; Cocker D; Nelson-Miller A; Moon P, and Pouyatos B. JP-8 Jet Fuel Can Promote Auditory Impairment Resulting From Subsequent Noise Exposure in Rats. *Toxicol Sci*. 2007; 98(2):510-525. ISSN: 1096-6080.
- Fechter LD; Gearhart C; Fulton S; Campbell J; Fisher J; Na K; Cocker D; Nelson-Miller A; Moon P, and Pouyatos B. Promotion of noise-induced cochlear injury by toluene and ethylbenzene in the rat. *Toxicol Sci*. 2007; 98(2):542-551. ISSN: 1096-6080.
- Fechter LD; Gearhart C, and Shirwany NA. Acrylonitrile potentiates noise-induced hearing loss in rat. *J Assoc Res Otolaryngol*. 2004; 5(1):90-98. ISSN: 1525-3961.
- Fechter LD; Gearhart CA; Fulton S, and Kim YH. Potentiation of noise-induced hearing loss by aviation fuel exposure in rats. *J Acoust Soc Am*. 2008; 123(5):3459. ISSN: 1520-8524.
- Fechter LD; Klis SF; Shirwany NA; Moore TG, and Rao DB. Acrylonitrile produces transient cochlear function loss and potentiates permanent noise-induced hearing loss. *Toxicol Sci*. 2003; 75:117-123.
- Fechter LD and Pouyatos B. Ototoxicity. *Environ Health Perspect*. 2005; 113(7):A443-A444. ISSN: 0091-6765.

- Federman J and Ricketts T. Preferred and minimum acceptable listening levels for musicians while using floor and in-ear monitors. *J Speech Lang Hear Res.* 2008; 51(1):147-159. ISSN: 1092-4388.
- Fedtke T and Richter U. Reference zero for the calibration of air-conduction audiometric equipment using 'tone bursts' as test signals. *Int J Audiol.* 2007; 46(1):1-10. ISSN: 1499-2027.
- Feeney MP; Grant IL, and Marryott LP. Wideband energy reflectance measurements in adults with middle-ear disorders. *J Speech Lang Hear Res.* 2003; 46(4):901-911.
- Feeney MP and Sanford CA. Age effects in the human middle ear: Wideband acoustical measures. 2004; 116, (6): 3546-3558.
- Feldman L; Efrati S; Eviatar E; Abramsohn R; Yarovoy I; Gersch E; Averbukh Z, and Weissgarten J. Gentamicin-induced ototoxicity in hemodialysis patients is ameliorated by N-acetylcysteine. *Kidney Int.* 2007; 72(3):359-363. ISSN: 0085-2538.
- Feldmann J and Pitten FA. Effects of low frequency noise on man--a case study. *Noise Health.* 2004; 7(25):23-28. ISSN: 1463-1741.
- Felmlee JP. The noise of MRI. *J Am Coll Radiol.* 2005; 2(6):547. ISSN: 1558-349X.
- Feng XL; White CJ; Hajimiri A, and Roukes ML. A self-sustaining ultrahigh-frequency nanoelectromechanical oscillator. *Nat Nanotechnol.* 2008; 3(6):342-346. ISSN: 1748-3395.
- Fenoy AJ; Severson MA; Volkov IO; Brugge JF, and Howard MA, 3rd. Hearing suppression induced by electrical stimulation of human auditory cortex. *Brain Res.* 2006; 1118(1):75-83. ISSN: 0006-8993.
- Fernandes JC. Effects of hearing protector devices on speech intelligibility. *Appl Acoust.* 2003; 64(6):581-590.
- Fernandez Dominguez MJ; Menendez Villalva C; Exposito Alfonso A, and Vilanova Rumbao A. [What is the most suitable test for hypoacusis screening in primary care?]. *Aten Primaria.* 2007; 39(10):580-581. ISSN: 0212-6567.
- Fernandez, JMS; Ibarguen, AM; Cuica, NA; Del, Rey AS, and Montoya, FS. Auditory function recovery following acoustic overstimulation. *Acta Oto-Laryngol.* 2004; 124(4):427-430.
- Fernandez JMS; Ibarguen AM; Etxebarria EO; Del Rey AS, and Montoya FS. Distortion-product otoacoustic emissions study of the noise-induced toughening effect in rats. *Acta Otolaryngol.* 2003; 123(2):154-159.
- Fernandez MD; Quintana S; Chavarria N, and Ballesteros JA. Noise Exposure of Workers of the Construction Sector. *Appl Acoust.* 2009; 70(5):753-760. ISSN: 0003-682X.
- Fernandez MD; Recuero M, and Blas JM. Definition of a Labelling Code for the Noise Emitted by Machines. *Appl Acoust.* 2008; 69(2):141-146. ISSN: 0003-682X.
- Fernandez ME; Bartholomew LK, and Alterman T. Planning a multilevel intervention to prevent hearing loss among farmworkers and managers: a systematic approach. *J Agric Saf Health.* 2009; 15(1):49-74. ISSN: 1074-7583.
- Ferrari G; Sanchez TG, and Bovino Pedalini ME. The efficacy of open molds in controlling tinnitus. *Rev Bras Otorrinolaringol.* 2007; 73(3):370-377.
- Ferrari M; Belotti L; Zottola G; Luzzana G, and Mosconi G. [Health surveillance in noise exposure]. *G Ital Med Lav Ergon.* 2006; 28(1 Suppl):188-191. ISSN: 1592-7830.

- Ferrite S and Santana V. Joint effects of smoking, noise exposure and age on hearing loss. 2005; 55, (1): 48-53.
- Fetoni AR; Piacentini R; Fiorita A; Paludetti G, and Troiani D. Water-soluble Coenzyme Q(10) formulation (Q-ter) promotes outer hair cell survival in a guinea pig model of noise induced hearing loss (NIHL). *Brain Res.* 2008; Dec 24. ISSN: 1872-6240.
- Fidan F; Unlu M; Koken T; Tetik L; Akgun S; Demirel R, and Serteser M. Oxidant-antioxidant status and pulmonary function in welding workers. *J Occup Health.* 2005; 47(4):286-292. ISSN: 1341-9145.
- Fidell S. The Schultz curve 25 years later: A research perspective. *J Acoust Soc Am.* 2003; 114(6):3007-3015.
- Fidell S and Pearsons K. Sensitivity to prospective transportation noise exposure. *Noise Control Eng J.* 2003; 51(2):106-113.
- Fidell S and Schomer P. Uncertainties in Measuring Aircraft Noise and Predicting Community Response to It. *Noise Control Engineering Journal.* 2007; 55(1):82-88. ISSN: 0736-2501.
- Fidell, S and Silvati, L. Parsimonious alternatives to regression analysis for characterizing prevalence rates of aircraft noise annoyance. *Noise Contr Eng J.* 2004; 52(2):56-68.
- Fiebig W. Location of noise sources in fluid power machines. *Int J Occup Saf Ergon.* 2007; 13(4):441-450. ISSN: 1080-3548.
- Findling RL; Quinn D; Hatch SJ; Cameron SJ; Decory HH, and McDowell M. Comparison of the clinical efficacy of twice-daily Ritalin((R)) and once-daily Equasym (trade mark) XL with placebo in children with Attention Deficit/Hyperactivity Disorder. *Eur Child Adolesc Psychiatry.* 2006; 15(8):450-459. ISSN: 1018-8827.
- Finegold LS and Finegold MS. Updating the US environmental noise management strategy. *Noise Control Eng J.* 2003; 51(3):155-159.
- Fingerhut M; Driscoll T; Nelson DI; Concha-Barrientos M; Punnett L; Pruss-Ustin A; Steenland K; Leigh J, and Corvalan C. Contribution of occupational risk factors to the global burden of disease- a summary of findings. *Scand J Work Environ Health.* 2005; Suppl 1:58-61.
- Finneran JJ; Carder DA; Dear R; Belting T; McBain J; Dalton L, and Ridgway SH. Pure tone audiograms and possible aminoglycoside-induced hearing loss in belugas(*Delphinapterus leucas*). *J Acoust Soc Am.* 2005; 117(6):3936-3943.
- Finneran JJ; Schlundt CE; Branstetter B, and Dear RL. Assessing temporary threshold shift in a bottlenose dolphin (*Tursiops truncatus*) using multiple simultaneous auditory evoked potentials. *J Acoust Soc Am.* 2007; 122(2):1249-1264. ISSN: 1520-8524.
- Firth H; Herbison P, and McBride D. Dust and noise exposures among farmers in Southland, New Zealand. *Int J Environ Health Res.* 2006; 16(2):155-161. ISSN: 0960-3123.
- Fischer I; Heinrich UR; Brieger J; Schmidtman I; Li H; Rumelin A; Mann WJ, and Helling K. [Protection of the cochlea by ascorbic acid in noise trauma.]. *HNO.* 2009; Jan 17. ISSN: 1433-0458.
- Fischer R and Boroditsky L. Acoustical effectiveness of damping coating. *J Acoust Soc Am.* 2008; 123(5):3174. ISSN: 1520-8524.
- Fitzgerald TS and Prieve BA. Detection of hearing loss using 2f2-f1 and 2f1-f2 distortion-product otoacoustic emissions. *J Speech Lang Hear Res.* 2005; 48(5):1165-1186. ISSN: 1092-4388.

Fitzgibbons PJ; Gordon-Salant S, and Barrett J. Age-related differences in discrimination of an interval separating onsets of successive tone bursts as a function of interval duration. *J Acoust Soc Am.* 2007; 122(1):458-466. ISSN: 1520-8524.

Fjordbak BS. Spectral analysis of the speech sounds perception test and the potential relationship to hearing loss. *Arch Clin Neuropsychol.* 2003; 18(7):767-768.

Flamme, G. A.; Mudipalli, V. R.; Reynolds, S. J.; Kelly, K. M.; Stromquist, A. M.; Zwerling, C.; Burmeister, L. F.; Peng, S. C., and Merchant, J. A. Prevalence of Hearing Impairment in a Rural Midwestern Cohort: Estimates from the Keokuk County Rural Health Study, 1994 to 1998. *Ear Hear.* 2005; 26(3):350-360. ISSN: 0196-0202.

Fleischer G. Effective protection of the sense of hearing is prevented by ISO1999 noise standard. *J Acoust Soc Am.* 2008; 123(5):3526. ISSN: 1520-8524.

Fleischer G; Mueller R; Bache T, and Heppelmann G. Auditory effects of some Millennium celebrations in Germany. *Z Audiol.* 2003; 42(3):106-116.

Fleischer G and Muller R. On the relationship between exposure to sound and auditory performance. University of Glessen, Germany: SAE International; 2005; 2005-01-2396.

Flexer C. The impact of classroom acoustics: listening, learning, and literacy. *Sem Hearing.* 2004; 25(2):131-140.

Fligor, B. J. and Cox, L. C. Output levels of commercially available portable compact disc players and the potential risk to hearing. *Ear Hear.* 2004; 25(6):513-527. ISSN: 0196-0202.

Fligor BJ and Cox LC. Output levels of commercially available portable compact disc players and the potential risk to hearing. 2005; 25, (6): 513-527.

Florida Nurses Association. Nurses and noise-induced hearing loss. *Fla Nurse.* 2008; 56 (1):20-21. ISSN: 0015-4199.

Folmer R. The importance of hearing conservation instruction. *J Sch Nurs.* 2003; 19(3):140-148.

Folmer RL. Noise-induced hearing loss in young people. *Pediatrics.* 2006; 117(1):248-249; author reply 249. ISSN: 1098-4275.

Forouzesh A; Moise PA, and Sakoulas G. Vancomycin Ototoxicity: A Re-Evaluation in an Era of Increasing Doses. *Antimicrob Agents Chemother.* 2008; Nov 10. ISSN: 1098-6596.

Fortunato, G.; Marciano, E.; Zarrilli, F.; Mazzaccara, C.; Intrieri, M.; Calcagno, G.; Vitale, D. F.; La Manna, P.; Saulino, C.; Marcelli, V., and Sacchetti, L. Paraoxonase and superoxide dismutase gene polymorphisms and noise-induced hearing loss. *Clin Chem.* 2004; 50(11):2012-2018. ISSN: 0009-9147.

Fosnaric S and Planinsec J. Prediction of Students' Short-Term Memory in Interdependence With Noise. *Studia Psychologica.* 2006; 48(4):303-310.

Foss TD. iPods are the new Walkmans, only more so. *Br J Nurs.* 2006; 15(4):185. ISSN: 0966-0461.

Fothergill, D. M.; Sims, J. R., and Curley, M. D. Neoprene wet-suit hood affects low-frequency underwater hearing thresholds. *Aviat Space Environ Med.* 2004; 75(5):397-404. ISSN: 0095-6562.

Fowler CG and King JL. Sudden Bilateral Sensorineural Hearing Loss Following Speedballing. *J Am Acad Audiol.* 2008; 19(6):461-464.

Fraenkel R; Freeman S, and Sohmer H. Susceptibility of young adult and old rats to noise-induced hearing loss. *Audiol Neurotol.* 2003; 8(3):129-139.

Fraenkel R; Freeman S, and Sohmer H. Use of ABR threshold and OAEs in detection of noise induced hearing loss. *J Basic Clin Physiol & Pharmacol.* 2003; 14(2):95-118.

France S. Hearing loss. *ABA J.* 2003; 89:18-19.

Francis AL; Nusbaum HC, and Fenn K. Effects of training on the acoustic phonetic representation of synthetic speech. *J Speech Lang Hear Res.* 2007; 50(6):1445-1465. ISSN: 1092-4388.

Frangos A. School districts spend to ensure good acoustics. *Wall Street Journal.* 2003 Jul 30; B: 1, 4.

Frank T; Bise CCJ, and Michael K. A hearing conservation program for coal miners. *Occup Health Safety.* 2003; 72(6):106-110.

Frank T; Bise CJ, and Michael K. A hearing conservation program for coal miners. *Occup Health Saf.* 2003; 72(6):106-110. ISSN: 0362-4064.

Franklin RC; Depczynski J; Challinor K; Williams W, and Fragar LJ. Factors affecting farm noise during common agricultural activities. *J Agric Saf Health.* 2006; 12(2):117-125. ISSN: 1074-7583.

Franks JR; Murphy WJ; Harris DA; Johnson JL, and Shaw PB. Alternative field methods for measuring hearing protector performance. *Am Ind Hyg Assoc J.* 2003; 64(4):501-509.

Fransen E; Topsakal V; Hendrickx JJ; Van Laer L; Huyghe JR; Van Eyken E; Lemkens N; Hannula S; Maki-Torkko E; Jensen M; Demeester K; Tropitzsch A; Bonaconsa A; Mazzoli M; Espeso A; Verbruggen K; Huyghe J; Huygen PL; Kunst S; Manninen M; Diaz-Lacava A; Steffens M; Wienker TF; Pyykko I; Cremers CW; Kremer H; Dhooge I; Stephens D; Orzan E; Pfister M; Bille M; Parving A; Sorri M; Van de Heyning P, and Van Camp G. Occupational Noise, Smoking, and a High Body Mass Index are Risk Factors for Age-related Hearing Impairment and Moderate Alcohol Consumption is Protective: A European Population-based Multicenter Study. *J Assoc Res Otolaryngol.* 2008; Jun 10. ISSN: 1525-3961.

Franze A; Sequino L; Saulino C; Attanasio G, and Marciano E. Effect over time of allopurinol on noise-induced hearing loss in guinea pigs. *Int J Audiol.* 2003; 42(4):227-234.

Fras V; Polajnar A, and Buchmeister B. Considering various corrections of noise level in the workplace environment. 2003; 49, (6): 313-321.

Frederiksen BL; Caye-Thomasen P; Lund SP; Wagner N; Asal K; Olsen NV, and Thomsen J. Does erythropoietin augment noise induced hearing loss? *Hear Res.* 2007; 223(1-2):129-137. ISSN: 0378-5955.

Freyaldenhoven MC; Plyler PN; Thelin JW, and Hedrick MS. The effects of speech presentation level on acceptance of noise in listeners with normal and impaired hearing. *J Speech Lang Hear Res.* 2007; 50(4):878-885. ISSN: 1092-4388.

Friedland DR. Structure and function in the auditory system: From cochlea to cortex. *Anat Rec A Discov Mol Cell Evol Biol.* 2006; 288(4):326-330. ISSN: 1552-4884.

Friesen MC; Davies HW; Ostry A; Teschke K, and Demers PA. Impact of expert versus measurement-based occupational noise exposure estimates on exposure-response relationships. *Int Arch Occup Environ Health.* 2008; 81(7):837-844. ISSN: 0340-0131.

Frisina RD. Possible Neural Bases of Age-Related Hearing Loss: Ear and Brain Mechanisms. *Chem Senses*. 2008; 33(8):S17. ISSN: 0379-864X.

Frisina RD and Walton JP. Age-related structural and functional changes in the cochlear nucleus. *Hear Res*. 2006; 216-217:216-223. ISSN: 0378-5955.

Fritzsche B; Beisel KW, and Hansen LA. The molecular basis of neurosensory cell formation in ear development: a blueprint for hair cell and sensory neuron regeneration? *Bioessays*. 2006; 28(12):1181-1193. ISSN: 0265-9247.

Fry C. Real world noise-induced hearing loss claims. *Clin Otolaryngol*. 2008; 33(2):169-170. ISSN: 1749-4486.

Fu Y; Gong S; Xue Q; Wang G, and Chen Q. [Effect of the intense noise on hearing function and cochlea morphology in rat]. *Lin Chung Er Bi Yan Hou Tou Jing Wai Ke Za Zhi*. 2008; 22(11):509-512.

Fuente A and McPherson B. Central auditory damage induced by solvent exposure. *Int J Occup Saf Ergon*. 2007; 13(4):391-397. ISSN: 1080-3548.

Fuente A and McPherson B. Central auditory processing effects induced by solvent exposure. *Int J Occup Med Environ Health*. 2007; 20 (3):271-279. ISSN: 1232-1087.

Fuente A and McPherson B. Organic solvents and hearing loss: The challenge for audiology. *Int J Audiol*. 2006; 45(7):367-381. ISSN: 1499-2027.

Fuente A; McPherson B; Munoz V, and Pablo Espina J. Assessment of central auditory processing in a group of workers exposed to solvents. *Acta Otolaryngol*. 2006; 126(11):1188-1194. ISSN: 0001-6489.

Fujii RK; Horie S; Tsutsui T, and Nagano C. Heat Exposure Control Using Non-refrigerated Water in Brazilian Steel Factory Workers. *Ind Health*. 2007; 45(1):100-106. ISSN: 0019-8366.

Fujinami Y; Wang PL, and Matsunaga T. An Animal Model of Permanent Moderate Hearing Loss Due to Ear Stress in the Cochlea. *J Pharmacological Sci*. 2008; 106(Suppl 1):157P. ISSN: 1347-8613.

Fujino Y; Iso H, and Tamakoshi A. A prospective cohort study of perceived noise exposure at work and cerebrovascular diseases among male workers in Japan. *J Occup Health*. 2007; 49(5):382-388. ISSN: 1341-9145.

Fujioka M; Kanzaki S; Okano HJ; Masuda M; Ogawa K, and Okano H. Proinflammatory cytokines expression in noise-induced damaged cochlea. *J Neurosci Res*. 2006; 83(4):575-583. ISSN: 0360-4012.

Fukai N; Shyu J; Driscoll C, and Kei J. Effects of body position on transient evoked otoacoustic emissions: the clinical perspective. *Int J Audiol*. 2005; 44(1):8-14. ISSN: 1499-2027.

Furihata K; Yanagisawa T; Asano DK, and Yamamoto K. Development of an Experimental Noise Annoyance Meter. *Acta Acustica United With Acustica*. 2007; 93(1):73-83. ISSN: 1610-1928.

Furukawa T; Takehira O; Nagamiya M; Kuwano S; Namba S, and Fastl H. Comparison of subjective impression of copy machine noise between Japanese, American and German participants. *J Acoust Soc Am*. 2008; 123(5):3160. ISSN: 1520-8524.

Fyhri A and Klæboe R. Direct, Indirect Influences of Income on Road Traffic Noise Annoyance. *J Environ Psychol*. 2006; 26(1):27-37.

Gaberson HA. Applying the inverse FFT for filtering, transient details and resampling. *Sound and Vibration*. 2005; Aug:18-23.

Gabriel D; Veuillet E; Bonnet C; Vesson JF, and Collet L. Simple reaction times in subjects with steeply sloping hearing loss: is there an alteration at the edge of the loss? *Int J Audiol*. 2006; 45(8):454-462. ISSN: 1499-2027.

Gabriel D; Veuillet E; Ragot R; Schwartz D; Ducorps A; Norena A; Durrant JD; Bonmartin A; Cotton F, and Collet L. Effect of stimulus frequency and stimulation site on the N1m response of the human auditory cortex. *Hear Res*. 2004; 197(1-2):55-64. ISSN: 0378-5955.

Gagnaire F; Chalansonnet M; Carabin N, and Micillino JC. Effects of subchronic exposure to styrene on the extracellular and tissue levels of dopamine, serotonin and their metabolites in rat brain. *Arch Toxicol*. 2006; 80(10):703-712. ISSN: 0340-5761.

Gagnaire F and Langlais C. Relative ototoxicity of 21 aromatic solvents. *Arch Toxicol*. 2005; 79(6):346-354. ISSN: 0340-5761.

Gagnaire F; Langlais C; Grossmann S, and Wild P. Ototoxicity in rats exposed to ethylbenzene and to two technical xylene vapours for 13 weeks. *Arch Toxicol*. 2007; 81(2):127-143. ISSN: 0340-5761.

Gagnaire F; Marignac B; Blachere V; Grossmann S, and Langlais C. The role of toxicokinetics in xylene-induced ototoxicity in the rat and guinea pig. *Toxicol*. 2006; Dec 10. ISSN: 0300-483X.

Gagne JP. Treatment effectiveness research in audiological rehabilitation: fundamental issues related to dependent variables. *Int J Audiol*. 2003; 42(Suppl 1):S104-S111. ISSN: 1499-2027.

Gagne JP; Laplante-Levesque A; Labelle M; Doucet K, and Potvin MC. Evaluation of an audiovisual-FM system: investigating the interaction between illumination level and a talker's skin color on speech-reading performance. *J Speech Lang Hear Res*. 2006; 49(3):628-635. ISSN: 1092-4388.

Gagnon PM; Simmons DD; Bao J; Lei D; Ortmann AJ, and Ohlemiller KK. Temporal and genetic influences on protection against noise-induced hearing loss by hypoxic preconditioning in mice. *Hear Res*. 2006; Nov13. ISSN: 0378-5955.

Gai Y and Carney LH. Statistical analyses of temporal information in auditory brainstem responses to tones in noise: correlation index and spike-distance metric. *J Assoc Res Otolaryngol*. 2008; 9(3):373-387. ISSN: 1525-3961.

Gaioviy V. Nervous System Impairments of the Patients With Radiation-Induced, Vascular and Noise-Induced Sensorineural Hearing Loss. *J Neurolog Sci*. 2005; 238(Suppl 1):S336.

Gallus S; Bosetti C; Negri E; Talamini R; Montella M; Conti E; Franceschi S, and La Vecchia C. Does pizza protect against cancer? *Int J Cancer*. 2003; 107(2):283-284. ISSN: 0020-7136.

Gamba R and Garrigues S. Dispersal of measured sound power levels for wind turbines. *J Acoust Soc Am*. 2008; 123(5):3682. ISSN: 1520-8524.

Gambettino S; Innaurato C; Strambi S; Martellosio V; Stancanelli M; Scafa F, and Candura SM. [Noise-induced hypoacusia in maintenance workers of high voltage electric lines]. *G Ital Med Lav Ergon*. 2005; 27(3):339-341. ISSN: 1592-7830.

Gan, R. Z.; Feng, B., and Sun, Q. Three-dimensional finite element modeling of human ear for sound transmission. *Ann Biomed Eng*. 2004; 32(6):847-859. ISSN: 0090-6964.

- Gao F; Zhang J; Sun X, and Chen L. The effect of postnatal exposure to noise on sound level processing by auditory cortex neurons of rats in adulthood. *Physiol Behav.* 2009; Mar 16. ISSN: 0031-9384.
- Gao X; Gerald F; Ding X, and Zhang Q. [Analysis of auditory function on normal growth children in city and rural areas]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi.* 2006; 20(4):160-3. ISSN: 1001-1781.
- Gappoeva ET and Karsanova DB. [Characteristics of the acoustic analyzer trauma in blast trauma due to mine explosion]. *Vestn Otorinolaringol.* 2006(1):51-54. ISSN: 0042-4668.
- Garcia-Berrocal JR; Nevado J; Ramirez-Camacho R; Sanz R; Gonzalez-Garcia JA; Sanchez-Rodriguez C; Cantos B; Espana P; Verdaguer JM, and Trinidad Cabezas A. The anticancer drug cisplatin induces an intrinsic apoptotic pathway inside the inner ear. 2007; 157(7):1012-1020. ISSN:- 7.
- Garcia Callejo, F. J.; Garcia Callejo, F.; Pena Santamaria, J.; Alonso Castaneira, I.; Sebastian Gil, E., and Marco Algarra, J. [Hearing level and intensive use of mobile phones]. *Acta Otorrinolaringol Esp.* 2005; 56(5):187-191. ISSN: 0001-6519.
- Garcia Callejo, F. J.; Orts Alborch, M. H.; Pena Santamaria, J., and Morant Ventura, A. [Hearing loss measurement. An equation for a rapid calculation]. *Acta Otorrinolaringol Esp.* 2005; 56(4):179-180. ISSN: 0001-6519.
- Garcia Callejo FJ; Garcia Callejo F; Conill Tobias N, and Ramirez Sabio JB. [Effect of smoking withdrawal on hearing loss induced by occupational exposure to noise. A preliminary study]. *Acta Otorrinolaringol Esp.* 2006; 57(9):432-434. ISSN: 0001-6519.
- Garcia Callejo FJ; Garcia Callejo F; de Paula Vernetta C; Pena Santamaria J; Montoro Santa Elena MJ, and Marco Algarra J. [Auditory requirement for group 2 vehicle driving licences. An update in accordance with valid legislation in Spain]. *Acta Otorrinolaringol Esp.* 2005; 56(7):295-299. ISSN: 0001-6519.
- Garcia de H AM. [Check up and behaviour to be followed on sudden deafness in Emergency Services]. *Rev Med Chil.* 2005; 133(4):497-498. ISSN: 0034-9887.
- Garcia-Valles M; Avila G; Martinez S; Terradas R, and Nogues JM. Acoustic barriers obtained from industrial wastes. *Chemosphere.* 2008; 72(7):1098-1102. ISSN: 0045-6535.
- Gardner R. Overview and characteristics of some occupational exposures and health risks on offshore oil and gas installations. *Ann Occup Hyg.* 2003; 47(3):201-210.
- Garov EV; Antonian RG; Sidorina NG; Fedorova OV; Golubovskii OA; Zagorskaia EE; Lialina VL, and Krechetov GM. [Treatment of patients with hearing functional system impaired as a result of explosion barotraumas]. *Vestn Otorinolaringol.* 2005; 4(52):35-37. ISSN: 0042-4668.
- Gaspar DL. Clinical assessment of hearing impairment. *JAMA.* 2007; 297(7):695; author reply 695-696. ISSN: 1538-3598.
- Gates DM and Jones MS. A pilot study to prevent hearing loss in farmers. *Public Health Nurs.* 2007; 24(6):547-553. ISSN: 0737-1209.
- Gates GA. The effect of noise on cochlear aging. *Ear Hear.* 2006; 27(1):91; author reply 92. ISSN: 0196-0202.
- Gaudio K; Valeriano G; Weker R, and Whary M. Significant Employee Noise Exposure in Cage-Wash Facilities. *J Am Assoc Lab Animal Sci.* 2007; 46(4):87. ISSN: 1559-6109.

- Gauthier PA and Berry A. Adaptive wave field synthesis for active sound field reproduction: experimental results. *J Acoust Soc Am.* 2008; 123(4):1991-2002. ISSN: 1520-8524.
- Gauthier PA and Berry A. Adaptive wave field synthesis for broadband active sound field reproduction: signal processing. *J Acoust Soc Am.* 2008; 123(4):2003-2016. ISSN: 1520-8524.
- Gavhed D and Toomingas A. Observed Physical Working Conditions in a Sample of Call Centres in Sweden and Their Relations to Directives, Recommendations and Operators' Comfort and Symptoms. *Int J Ind Ergon.* 2007; 37(9-10):790-800. ISSN: 0169-8141.
- Gaweda E and Kondej D. [Exposure to harmful hazards in mechanical processing of metal accessories]. *Med Pr.* 2007; 58(3):223-229. ISSN:- 3.
- Gaweda E and Kondej D. [Working environment hazards in production of building fittings and metal accessories]. *Med Pr.* 2006; 57(1):1-6. ISSN: 0465-5893.
- Gehr, D. D.; Janssen, T.; Michaelis, C. E.; Deingruber, K., and Lamm, K. Middle ear and cochlear disorders result in different DPOAE growth behaviour: implications for the differentiation of sound conductive and cochlear hearing loss. *Hear Res.* 2004; 193 (1-2):9-19. ISSN: 0378-5955.
- Geller ES. THE HUMAN DYNAMICS OF INJURY PREVENTION (Part 1): From Behavior-Based to People-Based Safety. *Occup Haz.* 2006; 68(10):78. ISSN: 00297909.
- Gentsch G; Braunschweig T; Koscielny S, and Wagner T. Considerations of hearing protection for orchestra musicians. *Laryngo-Rhino-Otol.* 2005; 84(12):879-881.
- George EL; Festen JM, and Houtgast T. Factors affecting masking release for speech in modulated noise for normal-hearing and hearing-impaired listeners. *J Acoust Soc Am.* 2006; 120(4):2295-2311. ISSN: 0001-4966.
- Gerostergiou E; Tsitiridis I; Batzakakis D; Limpanovnou G; Vathilakis I, and Sandris V. Sensorineural Hearing Loss of Noise in Members of Aviation Club of Larissa (Greece). *Hippokratia.* 2008; 12(Suppl 1):59-63. ISSN: 1108-4189.
- Gershon, R. R.; Qureshi, K. A.; Barrera, M. A.; Erwin, M. J., and Goldsmith, F. Health and safety hazards associated with subways: a review. *J Urban Health.* 2005; 82(1):10-20. ISSN: 1099-3460.
- Gershon RR; Neitzel R; Barrera MA, and Akram M. Pilot Survey of Subway and Bus Stop Noise Levels. *J Urban Health.* 2006; Jun 27. ISSN: 1099-3460.
- Getzmann, S. Spatial discrimination of sound sources in the horizontal plane following an adapter sound. *Hear Res.* 2004; 191(1-2):14-20. ISSN: 0378-5955.
- Ghabili K; Shoja MM; Tubbs RS; Rahimi-Ardabili B, and Ansarin, K. Sonocarcinogenesis: loud noise may cause malignant transformation of cells. *Med Hypothesis.* 2007; 69(5):1156-1157. ISSN:- 5.
- Gibbs BM and Mayr AR. Structure-borne sound transmission from machines into ribbed structures. *J Acoust Soc Am.* 2008; 123(5):3175. ISSN: 1520-8524.
- Gibbs SG; Sobieraj J; Harris MD; Steele H; Tarwater PM, and Ortiz M. Comparison of nondeployable hearing profiles by Army component (Active Duty, National Guard, and Reserve) and by gender. *Mil Med.* 2006; 171(10):967-969. ISSN: 0026-4075.
- Giddings CEB and Rimmer J. Re: Sudden Hearing Loss. *Clin Otolaryngol.* 2008; 33(2):164. ISSN: 1749-4478.

Gidikova P; Prakova G; Ruev P, and Sandeva G. Hearing Impairment Among Workers Occupationally Exposed to Excessive Levels of Noise. *Central Eur J Med*. 2007; 2(3):313-318. ISSN: 1895-1058.

Gidlof-Gunnarsson A and Ohrstrom E. Noise and Well-Being in Urban Residential Environments: the Potential Role of Perceived Availability to Nearby Green Areas. *Landscape and Urban Planning*. 2007; 83(2-3):115-126.

Gierek T; Gwozdz-Jeziarska M; Slaska-Kaspera A, and Senderski A. [The results of hearing screening in selected population of primary schoolchildren in Silesia]. *Otolaryngol Pol*. 2007; 61(2):171-177. ISSN: 0030-6657.

Gifford, R. H. and Bacon, S. P. The effect of a steep high-frequency hearing loss on growth-of-masking functions in simultaneous masking for $f(m) < f(s)$. *Hear Res*. 2005. ISSN: 0378-5955.

Giguere C; Laroche C; Soli SD, and Vaillancourt V. Functionally-based screening criteria for hearing-critical jobs based on the Hearing in Noise Test. *Int J Audiol*. 2008; 47(6):319-328. ISSN: 1708-8186.

Gijbels F; Jacobs R; Princen K; Nackaerts O, and Debruyne F. Potential occupational health problems for dentists in Flanders, Belgium. *Clin Oral Investig*. 2005; Sept:1-9. ISSN: 1432-6981.

Gilardi J; Latocca R; Boffi G; D'Orso M, and Cesana GC. [An integrated prevention intervention for the management of SSUEm118 operator with hearing loss]. *G Ital Med Lav Ergon*. 2007; 29(3 Suppl):434-436. ISSN: 1592-7830.

Gilardi L; Fubini L; D'errico A; Falcone U; Mamo C; Migliardi A; Quarta D, and Coffano ME. Working Conditions and Health Problems Among Call-Centre Operators: a Study on Self-Reported Data in the Piedmont Region (Italy). *Med Lav*. 2008; 99(6):415-423. ISSN: 0025-7818.

Gill P; Woolley SMN; Fremouw T, and Theunissen FE. What's That Sound? Auditory Area Clm Encodes Stimulus Surprise, Not Intensity or Intensity Changes. *J Neurophysiol*. 2008; 99(6):2809-2820. ISSN: 0022-3077.

Ginn TR; Loge FJ, and Scheibe TD. Explaining "Noise" as Environmental Variations in Population Dynamics. *Comput Sci Eng*. 2007; 9(2):40-49.

Giordano C; Garzaro M; Nadalin J; Pecorari G; Boggero R; Argentero P, and Albera R. Noise-induced hearing loss and hearing aids requirement. *Acta Otorhinolaryngol Ital*. 2008; 28(4):200-205. ISSN: 0392-100X.

Giordano P; Lorito G; Ciorba A; Martini A, and Hatzopoulos S. Protection against cisplatin ototoxicity in a Sprague-Dawley rat animal model. *Acta Otorhinolaryngol Ital*. 2006; 26(4):198-207. ISSN: 0392-100X.

Giorgianni C; Trimboli K; Tanzariello G; Fontana G; Abbate S; Callipari S, and Galtieri G. [Evaluation of noise risk in roadmen]. *G Ital Med Lav Ergon*. 2007; 29(Suppl 3):608-610. ISSN: 1592-7830.

Girard SA; Picard M; Davis AC; Simard M; Larocque R; Leroux T, and Turcotte F. Multiple Work-Related Accidents: Tracing the role of Hearing Status and Noise Exposure. *Occup Environ Med*. 2009; Jan 27. ISSN: 1470-7926.

Gitanjali B and Ananth R. Effect of acute exposure to loud occupational noise during daytime on the nocturnal sleep architecture, heart rate, and cortisol secretion in healthy volunteers. *J Occup Health*. 2003; 45(3):146-152.

Glass L. Entendre fr- to hear, to understand. A personal perspective on hearing loss. *Generations J Am Soc Aging*. 2003; 27(1):105-107.

Glasziou P. The EBM journal selection process: how to find the 1 in 400 valid and highly relevant new research articles. *Evid Based Med.* 2006; 11(4):101. ISSN: 1473-6810.

Glasziou P. Review: Self report of hearing loss and the whispered voice test are useful for screening for hearing impairment. *Evid Based Med.* 2006; 11(4):116. ISSN: 1473-6810.

Glasziou P. Why is evidence-based medicine important? *Evid Based Med.* 2006; 11(5):133-135. ISSN: 1473-6810.

Gleich O; Hamann I; Kittel MC; Klump GM, and Strutz J. Forward masking in gerbils: The effect of age. *Hear Res.* 2007; 223(1-2):122-128. ISSN: 0378-5955.

Glessner M; Friot E; Winninger M; Pinhede C, and Roure A. Active control of multimodal tonal noise propagated in circular duct with axial subsonic mean flow until $M=0.3$. *J Acoust Soc Am.* 2008; 123(5):3574. ISSN: 1520-8524.

Gloria-Cruz TL; Chiong CM; Chan AL; Llanes EG; Reyes-Quintos MR, and Abes GT. Training of nurses in ear examination and hearing screening in the school setting. *Southeast Asian J Trop Med Public Health.* 2007; 38 (1):188-194. ISSN: 0125-1562.

Gobba F. Occupational exposure to chemicals and sensory organs: A neglected research field. *Neurotoxicol.* 2003; 24(4-5):675-691.

Gobba F. Sensory perception: an overlooked target of occupational exposure to metals. *Bioinorg Chem Appl.* 2003:199-214. ISSN: 1565-3633.

Godlewski M. Mutt muffs: ear protection for your pooch. 2006; 5 May:45.

Goedegebure A; Goedegebure-Hulshof M; Dreschler WA, and Verschuure J. Evaluation of phoneme compression schemes designed to compensate for temporal and spectral masking in background noise. *Int J Audiol.* 2005; 44(11):647-655. ISSN: 1499-2027.

Goines L and Hagler L. Noise pollution: a modern plague. *South Med J.* 2007; 100(3):287-294. ISSN: 0038-4348.

Gok, U.; Halifeoglu, I., and Yildiz, M. [The levels of vitamins A, E, B12 and folic acid in noise-induced hearing loss.]. *Kulak Burun Bogaz Ihtis Derg.* 2004; 12(3-4):60-64. ISSN: 1300-7475.

Gold SL. Facilitating habituation. *Adv Audiol.* 2003; Nov/Dec:29-31.

Goldman B; Sheppard L; Kujawa SG, and Seixas NS. Modeling distortion product otoacoustic emission input/output functions using segmented regression. *J Acoust Soc Am.* 2006; 120(5 Pt 1):2764-2776. ISSN: 0001-4966.

Goldstein T. Educating World Teachers for Cosmopolitan Classrooms and Schools. *Asia Pacific J Ed.* 2007; 27(2):131-155. ISSN: 0218-8791.

Golebiewski R; Makarewicz R; Nowak M, and Preis A. Traffic noise reduction due to the porous road surface. *Appl Acoust.* 2003; 64(5):481-494.

Goncalves CG and Iguti AM. [Program for hearing loss prevention in four metallurgical factories in Piracicaba, Sao Paulo, Brazil]. *Cad Saude Publica.* 2006; 22(3):609-618. ISSN: 0102-311X.

Goncalves CG; Mota PH, and Marques JM. Noise and age: influence on the hearing of individuals with ages between 50-70 years. *Pro Fono*. 2009; 21(1):57-62. ISSN: 1809-399X.

Gonzalez. Cultural diversity: working with the Hispanic population and making it work for you. *Occup Haz*. 2007.

Gonzalez JG; Paredes JL, and Arce GR. Zero-Order Statistics: a Mathematical Framework for the Processing and Characterization of Very Impulsive Signals. *Ieee Transactions on Signal Processing*. 2006; 54(10):3839-3851.

Goodman, S. S.; Withnell, R. H.; De Boer, E.; Lilly, D. J., and Nuttall, A. L. Cochlear delays measured with amplitude-modulated tone-burst-evoked OAEs. *Hear Res*. 2004; 188(1-2):57-69. ISSN: 0378-5955.

Goodman SS; Fitzpatrick DF; Ellison JC; Jesteadt W, and Keefe DH. High-frequency click-evoked otoacoustic emissions and behavioral thresholds in humans. *J Acoust Soc Am*. 2009; 125(2):1014-1032. ISSN: 1520-8524.

Gopal KV. Audiological findings in individuals exposed to organic solvents: case studies. *Noise Health*. 2008; 10(40):74-82. ISSN: 1463-1741.

Gopalan G and Schmitz FH. Quasi-Static Flight Path Control of Helicopter Blade Vortex Interaction Noise in a Steady Wind. *J Am Helicopter Soc*. 2007; 52(1):15-23.

Gopen QS. By the way, doctor. My 47-year-old son suddenly lost hearing in one ear. They did some blood tests and he was given steroids and a medication called Valtrex. Now they are saying nothing can be done. Can you please address this issue? *Harv Health Lett*. 2007; 32(6):8. ISSN: 1052-1577.

Gopinath B; Rochtchina E; Wang JJ; Schneider J; Leeder SR, and Mitchell P. Prevalence of age-related hearing loss in older adults: Blue Mountains Study. *Arch Intern Med*. 2009; 169(4):415-416. ISSN: 1538-3679.

Gorai AK; Mukhopadhyay AK; Pal AK, and Dey UK. Design of enclosure of a grinding machine for the noise attenuation. *J Environ Sci Eng*. 2008; 50(2):141-146.

Gorai AK and Pal AK. Noise and its effect on human being--a review. *J Environ Sci Eng*. 2006; 48(4):253-260.

Gordon-Hickey S and Moore RE. Influence of music and music preference on acceptable noise levels in listeners with normal hearing. *J Am Acad Audiol*. 2007; 18(5):417-427. ISSN: 1050-0545.

Gordon JS; Phillips DS; Helt WJ; Konrad-Martin D, and Fausti SA. Evaluation of insert earphones for high-frequency bedside ototoxicity monitoring. *J Rehabil Res Dev*. 2005; 42 (3):353-361. ISSN: 0748-7711.

Gordon S. Noise-proof your house. *Prevention*. 2005; May:141-142,144.

Gordon-Salant, S. Hearing loss and aging: New research findings and clinical implications. *J Rehabil Res Dev*. 2005; 42(4 Suppl 2):9-24. ISSN: 0748-7711.

Gordon-Salant, S. and Fitzgibbons, P. J. Effects of stimulus and noise rate variability on speech perception by younger and older adults. *J Acoust Soc Am*. 2004; 115(4):1808-1817. ISSN: 0001-4966.

Gordon-Salant S; Yeni-Komshian G, and Fitzgibbons P. The role of temporal cues in word identification by younger and older adults: effects of sentence context. *J Acoust Soc Am*. 2008; 124(5):3249-3260. ISSN: 1520-8524.

Gorga MP; Dierking DM; Johnson TA; Beauchaine KL; Garner CA, and Neely ST. A validation and potential clinical application of multivariate analyses of distortion-product otoacoustic emission data. *Ear Hear.* 2005; 26(6):593-607. ISSN: 0196-0202.

Gorga MP; Johnson TA; Kaminski JR; Beauchaine KL; Garner CA, and Neely ST. Using a combination of click- and tone burst-evoked auditory brain stem response measurements to estimate pure-tone thresholds. *Ear Hear.* 2006; 27(1):60-74. ISSN: 0196-0202.

Gorga MP; Neely ST; Dierking DM; Dorn PA; Hoover BM, and Fitzpatrick DF. Distortion product otoacoustic emission suppression tuning curves in normal-hearing and hearing-impaired human ears. *J Acoust Soc Am.* 2003; 114(1):263-278.

Gorga MP; Neely ST; Dorn PA, and Hoover BM. Further efforts to predict pure-tone thresholds from distortion product otoacoustic emission input/output functions. *J Acoust Soc Am.* 2003; 113(6):3275-3284.

Gorny L and Koopmann GH. Axial Fan Blade Tone Cancellation Using Optimally Tuned Quarter Wavelength Resonators. *J Vib Acoust Trans ASME.* 2009; 131(2). ISSN: 1048-9002.

Gouveris, H.; Maurer, J., and Mann, W. DPOAE-grams in patients with acute tonal tinnitus. *Otolaryngol Head Neck Surg.* 2005; 132(4):550-553. ISSN: 0194-5998.

Grant JR; Arganbright J, and Friedland DR. Outcomes for Conservative Management of Traumatic Conductive Hearing Loss. *Otol Neurotol.* 2008; Feb 28. ISSN: 1531-7129.

Gravel JS; Roberts JE; Roush J; Grose J; Besing J; Burchinal M; Neebe E; Wallace IF, and Zeisel S. Early otitis media with effusion, hearing loss, and auditory processes at school age. *Ear Hear.* 2006; 27(4):353-268. ISSN: 0196-0202.

Gray R. Digital music craze stores up ear trouble for iPod fanatics [Web Page]. 2005 May; Accessed 2005 May 17. Available at: <http://news.scotsman.com/health.cfm?id=495772005>.

Graydon P. Safe-in-sound excellence in hearing loss prevention award. *Spectrum.* 2008:15.

Grazuleviciene R; Lekaviciute J; Mozgeris G; Merkevicus S, and Deikus J. Traffic noise emissions and myocardial infarction risk. 2004; 13, (6): 737-741.

Grazuleviciene RG; Lekaviciute J, and Dulskiene V. The Association Between Noise Exposure and Myocardial Infarction Risk. *Eur J Epidemiol.* 2006; 21(Suppl):98.

Greaves S and Collins A. Disaggregate Spatio-Temporal Assessments of Population Exposure to Aircraft Noise. *J Air Transport Man.* 2007; 13(6):338-347. ISSN: 0969-6997.

Grebennikov L and Wiggins M. Psychological Effects of Classroom Noise on Early Childhood Teachers. *Australian Educational Researcher.* 2006; 33(3):35-53. ISSN: 0311-6999.

Green, M. Why warnings fail. *Occup Health Saf.* 2004; 73(2):30-2, 34, 84. ISSN: 0362-4064.

Gridi-Papp M; Feng AS; Shen JX; Yu ZL; Rosowski JJ, and Narins PM. Active control of ultrasonic hearing in frogs. *Proc Natl Acad Sci U S A.* 2008; 105(31):11014-11019. ISSN: 1091-6490.

Griefahn B and Spreng M. Disturbed sleep patterns and limitation of noise. *Noise Health.* 2004; 6(22):27-33. ISSN: 1463-1741.

Griest SE; Folmer RL, and Martin WH. Effectiveness of "dangerous decibels," a school-based hearing loss prevention program. *Am J Audiol.* 2007; 16(2):S165-S181. ISSN:- 2.

Groothuis-Oudshoorn CG and Miedema HM. Multilevel grouped regression for analyzing self-reported health in relation to environmental factors: the model and its application. *Biom J.* 2006; 48(1):67-82. ISSN: 0323-3847.

Gross L. Intensive training reveals plasticity in the adult auditory system. *Plos Biology.* 2006; 4(4):0001.

Grzebyk M and Thiery L. Confidence intervals for the mean of sound exposure levels. *AIHAJ.* 2003; 64(5):640-645.

Gstoettner WK; Helbig S; Maier N; Kiefer J; Radeloff A, and Adunka OF. Ipsilateral electric acoustic stimulation of the auditory system: results of long-term hearing preservation. *Audiol Neurootol.* 2006; 11(Suppl 1):49-56. ISSN: 1420-3030.

Gudmarsdottir A and Tomasson K. [Health promotion in day-care centres in Reykjavik--intervention and result of actions]. *Laeknabladid.* 2007; 93(3):189-198. ISSN: 0023-7213.

Guerra, M. R.; Lourenco, P. M.; Bustamante-Teixeira, M. T., and Alves, M. J. Prevalence of noise-induced hearing loss in metallurgical company. *Rev Saude Publica.* 2005; 39(2):238-244. ISSN: 0034-8910.

Guest H. Inadequate standards currently applied by local authorities to determine statutory nuisance from LF and infrasound. *J Low Freq Noise Vib Active Control.* 2003; 22 (1):1-7.

Guettes J. Analysis and evaluation of traffic sounds. *J Acoust Soc Am.* 2008; 123(5):3809. ISSN: 1520-8524.

Guidati S. Advanced processing of microphone array data for engineering applications. *J Acoust Soc Am.* 2008; 123(5):3231. ISSN: 1520-8524.

Guidotti T. Occupational Health risk and employment protection. *Arch Environ Occup Health.* 2005; 60(6):285-286. ISSN: 1933-8244.

Guimaraes P; Frisina ST; Mapes F; Tadros SF; Frisina DR, and Frisina RD. Progesterin negatively affects hearing in aged women. *Proc Natl Acad Sci U S A.* 2006; 103(38):14246-14249. ISSN: 0027-8424.

Guimaraes, P.; Zhu, X.; Cannon, T.; Kim, S., and Frisina, R. D. Sex differences in distortion product otoacoustic emissions as a function of age in CBA mice. *Hear Res.* 2004; 192(1-2):83-89. ISSN: 0378-5955.

Guitton, M. J.; Wang, J., and Puel, J. L. New pharmacological strategies to restore hearing and treat tinnitus. *Acta Otolaryngol.* 2004; 124(4):411-415. ISSN: 0001-6489.

Gunnarsdottir S and Bjornsdottir K. Health promotion in the workplace: the perspective of unskilled workers in a hospital setting. *Scand J Caring Serv.* 2003; 17(1):66-73.

Guo JX; Hu L; Yand PZ; Tanabe K; Miyatalre M, and Chen Y. Chronic arsenic poisoning in drinking water in Inner Mongolia and its associated health effects. *J Environ Health Sci Health Part A- Toxic/Hazardous Substances Environ Eng.* 2007; 42(12):1853-1858. ISSN:- 12.

Guo WQ; Qiu TS; Tang H, and Zhang WR. Performance of Rbf Neural Networks for Array Processing in Impulsive Noise Environment. *Dig Sig Proc.* 2008; 18(2):168-178. ISSN: 1051-2004.

Guo YP. Acoustic Analysis of Low-Noise Actuator Design for Active Flow Control. *J Sound Vibr.* 2008; 311(3-5):843-860. ISSN: 0022-460X.

Guo YQ and Burkard R. The masking level difference in chinchilla auditory cortex. Effects of inner hair cell loss. *Hear Res.* 2003; 178(1-2):12-26.

Gupta KK; Choi S, and Ibrahim A. Flight systems aeroelastic-acoustics simulation. *J Acoust Soc Am.* 2008; 124(4):2574. ISSN: 1520-8524.

Gupta R and Sataloff RT. Noise-induced autoimmune sensorineural hearing loss. *Ann Otol Rhinol Laryngol.* 2003; 112(7):569-573.

Gureckis TM and Love BC. Learning in Noise: Dynamic Decision-Making in a Variable Environment. *J Math Psychol.* 2009; 53(3):180-193. ISSN: 0022-2496.

Guski R. How to forecast community annoyance in planning noisy facilities. *Noise Health.* 2004; 6(22):59-64. ISSN: 1463-1741.

Guthrie OW. Aminoglycoside induced ototoxicity. *Toxicology.* 2008; 249(2-3):91-6. ISSN: 0300-483X.

Gutierrez JLG; Jimenez BM; Hernandez EG, and Lopez AL. Spanish version of the Swedish occupational fatigue inventory (SOFI): Factorial replication, reliability and validity. *Int J Ind Ergon.* 2005; 35(8):737-746.

Gwin KK; Wallingford KM; Morata TC; Van Campen LE; Dallaire J, and Alvarez FJ. Ototoxic occupational exposures for a stock car racing team: II. chemical surveys. *J Occup Environ Hyg.* 2005; 2(8):406-413. ISSN: 1545-9624.

Gwinn D. Protecting your ears- The price paid for looking "cool" isn't worth it. *Plane & Pilot.* 2003; 39(6):24-25.

Haapakangas A; Helenius R, and Hongisto VO. Indoor environment and acoustic conditions in two Finnish hospital wards. *J Acoust Soc Am.* 2008; 123(5):3668. ISSN: 1520-8524.

Hadjab, S.; Maurel, D.; Cazals, Y., and Siaud, P. Hexachlorobenzene, a dioxin-like compound, disrupts auditory function in rat. *Hear Res.* 2004; 191(1-2):125-134. ISSN: 0378-5955.

Haeusler R; Stieger C; Bernhard H, and Kompis M. A Novel Implantable Hearing System With Direct Acoustic Cochlear Stimulation. *Audiol Neuro-Otol.* 2008; 13(4):247-256. ISSN: 1420-3030.

Hagberg M; Burstrom L; Ekman A, and Vilhelmsson R. The Association Between Whole Body Vibration Exposure and Musculoskeletal Disorders in the Swedish Work Force Is Confounded by Lifting and Posture. *Journal of Sound and Vibration.* 2006; 298(3):492-498.

Hagberg M; Thiringer G, and Brandstrom L. Incidence of tinnitus, impaired hearing and musculoskeletal disorders among students enrolled in academic music education--a retrospective cohort study. *Int Arch Occup Environ Health.* 2005; 78(7):575-583. ISSN: 0340-0131.

Hager L. Encouraging compliance. *Advance Audiol.* 2003:32, 34.

Hager LD. Fit testing ear plugs. *Occup Health Saf.* 2006; 75(6):38, 40, 42 passim. ISSN: 0362-4064.

Hager LD. Hearing loss prevention regulation. *Occup Health Saf.* 2003; 72(3):34-8, 40, 48. ISSN: 0362-4064.

Hager LD. Hearing protector evaluation: Current standards and pending developments. *Hear Rev.* 2007; March:26, 28.

Hager LD. NRR = Not really relevant? *Occup Safety Health.* 2003; 72(9):166-169.

Haines M and Stansfeld S. Ambient neighbourhood noise and children's mental health. *Occup Environ Med.* 2003; 60(2):146.

Hak CC; Van Hout NH, and Martin HJ. Measuring Sound Insulation using Deconvolution Techniques. *J Acoust Soc Am.* 2008; 123(5):3501. ISSN: 1520-8524.

Halcarz JE. Safety training for diverse worker populations. *Occup Haz.* 2003; 65(2):26-28.

Hall JW; Buss E, and Grose JH. Across-frequency integration of speech information in listeners with sensorineural hearing loss. *J Acoust Soc Am.* 2008; 123(5):3850. ISSN: 1520-8524.

Hall JW; Buss E, and Grose JH. The effect of hearing impairment on the identification of speech that is modulated synchronously or asynchronously across frequency. *J Acoust Soc Am.* 2008; 123(2):955-962. ISSN: 1520-8524.

Hall JW 3rd; Buss E, and Grose JH. Spectral integration of speech bands in normal-hearing and hearing-impaired listeners. *J Acoust Soc Am.* 2008; 124(2):1105-1115. ISSN: 1520-8524.

Hallam R; Ashton P; Sherbourne K, and Gailey L. Acquired profound hearing loss: Mental health and other characteristics of a large sample. *Int J Audiol.* 2006; 45(12):715-723. ISSN: 1499-2027.

Hallam R; Ashton P; Sherbourne K, and Gailey L. Persons With Acquired Profound Hearing Loss (Aphl): How Do They and Their Families Adapt to the Challenge? *Health.* 2008; 12(3):369-388. ISSN: 1363-4593.

Hallberg LR; Hallberg U, and Kramer SE. Self-reported hearing difficulties, communication strategies and psychological general well-being (quality of life) in patients with acquired hearing impairment. *Disabil Rehabil.* 2007; Apr 26:1-10. ISSN: 0963-8288.

Hallgren M; Larsby B, and Arlinger S. A Swedish version of the Hearing In Noise Test (HINT) for measurement of speech recognition. *Int J Audiol.* 2006; 45(4):227-237. ISSN: 1499-2027.

Hallgren M; Larsby B; Lyxell B, and Arlinger S. Speech understanding in quiet and noise, with and without hearing aids. *Int J Audiol.* 2005; 44(10):574-583. ISSN: 1499-2027.

Halpin C and Rauch SD. Clinical implications of a damaged cochlea: Pure tone thresholds vs information-carrying capacity. *Otolaryngol Head Neck Surg.* 2009; 140(4):473-476. ISSN: 0194-5998.

Halpin C and Rauch SD. Using audiometric thresholds and word recognition in a treatment study. *Otol Neurotol.* 2006; 27(1):110-116. ISSN: 1531-7129.

Halpin CF; Iezzoni LI, and Rauch S. Medical Record Documentation of Patients' Hearing Loss by Physicians. *J Gen Intern Med.* 2009; Jan 28. ISSN: 1525-1497.

Halsey K; Fegelman K; Raphael Y; Grosh K, and Dolan DF. Long-Term Effects of Acoustic Trauma on Electrically Evoked Otoacoustic Emission. *J Assoc Res Otolaryngol.* 2005; 6(4):324-340. ISSN: 1525-3961.

Halsey K; Skjonsberg S; Ulfendahl M, and Dolan DF. Efferent-mediated adaptation of the DPOAE as a predictor of aminoglycoside toxicity. *Hear Res.* 2005; 201(1-2):99-108. ISSN: 0378-5955.

Hamdan AL; Abouchacra KS; Al Hazzouri AG, and Zaytoun G. Transient-Evoked Otoacoustic Emissions in a Group of Professional Singers Who Have Normal Pure-Tone Hearing Thresholds. *Ear Hear.* 2008; Mar 29. ISSN: 0196-0202.

Hamernik RP; Qiu W, and Davis B. Cochlear toughening, protection, and potentiation of noise-induced trauma by non-Gaussian noise. *J Acoust Soc Am.* 2003; 113(2):969-976.

Hamernik RP; Qiu W, and Davis B. The effectiveness of N-acetyl-L-cysteine (L-NAC) in the prevention of severe noise-induced hearing loss. *Hear Res.* 2008; 239(1-2):99-106. ISSN: 0378-5955.

Hamernik RP; Qiu W, and Davis B. The effects of the amplitude distribution of equal energy exposures on noise-induced hearing loss: the kurtosis metric. *J Acoust Soc Am.* 2003; 114(1):386-395.

Hamernik RP; Qiu W, and Davis B. Hearing loss from interrupted, intermittent, and time varying non-Gaussian noise exposure: The applicability of the equal energy hypothesis. *J Acoust Soc Am.* 2007; 122(4):2245-2254. ISSN: 1520-8524.

Hamid M. Our experience in diagnostics and treatment of sudden sensorineural hearing loss-Reply. *Otol Neurotol.* 2005; 26(2):318-319. ISSN: 1531-7129.

Hamid M and Brookler KH. Tympanometry. *Ear Nose Throat J.* 2007; 86(11):668-669. ISSN: 0145-5613.

Hamid MA and Brookler KH. Audiometry: masking. *Ear Nose Throat J.* 2006; 85(10):646-647. ISSN: 0145-5613.

Hammershoi D and Moller H. Determination of Noise Immission From Sound Sources Close to the Ears. *Acta Acustica United With Acustica.* 2008; 94(1):114-129. ISSN: 1610-1928.

Han BI; Lee HW; Kim TY; Lim JS, and Shin KS. Tinnitus: Characteristics, Causes, Mechanisms, and Treatments. *J Clin Neurol.* 2009; 5(1):11-19. ISSN: 1738-6586.

Han D. Earmuff structure for headset or ear protector. *J Acoust Soc Am.* 2008; 123(2):591. ISSN: 1520-8524.

Han J; Li F; Zhao C; Zhang Z, and Ni D. Study on distortion product otoacoustic emissions and expanded high frequency audiometry in noise exposure workers. *Lin Chuang Er Bi Yan Hou Ke Za Zhi.* 2003; 17(1):16-19.

Han W; Shi X, and Nuttall AL. AIF and endoG translocation in noise exposure induced hair cell death. *Hear Res.* 2006; 211(1-2):85-95. ISSN: 0378-5955.

Han WJ; Shi YB; Yang WY, and Han DY. Long-Term White Noise Exposure-Induced Mtdna Deletion in the Auditory System. *Acta Oto-Laryngologica.* 2008; 128(3):309-313. ISSN: 0001-6489.

Han WJ; Si XR, and Nuttall A. [Caspase 3 activation and apoptosis inducing factor translocation in noise exposure induced out hair cells apoptosis]. *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi.* 2007; 42(7):515-519. ISSN: 1673-0860.

Haney J; King B; Tubbs RL; Crouch K; Hayden C; Kardous C; Khan A; Mickelson L, and Willson R. Health Hazard Evaluation: Immigration and naturalization service (INS) National firearms unit (NFS). Altoona, PA. HETA 2000-0191-2960 ed. Cincinnati, OH: NIOSH; 2005.

Hantschk CC and Schorer E. Prediction of noise emissions from industrial flares. *J Acoust Soc Am.* 2008; 123(5):3692. ISSN: 1520-8524.

Hao XY; Yang SB; Bai XC; Zhang W; Xie JS; Wang HX, and Liu JJ. [Influence on physiological load of crewmen exposed to noise and noxious substances in compartments during tank gun shooting]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2006; 24(8):491-493. ISSN: 1001-9391.

Harada S; Nishiwaki Y; Michikawa T; Kikuchi Y; Iwasawa S; Nakano M; Ishigami A; Saito H , and Takebayashi T. Gender Difference in the Relationships Between Vision and Hearing Impairments and Negative Well-Being. *Prevent Med.* 2008; 47(4):433-437. ISSN: 0091-7435.

Haraguchi M and Hu HY. Stability Analysis of a Noise Control System in a Duct by Using Delay Differential Equation. *Acta Mechanica Sinica.* 2009; 25(1):131-137. ISSN: 0567-7718.

Haralabidis AS; Dimakopoulou K; Vigna-Taglianti F; Giampaolo M; Borgini A; Dudley ML; Pershagen G; Bluhm G; Houthuijs D; Babisch W; Velonakis M; Katsouyanni K, and Jarup L. Acute effects of night-time noise exposure on blood pressure in populations living near airports. *Eur Heart J.* 2008; 29(5):658-664. ISSN: 0195-668X.

Harding, G. W. and Bohne, B. A. Noise-induced hair-cell loss and total exposure energy: analysis of a large data set. *J Acoust Soc Am.* 2004; 115(5 Pt 1):2207-2220. ISSN: 0001-4966.

Harding, G. W.; Bohne, B. A., and Vos, J. D. The effect of an age-related hearing loss gene (Ahl) on noise-induced hearing loss and cochlear damage from low-frequency noise. *Hear Res.* 2005; 204(1-2):90-100. ISSN: 0378-5955.

Harding GW and Bohne BA. Distribution of focal lesions in the chinchilla organ of Corti following exposure to a 4-kHz or a 0.5-kHz octave band of noise. *Hear Res.* 2007; 225(1-2):50-59. ISSN: 0378-5955.

Harding GW and Bohne BA. Relation of focal hair-cell lesions to noise-exposure parameters from a 4- or a 0.5-kHz octave band of noise. *Hear Res.* 2009; Apr 22. ISSN: 1878-5891.

Harding GW and Bohne BA. Temporary DPOAE level shifts, ABR threshold shifts and histopathological damage following below-critical-level noise exposures. *Hear Res.* 2004; 196(1-2):94-108. ISSN: 0378-5955.

Harding GW; Bohne BA; Lee SC, and Salt AN. Effect of infrasound on cochlear damage from exposure to a 4kHz octave band of noise. *Hear Res.* 2007; 225(1-2):128-138. ISSN: 0378-5955.

Hardoy MC; Carta MG; Marci AR; Carbone F; Cadeddu M; Kovess V; Dell'Osso L, and Carpiello B. Exposure to aircraft noise and risk of psychiatric disorders: the Elmas survey- Aircraft noise and psychiatric disorders. 2005; 40, (1): 24-26.

Harger MR and Barbosa-Branco A. [Effects on hearing due to the occupational noise exposure of marble industry workers in the Federal District, Brazil]. *Rev Assoc Med Bras.* 2004; 50(4):396-399. ISSN: 0104-4230.

Harght P and Coffeen RC. Classroom acoustics in green schools. *J Acoust Soc Am.* 2008; 124(4):2546. ISSN: 1520-8524.

Harkrider AW and Hedrick MS. Acute effect of nicotine on auditory gating in smokers and non-smokers. *Hear Res.* 2005; 202(1-2):114-128. ISSN: 0378-5955.

Harkrider AW; Plyler PN, and Hedrick MS. Effects of hearing loss and spectral shaping on identification and neural response patterns of stop-consonant stimuli. *J Acoust Soc Am.* 2006; 120(2):915-925. ISSN: 0001-4966.

Harkrider AW; Plyler PN, and Hedrick MS. Effects of Hearing Loss and Spectral Shaping on Identification and Neural Response Patterns of Stop-Consonant Stimuli in Young Adults. *Ear Hear.* 2009; 30(1):31-42. ISSN: 0196-0202.

Harkrider AW and Smith SB. Acceptable noise level, phoneme recognition in noise, and measures of auditory efferent activity. *J Am Acad Audiol.* 2005; 16(8):530-545. ISSN: 1050-0545.

- Harper GS and O'brien TM. The Prediction of Underground Drilling Noise. *J South African Inst Mining Metal.* 2006; 106(8):533-543.
- Harris AS; Fleming GG; Lang WW; Schomer PD, and Wood EW. Reducing the impact of environmental noise on quality of life requires an effective national noise policy. *Noise Control Eng J.* 2003; 51(3):151-154.
- Harris KC; Bielefeld E; Hu BH, and Henderson D. Increased resistance to free radical damage induced by low-level sound conditioning. *Hear Res.* 2006; 213(1-2):118-129. ISSN: 0378-5955.
- Harris KC; Dubno JR; Keren NI; Ahlstrom JB, and Eckert MA. Speech recognition in younger and older adults: a dependency on low-level auditory cortex. *J Neurosci.* 2009; 29(19):6078-6087. ISSN: 1529-2401.
- Harris KC; Hu B; Hangauer D, and Henderson D. Prevention of noise-induced hearing loss with Src-PTK inhibitors. *Hear Res.* 2005; 208(1-2):14-25. ISSN: 0378-5955.
- Harris KC; Mills JH, and Dubno JR. Electrophysiologic correlates of intensity discrimination in cortical evoked potentials of younger and older adults. *Hear Res.* 2007; 228(1-2):58-68. ISSN: 0378-5955.
- Hartley DEH and Moore DR. Effects of conductive hearing loss on temporal aspects of sound transmission through the ear. *Hear Res.* 2003; 177(1-2):53-60.
- Hasheminejad SM and Shabanimotlagh M. Sound Insulation Characteristics of Functionally Graded Panels. *Acta Acustica United With Acustica.* 2008; 94(2):290-300. ISSN: 1610-1928.
- Hass-Slavin L; McColl MA, and Pickett W. Challenges and strategies related to hearing loss among dairy farmers. *J Rural Health.* 2005; 21(4):329-336. ISSN: 0890-765X.
- Hassan MS; Ray J, and Wilson F. Carbon monoxide poisoning and sensorineural hearing loss. *J Laryngol Otol.* 2003; 117(2):134-137.
- Hatfield J; Faunce GJ, and Job RFS. Avoiding Confusion Surrounding the Phrase "Correlation Does Not Imply Causation". *Teaching Psychol.* 2006; 33(1):49-51.
- Haughton PM; Lightfoot GR, and Stevens JC. Peak-to-peak equivalent sound pressure level. *Int J Audiol.* 2003; 42(8):494-495; author reply 496. ISSN: 1499-2027.
- Haupt RW. High-powered parametric acoustic array in air. *J Acoust Soc Am.* 2009; 125(4):2688. ISSN: 1520-8524.
- Hawkins DB. Limitations and uses of the aided audiogram. *Seminars in Hearing.* 2004; 25(1):51.
- Hawkins JE and Schacht J. Sketches of otohistory. Part 10: noise-induced hearing loss. *Audiol Neurootol.* 2005; 10(6):305-309. ISSN: 1420-3030.
- Haworth KJ; Fowlkes JB; Carson PL, and Kripfgans OD. Generalized shot noise model for time-reversal in multiple-scattering media allowing for arbitrary inputs and windowing. *J Acoust Soc Am.* 2009; 125(5):3129-3140. ISSN: 1520-8524.
- Haworth KJ; Fowlkes JB; Carson PL, and Kripfgans OD. Modeling time-reversal focusing in a multiple scattering medium. *J Acoust Soc Am.* 2008; 123(5):3341. ISSN: 1520-8524.
- Hayden CS and Zechmann EL. Estimation of Sound Pressure Level Exposures From Sound Power Level Measurements of Powered Hand-Tools. *Noise Control Eng J.* 2007; 55(4):379-389. ISSN: 0736-2501.

He J; Liu Z, and Wong KT. Linearly Constrained Minimum- "Geometric Power" Adaptive Beamforming Using Logarithmic Moments of Data Containing Heavy-Tailed Noise of Unknown Statistics. *IEEE Antennas and Wireless Propagation Letters*. 2007; 6:600-603. ISSN: 1536-1225.

Healy EW; Kannabiran A, and Bacon SP. An across-frequency processing deficit in listeners with hearing impairment is supported by acoustic correlation. *J Speech Lang Hear Res*. 2005; 48(5):1236-1242. ISSN: 1092-4388.

Hebert S and Lupien SJ. Salivary cortisol levels, subjective stress, and tinnitus intensity in tinnitus sufferers during noise exposure in the laboratory. *Int J Hyg Environ Health*. 2008; Feb 1. ISSN: 1438-4639.

Hebert, S.; Paiement, P., and Lupien, S. J. A physiological correlate for the intolerance to both internal and external sounds. *Hear Res*. 2004; 190(1-2):1-9. ISSN: 0378-5955.

Hedrick MS and Nabelek AK. Effect of F2 intensity on identity of /u/ in degraded listening conditions. *J Speech Lang Hear Res*. 2004; 47(5):1012-1021. ISSN: 1092-4388.

Hedrick MS and Younger MS. Perceptual weighting of stop consonant cues by normal and impaired listeners in reverberation versus noise. *J Speech Lang Hear Res*. 2007; 50(2):254-269. ISSN: 1092-4388.

Heffernan EJ; Munk PL, and Louis LJ. Thunderstorms and iPods--two reports of the same case. *N Engl J Med*. 2007; 357(7):723. ISSN: 1533-4406.

Heffner HE and Koay G. Tinnitus and Hearing Loss in Hamsters (*Mesocricetus auratus*) Exposed to Loud Sound. *Behav Neurosci*. 2005; 119(3):734-742. ISSN: 0735-7044.

Heffner HE; Koay G, and Heffner RS. Comparison of behavioral and auditory brainstem response measures of threshold shift in rats exposed to loud sound. *J Acoust Soc Am*. 2008; 124(2):1093-1104. ISSN: 1520-8524.

Heil P; Neubauer H; Brown M, and Irvine DR. Towards a unifying basis of auditory thresholds: distributions of the first-spike latencies of auditory-nerve fibers. *Hear Res*. 2008; 238(1-2):25-38. ISSN: 0378-5955.

Heinonen-Guzejev M; Vuorinen HS; Mussalo-Rauhamaa H; Heikkila K; Koskenvuo M, and Kaprio J. The association of noise sensitivity with coronary heart and cardiovascular mortality among Finnish adults. *Sci Total Environ*. 2006; Nov 24. ISSN: 0048-9697.

Heinonen-Guzejev M; Vuorinen HS; Mussalo-Rauhamaa H; Heikkila K; Koskenvuo M, and Kaprio J. Genetic component of noise sensitivity. *Twin Res Hum Genet*. 2005; 8(3):245-249. ISSN: 1832-4274.

Heinonen-Guzejev M; Vuorinen HS; Mussalo-Rauhamaa H; Heikkila K; Koskenvuo M, and Kaprio J. Somatic and psychological characteristics of noise-sensitive adults in Finland. *Arch Environ Health*. 2004; 59(8):410-417. ISSN: 0003-9896.

Heinrich A; Schneider BA, and Craik FIM. Investigating the Influence of Continuous Babble on Auditory Short-Term Memory Performance. *Quarterly J Exp Psych*. 2008; 61(5):735-751. ISSN: 1747-0218.

Heinrich UR; Brieger J; Selivanova O; Feltens R; Eimermacher A; Schafer D, and Mann WJ. COX-2 expression in the guinea pig cochlea is partly altered by moderate sound exposure. *Neurosci Lett*. 2006; 394(2):121-126. ISSN: 0304-3940.

Heinrich UR; Fischer I; Brieger J; Rumelin A; Schmidtman I; Li H; Mann WJ, and Helling K. Ascorbic Acid Reduces Noise-Induced Nitric Oxide Production in the Guinea Pig Ear. *Laryngoscope*. 2008; jan 14. ISSN: 0023-852X.

Heintze O; Wittstock V, and Hartung CF. Sound radiation of a large truck oil pan: estimation and experimental investigation. *J Acoust Soc Am*. 2008; 123(5):3171. ISSN: 1520-8524.

Heinz, M. G.; Issa, J. B., and Young, E. D. Auditory-Nerve Rate Responses are Inconsistent with Common Hypotheses for the Neural Correlates of Loudness Recruitment. *J Assoc Res Otolaryngol*. 2005; 6(2):91-105. ISSN: 1525-3961.

Heinz MG and Young ED. Response growth with sound level in auditory-nerve fibers after noise-induced hearing loss. 2004; 91, (2): 784-795.

Helfer KS and Freyman RL. Aging and Speech-on-Speech Masking. *Ear Hear*. 2007; 29:87-98. ISSN:- 1.

Helfer TM; Jordan NN, and Lee RB. Postdeployment hearing loss in U.S. Army soldiers seen at audiology clinics from April 1, 2003, through March 31, 2004. *Am J Audiol*. 2005; 14(2):161-168. ISSN: 1059-0889.

Hellgren UM and Reijula K. Indoor-Air-Related Complaints and Symptoms Among Hospital Workers. *Scand J Work Environ Health*. 2006(Suppl 2):47-49.

Helvik AS; Jacobsen G, and Hallberg LR. Psychological well-being of adults with acquired hearing impairment. *Disabil Rehabil*. 2006; 28(9):535-545. ISSN: 0963-8288.

Helvik AS; Thurmer H; Jacobsen GW; Bratt M, and Hallberg LR. Psychometric evaluation of a Norwegian version of the Communication Strategies Scale of the Communication Profile for the Hearing Impaired. *Disabil Rehabil*. 2007; 29(6):513-520. ISSN: 0963-8288.

Helzner EP; Cauley JA; Pratt SR; Wisniewski SR; Zmuda JM; Talbott EO; de Rekeneire N; Harris TB; Rubin SM; Simonsick EM; Tyllavsky FA, and Newman AB. Race and sex differences in age-related hearing loss: the Health, Aging and Body Composition Study. *J Am Geriatr Soc*. 2005; 53(12):2119-2127. ISSN: 0002-8614.

Heming JE and Brown LN. Sensory temporal processing in adults with early hearing loss. *Brain Cogn*. 2005; 59(2):173-182. ISSN: 0278-2626.

Henchi MA; Bouzgarou L; Amri C; Abdallah B; Omrane J; Rejeb K; Salah HH; Gaaliche A; Khalfallah T, and Akrouf M. Contribution of Hearing Aids in Occupational Deafness. *Archives Des Maladies Professionnelles Et De L Environnement*. 2008; 69(4):593-599. ISSN: 1775-8785.

Henderson D; Bielefeld EC; Harris KC, and Hu BH. The role of oxidative stress in noise-induced hearing loss. *Ear Hear*. 2006; 27(1):1-19. ISSN: 0196-0202.

Henriksen V. Using impedance measurements to detect and quantify the effect of air leaks on the attenuation of earplugs. *J Acoust Soc Am*. 2008; 124(1):510-522. ISSN: 1520-8524.

Henriques MO; Miranda EC, and Costa MJ. [Speech recognition thresholds in noisy areas: reference values for normal hearing adults]. *Rev Bras Otorrinolaringol (Engl Ed)*. 2008; 74(2):188-192. ISSN: 1808-8694.

Henry JA; Zaugg TL; Myers PJ, and Schechter MA. The Role of Audiologic Evaluation in Progressive Audiologic Tinnitus Management. *Trends Amplif*. 2008; Jul 18. ISSN: 1084-7138.

Hensrud DD. Can you hear me now? *Fortune*. 2003; 147(5):142.

Hermanus MA. Occupational Health and Safety in Mining-Status, New Developments, and Concerns. *J South Afr Institute Mining Metallurgy*. 2007; 107(8):531-538. ISSN: 0038-223X.

Hernandez AR; Chalupper J, and Powers TA. An assessment of everyday noises and their annoyance. 2008 ed. Hearing Review; 16-.

Herr CEW; Seitz H; Faske R; Waldecker B; Stilianakis NIF, and Eikmann TF. Applying analysis of heart rate variability in a pilot study on health effects of exposure to chronic aircraft noise. Epidemiol. 2003; 14 (5):S100.

Herraiz C; de los Santos G; Diges I; Diez R, and Aparicio JM. [Assessment of hyperacusis: the self-rating questionnaire on hypersensitivity to sound]. Acta Otorrinolaringol Esp. 2006; 57(7):303-306. ISSN: 0001-6519.

Herraiz C; Diges I; Cobo P; Plaza G, and Aparicio JM. Auditory discrimination therapy (ADT) for tinnitus management: preliminary results. Acta Otolaryngol Suppl. 2006; 126(556):80-83. ISSN: 0365-5237.

Herranz Gonzalez-Botas J; Fojon Polanco S; Lopez Facal MS; Fernandez Casabella C, and Garcia Casas M. [Auditory threshold in professional divers not exposed to noise.]. Acta Otorrinolaringol Esp. 2008; 59(2):70-75. ISSN: 0001-6519.

Hesse G; Andres R; Schaaf H, and Laubert A. [DPOAE and lateral inhibition in chronic tinnitus]. HNO. 2008; 56(7):694-700. ISSN: 1433-0458.

Hesse G; Schaaf H, and Laubert A. Specific findings in distortion product otoacoustic emissions and growth functions with chronic tinnitus. Int Tinnitus J. 2005; 11(1):6-13. ISSN: 0946-5448.

Hessler GE; Hessler DM; Brandstatt P, and Bay K. Experimental Study to Determine Wind-Induced Noise and Windscreen Attenuation Effects on Microphone Response for Environmental Wind Turbine and Other Applications. Noise Contr Eng J. 2008; 56(4):300-309. ISSN: 0736-2501.

Hessler GF. The Noise Perception Index (Npi) for Assessing Noise Impact From Major Industrial Facilities and Power Plants in the Us. Noise Control Eng J. 2008; 56(5):374-385. ISSN: 0736-2501.

Heydt, J. L.; Cunningham, L. L.; Rubel, E. W., and Coltrera, M. D. Round window gentamicin application: an inner ear hair cell damage protocol for the mouse. Hear Res. 2004; 192(1-2):65-74. ISSN: 0378-5955.

Hickling R; Kopko J, and Saha P. Comparing the sound absorption of different objects. J Acoust Soc Am. 2008; 123(5):3610. ISSN: 1520-8524.

Hickson L; Worrall L, and Scarinci N. A randomized controlled trial evaluating the active communication education program for older people with hearing impairment. Ear Hear. 2007; 28(2):212-230. ISSN: 0196-0202.

Hight NG; McFadden SL; Henderson D, and Burkard RF Nicotera T. Noise-induced hearing loss in chinchillas pre-treated with glutathione monoethylester and R-PIA. Hear Res. 2003; 179(1-2):21-32.

Hildebrand MS; Newton SS; Gubbels SP; Sheffield AM; Kochhar A; de Silva MG; Dahl HH; Rose SD; Behlke MA, and Smith RJ. Advances in molecular and cellular therapies for hearing loss. Mol Ther. 2008; 16(2):224-236. ISSN: 1525-0016.

Hiller W and Goebel G. Factors influencing tinnitus loudness and annoyance. Arch Otolaryngol Head Neck Surg. 2006; 132(12):1323-1330. ISSN: 0886-4470.

Hiller W and Goebel G. When tinnitus loudness and annoyance are discrepant: audiological characteristics and psychological profile. Audiol Neurootol. 2007; 12(6):391-400. ISSN: 1421-9700.

Himmel CN and Kupersztoch DJ. Field airborne and impact sound insulation of wood truss floor systems. J Acoust Soc Am. 2008; 123(5):3765. ISSN: 1520-8524.

Hine, J. E. and Thornton, A. R. Transient evoked otoacoustic emissions recorded using maximum length sequences from patients with sensorineural hearing loss. *Hear Res.* 2005; 203(1-2):122-133. ISSN: 0378-5955.

Hingson DJ. "The Grand Canyon" versus "Soundscape of Nowhere (continued)". *J Acoust Soc Am.* 2009; 125(4):2717. ISSN: 1520-8524.

Hiramatsu, K; Matsui, T; Ito, A; Miyakita, T; Osada, Y, and Yamamoto, T. The Okinawa study: an estimation of noise-induced hearing loss on the basis of the records of aircraft noise exposure around Kadena Air Base. *J Sound Vib.* 2004; 277(3):617-625.

Hiraumi H; Tsuji J; Kanemaru SI; Fujino K, and Ito J. Non-Organic Hearing Loss. *Acta Oto-Laryngologica.* 2007; 127:3-7. ISSN: 0001-6489.

Hirose K. Hearing loss and diabetes: you might not know what you're missing. *Ann Intern Med.* 2008; 149(1):54-55. ISSN: 1539-3704.

Hirose K and Liberman MC. Lateral wall histopathology and endocochlear potential in the noise-damaged mouse cochlea. *J Assoc Res Otolaryngol.* 2003; 4(3):339-352. ISSN: 1525-3961.

Hirose Y; Sugahara K; Mikuriya T; Hashimoto M; Shimogori H, and Yamashita H. Effect of water-soluble coenzyme Q10 on noise-induced hearing loss in guinea pigs. *Acta Otolaryngol.* 2008; Apr 1:1-6. ISSN: 0001-6489.

Hiselius P. Attenuation of earplugs- objective predictions compared to subjective REAT measurements. *ACTA Acustica United With Acustica.* 2005; 91:764-770.

Hiselius P. Method to assess acoustical two-port properties of earplugs. 2004; 90, (1): 137-151.

Hizel SB; Muluk NB; Budak B, and Budak G. Does scuba diving cause hearing loss? *J Otolaryngol.* 2007; 36(4):247-252. ISSN: 1708-833X.

Ho T; Vrabec JT, and Burton AW. Hydrocodone use and sensorineural hearing loss. *Pain Physician.* 2007; 10(3):467-472. ISSN: 1533-3159.

Hockey GR; Sauer J, and Wastell DG. Adaptability of training in simulated process control: knowledge- versus rule-based guidance under task changes and environmental stress. *Hum Factors.* 2007; 49(1):158-174. ISSN: 0018-7208.

Hodgetts WE and Liu R. Can hockey playoffs harm your hearing? *CMAJ.* 2006; 175(12):1541-1542. ISSN: 1488-2329.

Hodgetts WE; Rieger JM, and Szarko RA. The effects of listening environment and earphone style on preferred listening levels of normal hearing adults using an MP3 player. *Ear Hear.* 2007; 28(3):290-297. ISSN: 0196-0202.

Hodgkinson L and Prasher D. Effects of industrial solvents on hearing and balance: a review. *Noise Health.* 2006; 8(32):114-133. ISSN: 1463-1741.

Hodgson M; Cousins O; Chan G, and Valeau V. Ray-tracing prediction of sound-pressure and sound-intensity fields in empty and fitted rooms. *J Acoust Soc Am.* 2008; 123(5):3760. ISSN: 1520-8524.

Hoet P and Lison D. Ototoxicity of toluene and styrene: state of current knowledge. *Crit Rev Toxicol.* 2008; 38(2):127-170. ISSN: 1040-8444.

- Hoffman HJ; Ko CW; Themann CL; Dillon CF, and Franks JR. Reducing Noise-Induced Hearing Loss (NIHL) to Achieve Us Healthy People 2010 Goals. *Am J Epi.* 2006; 163(11):S122.
- Hoffman JS; Cunningham DR, and Lorenz DJ. Auditory Thresholds and Factors Contributing to Hearing Loss in a Large Sample of Percussionists. *Med Probl Perform Art.* 2006; 21 (2):47-58.
- Hoffmann J; Ihrig A; Hoth S, and Triebig G. Field study to explore possible effects of styrene on auditory function in exposed workers. *Ind Health.* 2006; 44(2):283-286. ISSN: 0019-8366.
- Hogan A; O'Loughlin K; Davis A, and Kendig H. Hearing loss and paid employment: Australian population survey findings. *Int J Audiol.* 2009; 48(3):117-122. ISSN: 1708-8186.
- Hoglin SL. Thunder-sticks are fun, but... *J Am Acad Audiol.* 2003; 14(1):56.
- Hohmann B. Simple evaluation of occupational noise exposure using a data base. *Noise at Work.* 2007; Aug.
- Hohmann BW. Simple evaluation of occupational noise exposure without measurements. *J Acoust Soc Am.* 2008; 123(5):3527. ISSN: 1520-8524.
- Holcomb SS and Punch JL. Multimedia hearing handicap inventory: reliability and clinical utility. *Am J Audiol.* 2006; 15(1):3-13. ISSN: 1059-0889.
- Holgers KM. Tinnitus in 7-year-old children. *Eur J Pediatr.* 2003; 162:276-278.
- Holgers KM and Juul J. The suffering of tinnitus in childhood and adolescence. *Int J Audiol.* 2006; 45(5):267-272. ISSN: 1499-2027.
- Holgers KM and Pettersson B. Noise exposure and subjective hearing symptoms among school children in Sweden. *Noise Health.* 2005; 7(27):27-37. ISSN: 1463-1741.
- Holgers KM; Zoger S, and Svedlund K. Predictive factors for development of severe tinnitus suffering-further characterisation. *Int J Audiol.* 2005; 44(10):584-592. ISSN: 1499-2027.
- Holley MC. Keynote review: The auditory system, hearing loss and potential targets for drug development. *Drug Discov Today.* 2005; 10(19):1269-1282. ISSN: 1359-6446.
- Holmes A; Lachowicz JE, and Sibley DR. Phenotypic analysis of dopamine receptor knockout mice; recent insights into the functional specificity of dopamine receptor subtypes. *Neuropharmacol.* 2004; 47:1117-1134.
- Holmes AE; Widen SE; Erlandsson S; Carver CL, and White LL. Perceived hearing status and attitudes toward noise in young adults. *Am J Audiol.* 2007; 16(2):S182-S189. ISSN:- 2.
- Homma K; Du Y; Shimizu Y, and Puria S. Ossicular resonance modes of the human middle ear for bone and air conduction. *J Acoust Soc Am.* 2009; 125(2):968-979. ISSN: 1520-8524.
- Hone SW; Norman G; Keogh I, and Kelly V. The use of cortical evoked response audiometry in the assessment of noise-induced hearing loss. *Otolaryngol Head Neck Surg.* 2003; 128(2):257-262.
- Hong O. Hearing loss among operating engineers in American construction industry. *Int Arch Occup Environ Health.* 2005; 78(7):565-574. ISSN: 0340-0131.
- Hong O and Csaszar P. Audiometric testing and hearing protection training through multimedia technology. *Int J Audiol.* 2005; 44(9):522-530. ISSN: 1499-2027.

Hong, O.; Lusk, S. L., and Ronis, D. L. Ethnic differences in predictors of hearing protection behavior between Black and White workers. *Res Theory Nurs Pract.* 2005; 19(1):63-76. ISSN: 1541-6577.

Hong O; Ronis DL; Lusk SL, and Kee GS. Efficacy of a computer-based hearing test and tailored hearing protection intervention. *Int J Behav Med.* 2006; 13(4):304-314. ISSN: 1070-5503.

Hong O; Samo D; Hulea R, and Eakin B. Perception and attitudes of firefighters on noise exposure and hearing loss. *J Occup Environ Hyg.* 2008; 5(3):210-215. ISSN: 1545-9624.

Hong O and Samo DG. Hazardous decibels: hearing health of firefighters. *AAOHN J.* 2007; 55(8):313-319. ISSN: 0891-0162.

Hong YS; Lee MJ; Kwak JY; Lee YH, and Kim JY. Mitochondrial DNA mutation in noise-induced hearing loss. *Gen Epidemiol.* 2005; 29(3):256.

Hongisto V. A model predicting the effect of speech of varying intelligibility on work performance. *Indoor Air.* 2005; 15(6):458-468. ISSN: 0905-6947.

Hoover KA. Architectural acoustics: Short course presentation material. *J Acoust Soc Am.* 2009; 125(4):2646. ISSN: 1520-8524.

Hopkins K and Moore BC. Moderate cochlear hearing loss leads to a reduced ability to use temporal fine structure information. *J Acoust Soc Am.* 2007; 122(2):1055-1068. ISSN: 1520-8524.

Hori A; Kataoka S; Sakai K; Hirose G; Iwasaki N; Horiguchi A, and Takashima M. Valproic acid-induced hearing loss and tinnitus. *Int Med.* 2003; 42(11):1153-1154.

Horner KC and Cazals Y. Stress in hearing and balance in meniere's disease. *Noise Health.* 2003; 5(20):29-34.

Hornsby BW and Ricketts TA. Directional benefit in the presence of speech and speechlike maskers. *J Am Acad Audiol.* 2007; 18(1):5-16. ISSN: 1050-0545.

Hornsby BW and Ricketts TA. The effects of hearing loss on the contribution of high- and low-frequency speech information to speech understanding. II. Sloping hearing loss. *J Acoust Soc Am.* 2006; 119(3):1752-1763. ISSN: 0001-4966.

Hornsby BW and Ricketts TA. Effects of noise source configuration on directional benefit using symmetric and asymmetric directional hearing aid fittings. *Ear Hear.* 2007; 28(2):177-186. ISSN: 0196-0202.

Hornsby BW; Ricketts TA, and Johnson EE. The effects of speech and speechlike maskers on unaided and aided speech recognition in persons with hearing loss. *J Am Acad Audiol.* 2006; 17(6):432-447. ISSN: 1050-0545.

Hornsby BWY and Ricketts, TA. The effects of hearing loss on the contribution of high- and low-frequency speech information to speech understanding. *J Acoust Soc Am.* 2003; 113(3):1706-1717.

Hornsby WY. The speech intelligibility index: what is it and what's it good for? *Hear J.* 2004; 57(10):10, 12, 14, 16-17.

Horvat J; Polajnar I; Cudina M, and Gosnak-Dahmane R. Ergonomic Stresses of Welders. *Strojarstvo.* 2007; 49(5):377-382. ISSN: 0562-1887.

Horwitz AR; Ahlstrom JB, and Dubno JR. Factors affecting the benefits of high-frequency amplification. *J Speech Lang Hear Res.* 2008; 51(3):798-813. ISSN: 1092-4388.

- Hoshino T; Tabuchi K; Hirose Y; Uemaetomari I; Murashita H; Tobita T, and Hara A. The Non-Steroidal Anti-Inflammatory Drugs Protect Mouse Cochlea Against Acoustic Injury. *Tohoku J Exp Med.* 2008; 216(1):53-59. ISSN: 0040-8727.
- Hoth, S. On a possible prognostic value of otoacoustic emissions: a study on patients with sudden hearing loss. *Eur Arch Otorhinolaryngol.* 2005; 262(3):217-224. ISSN: 0937-4477.
- Hoth S; Polzer M; Neumann K, and Plinkert P. TEOAE amplitude growth, detectability, and response threshold in linear and nonlinear mode and in different time windows. *Int J Audiol.* 2007; 46(8):407-418. ISSN: 1499-2027.
- Hou FX and Wang S. [Preventive effects of vitamin E on short-term noise-induced hearing loss in guinea pigs]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2005; 23(6):408-410. ISSN: 1001-9391.
- Hou FX; Wang S; Zhai SQ; Hu YY; Yang WY, and He LH. Effects of alpha-tocopherol on noise-induced hearing loss in guinea pigs. *Hear Res.* 2003; 179-(1-2):1-8.
- Hougaard KS; Barrenas ML; Kristiansen GB, and Lund SP. No evidence for enhanced noise induced hearing loss after prenatal stress or dexamethasone. *Neurotoxicol Teratol.* 2007; 29(6):613-621. ISSN: 0892-0362.
- Hours M; Bernard M; Arslan MT; Montestrucq L; Richardson L; Deltour I, and Cardis E. Can loud noise cause acoustic neuroma? Analysis of the INTERPHONE study in France. *Occup Environ Med.* 2009; mar 15. ISSN: 1470-7926.
- Howard MA; Stagner BB; Foster PK; Lonsbury-Martin BL, and Martin GL. Suppression tuning in noise-exposed rabbits. *J Acoust Soc Am.* 2003; 114(1):279-293.
- Hsia SY; Chiu SM, and Cheng JW. Sound Field Analysis and Simulation for Fluid Machines. *Adv Eng Software.* 2009; 40(1):15-22. ISSN: 0965-9978.
- Hsu WC; Wang JD; Lue JH; Day AS, and Young YH. Physiological and morphological assessment of the saccule in Guinea pigs after noise exposure. *Arch Otolaryngol Head Neck Surg.* 2008; 134(10):1099-1106. ISSN: 1538-361X.
- Hsu, YL; Huang, CC; Yo, CY; Chen, CJ, and Lien, CM. Comfort evaluation of hearing protection. *Int J Ind Ergon.* 2004; 33(6):543-551.
- Hu BH. Delayed mitochondrial dysfunction in apoptotic hair cells in chinchilla cochleae following exposure to impulse noise. *Apoptosis.* 2007; Feb 1. ISSN: 1360-8185.
- Hu BH; Henderson D; Bielefeld EC; Harris KC; Fetoni AR, and Nicotera T. RETRACTED: Prevention of hearing loss from noise exposure using Src inhibitors. *Hear Res.* 2006; Sep 6. ISSN: 0378-5955.
- Hu BH; Henderson D, and Nicotera TM. Extremely rapid induction of outer hair cell apoptosis in the chinchilla cochlea following exposure to impulse noise. *Hear Res.* 2006; 211(1-2):16-25. ISSN: 0378-5955.
- Hu BH; Henderson D, and Yang WP. The impact of mitochondrial energetic dysfunction on apoptosis in outer hair cells of the cochlea following exposure to intense noise. *Hear Res.* 2007; 236(1-2):11-22.
- Hu BH and Zheng GL. Membrane disruption: An early event of hair cell apoptosis induced by exposure to intense noise. *Brain Res.* 2008; Aug 26. ISSN: 0006-8993.
- Hu C and Lui SH. Variational approach for restoring random-valued impulse noise. *Numerical Anal Appl.* 2005; 3401:312-319.

Hu N; Nuttall AL, and Ren T. Spatial distribution of electrically induced high frequency vibration on basilar membrane. *Hear Res.* 2005; 202(1-2):35-46. ISSN: 0378-5955.

Hu Z and Ulfendahl M. Cell replacement therapy in the inner ear. *Stem Cells Dev.* 2006; 15(3):449-459. ISSN: 1547-3287.

Huang D. Experimental Active Vibration Control of Moving Wood Saw Bands. *Noise Control Eng J.* 2008; 56(3):176-182. ISSN: 0736-2501.

Huang X; Whitworth CA, and Rybak LP. Ginkgo biloba extract (EGb 761) protects against cisplatin-induced ototoxicity in rats. *Otol Neurotol.* 2007; 28(6):828-833. ISSN:- 6.

Huettel, L. G. and Collins, L. M. Predicting auditory tone-in-noise detection performance: the effects of neural variability. *IEEE Trans Biomed Eng.* 2004; 51(2):282-293. ISSN: 0018-9294.

Huettel, LG and Collins, LM. A theoretical analysis of normal- and impaired-hearing intensity discrimination. *IEEE Trans Speech Audio Processing.* 2004; 12(3):323-333.

Hultcrantz M; Simonoska R, and Stenberg AE. Estrogen and hearing: a summary of recent investigations. *Acta Otolaryngol.* 2006; 126(1):10-14. ISSN: 0001-6489.

Humann, M. J.; Donham, K. J.; Jones, M. L.; Achutan, C., and Smith, B. J. Occupational noise exposure assessment in intensive Swine farrowing systems:dosimetry, octave band, and specific task analysis. *J Agromedicine.* 2005; 10(1):23-37. ISSN: 1059-924X.

Hume K; Gregg M; Thomas C, and Terranova D. Complaints caused by aircraft operations: an assessment of annoyance by noise level and time of day. *J Air Transport Management.* 2003; 9(3):153-160.

Humes LE and Humes LE. Factors Affecting Long-Term Hearing Aid Success. *Sem Hear.* 2004; 25(1):63.

Humes LE; Lee JH, and Coughlin MP. Auditory measures of selective and divided attention in young and older adults using single-talker competition. *J Acoust Soc Am.* 2006; 120(5 Pt 1):2926-2937. ISSN: 0001-4966.

Hurley RM and Sells JP. An abbreviated word recognition protocol based on item difficulty. *Ear Hear.* 2003; 24(2):111-118.

Hursidic-Radulovic A. [Quick progress of a hearing impairment in a young plumber]. *Arh Hig Rada Toksikol.* 2005; 56(4):339-342. ISSN: 0004-1254.

Husain K; Scott B; Whitworth C, and Rybak LP. Time response of carboplatin-induced hearing loss in rat. *Hear Res.* 2004; 191(1-2):110-118. ISSN: 0378-5955.

Husain K; Whitworth C; Somani SM, and Rybak LP. Partial protection by lipoic acid against carboplatin-induced ototoxicity in rats. *Biomed Environ Sci.* 2005; 18(3):198-206. ISSN: 0895-3988.

Huss M and Moore BC. Dead regions and noisiness of pure tones. *Int J Audiol.* 2005; 44(10):599-611. ISSN: 1499-2027.

Huss M and Moore BCJ. Tone decay for hearing-impaired listeners with and without dead regions in the cochlea. 2003; 114, (6): 3283-3294.

Hussain HI and Guyader JL. Vibroacoustic Modeling of a Lattice of Flexible Cords. *Acta Acustica United With Acustica.* 2008; 94(3):359-368. ISSN: 1610-1928.

- Huy PT and Sauvaget E. Idiopathic sudden sensorineural hearing loss is not an otologic emergency. *Otol Neurotol.* 2005; 26(5):896-902. ISSN: 1531-7129.
- Hwang JH; Chao JC; Ho HC, and Hsiao SH. Effects of Sex, Age and Hearing Asymmetry on the Interaural Differences of Auditory Brainstem Responses. *Audiol Neurotol.* 2007; 13(1):29-33. ISSN: 1421-9700.
- Hwang JH; Wu CC; Hsu CJ; Liu TC, and Yang WS. Association of Central Obesity With the Severity and Audiometric Configurations of Age-related Hearing Impairment. *Obesity.* 2009; Mar 19. ISSN: 1930-7381.
- Hyppolito MA; de Oliveira JA, and Rossato M. Cisplatin ototoxicity and otoprotection with sodium salicylate. *Eur Arch Otorhinolaryngol.* 2006; June 7. ISSN: 0937-4477.
- Ide C. Hearing loss, accidents, near misses and job losses in firefighters. *Occup Med (Lond).* 2007; 57(3):203-209. ISSN: 0962-7480.
- Ifeacho S and Narula A. Re: Sudden hearing loss. *Clin Otolaryngol.* 2008; 33(2):155-156; author reply 156-157. ISSN: 1749-4486.
- Ikeda K; Sekiguchi T, and Hayashi A. Attention-related modulation of auditory brainstem responses during contralateral noise exposure. *Neuroreport.* 2008; Sep 18. ISSN: 1473-558X.
- Ikeda N; Murray CJ, and Salomon JA. Tracking Population Health Based on Self-reported Impairments: Trends in the Prevalence of Hearing Loss in US Adults, 1976-2006. *Am J Epidemiol.* 2009; May 18. ISSN: 1476-6256.
- Il'kaeva EN; Volgareva AD, and Shaikhislamova ER. [Evaluating probability of occupational hearing disorders in workers exposed to noise at work]. *Med Tr Prom Ekol.* 2008(9):27-30. ISSN: 1026-9428.
- Ilkayeva EN. [Contemporary state of occupational deafness in Russian Federation]. *Med Tr Prom Ekol.* 2008(6):57-62. ISSN: 1026-9428.
- Ilkayeva EN and Bolgaryova AD. [Diagnosis, expert examination and prevention of occupational neurosensory deafness in workers of oil producing and petrochemical industries]. *Med Tr Prom Ekol.* 2008(10):9-12. ISSN: 1026-9428.
- Ingle ST; Pachpande BG; Wagh ND; Patel VS, and Attarde SB. Assessment of Daily Noise Exposure and Prevalence of Hearing Loss in the Shopkeepers Working Near National Highway No. 6: a Case Study of Jalgaon City. *Int J Sustainable Transport.* 2009; 3(1):54-69. ISSN: 1556-8318.
- Inoue J; Idota N; Tsutsui T, and Horie S. Development of a computerized sound attenuation measurement system of hearing protectors based on Japanese industrial standard (JIS). *J UOEH.* 2003; 25(3):271-281.
- Inoue M; Laskar MS, and Harada N. Cross-sectional study on occupational noise and hypertension in the workplace. *Arch Environ Occup Health.* 2005; 60(2):106-110.
- Inoue T. Active noise control system. *J Acoust Soc Am.* 2008; 123(4):1823. ISSN: 1520-8524.
- Ipakchi, R.; Kyin, T., and Saunders, J. C. Loss and recovery of sound-evoked otoacoustic emissions in young chicks following acoustic trauma. *Audiol Neurotol.* 2005; 10(4):209-219. ISSN: 1420-3030.
- Iqbal, N. Recoverable hearing loss with amphetamines and other drugs. *J Psychoactive Drugs.* 2004; 36(2):285-288. ISSN: 0279-1072.
- Iraz M; Kalcioğlu MT; Kizilay A, and Karatas E. Aminoguanidine prevents ototoxicity induced by cisplatin in rats. *Ann Clin Lab Sci.* 2005; 35(3):329-335. ISSN: 0091-7370.

Irby N; Neitzel R; Seixas N; Johnson P, and Yost M. An assessment of noise frequency spectra associated with selected construction tasks. *Spectrum*. 2003; 20(Suppl 1):25.

Irons-Brown SR and Jones TA. Effects of selected pharmacological agents on avian auditory and vestibular compound action potentials. *Hear Res*. 2004; 195(1-2):54-66. ISSN: 0378-5955.

Irvine DR. Auditory cortical plasticity: does it provide evidence for cognitive processing in the auditory cortex? *Hear Res*. 2007; 229(1-2):158-170. ISSN: 0378-5955.

Isaacson JE and Vora NM. Differential diagnosis and treatment of hearing loss. *Am Fam Physician*. 2003; 68(6):1125-1132.

Ishida LM; Sugiura M; Teranishi M; Katayama N, and Nakashima T. Otoacoustic Emissions, Ear Fullness and Tinnitus in the Recovery Course of Sudden Deafness. *Auris Nasus Larynx*. 2008; 35(1):41-46. ISSN: 0385-8146.

Ishine M; Okumiya K, and Matsubayashi K. A close association between hearing impairment and activities of daily living, depression, and quality of life in community-dwelling older people in Japan. 2007; 55(2):316-317. ISSN: 0002-8614.

Ison JR; Allen PD, and O'Neill WE. Age-related hearing loss in C57BL/6J mice has both frequency-specific and non-frequency-specific components that produce a hyperacusis-like exaggeration of the acoustic startle reflex. *JARO*. 2007; 8(4):539-550. ISSN:- 4.

Ito K; Naito R; Murofushi T, and Iguchi R. Questionnaire and Interview in Screening for Hearing Impairment in Adults. *Acta Oto-Laryngologica*. 2007; 127(Suppl 559):24-28. ISSN: 0001-6489.

Ito M; Soma K, and Ando R. Association between tinnitus retraining therapy and a tinnitus control instrument. *Auris Nasus Larynx*. 2009; Mar 5. ISSN: 1879-1476.

Ivanov YV. Reducing Noise and Vibration in Forging Shops. *Metallurgist*. 2008; 52(3-4):137-140. ISSN: 0026-0894.

Izquierdo MA; Gutierrez-Conde PM; Merchan MA, and Malmierca MS. Non-plastic reorganization of frequency coding in the inferior colliculus of the rat following noise-induced hearing loss. *Neurosci*. 2008; Feb 13. ISSN: 0306-4522.

Jackler RK. The impending end to the stigma of wearing ear devices and its revolutionary implications. *Otol Neurotol*. 2006; 27(3):299-300. ISSN: 1531-7129.

Jacques JR; Kurtz P, and Skovgaard-Nielsen K. Noise Test Codes for Machinery Families in Relation to Measurement Uncertainty: European and International Perspective. *Noise Control Engineering Journal*. 2007; 55(1):98-106. ISSN: 0736-2501.

Jahnke K and Solzbacher D. [Simulation of deafness in expertise affairs]. *Laryngorhinootologie*. 2005; 84(7):511-515. ISSN: 0935-8943.

Jakovljevic B; Belojevic G; Paunovic K, and Stojanov V. Road traffic noise and sleep disturbances in an urban population: cross-sectional study. *Croat Med J*. 2006; 47(1):125-133. ISSN: 1332-8166.

Jambrosic K; Horvat M, and Domitrovic H. Reverberation time measuring methods. *J Acoust Soc Am*. 2008; 123(5):3617. ISSN: 1520-8524.

- James AL; Harrison RV; Pienkowski M; Dajani HR, and Mount RJ. Dynamics of real time DPOAE contralateral suppression in chinchillas and humans. *Int J Audiol*. 2005; 44(2):118-129. ISSN: 1499-2027.
- James KR and Dowling DR. A method for approximating acoustic-field-amplitude uncertainty caused by environmental uncertainties. *J Acoust Soc Am*. 2008; 124(3):1465-1476. ISSN: 1520-8524.
- Janghorbani M; Sheikhi A, and Pourabdian S. The prevalence and correlates of hearing loss in drivers in isfahan, iran. *Arch Iran Med*. 2009; 12(2):128-134. ISSN: 1029-2977.
- Jansen EJ; Helleman HW; Dreschler WA, and de Laat JA. Noise induced hearing loss and other hearing complaints among musicians of symphony orchestras. *Int Arch Occup Environ Health*. 2008; Apr 11. ISSN: 0340-0131.
- Janssen MR. Improved perception of sound environments through room acoustic interventions. *J Acoust Soc Am*. 2008; 123(5):3669. ISSN: 1520-8524.
- Janusauskas A; Marozas V; Lukosevicius A, and Sornmo L. The Hilbert-Huang Transform for Detection of Otoacoustic Emissions and Time-Frequency Mapping. *Informatika*. 2006; 17(1):25-38.
- Jaouen L; Renault A, and Deverge M. Elastic and Damping Characterizations of Acoustical Porous Materials: Available Experimental Methods and Applications to a Melamine Foam. *Appl Acoust*. 2008; 69(12):1129-1140. ISSN: 0003-682X.
- Japan Society for Occupational Health. Recommendation of occupational exposure limits (2007-2008). *J Occup Health*. 2007; 49(4):328-344. ISSN: 1341-9145.
- Jardim R; Barreto SM, and Assuncao AA. [Work conditions, quality of life, and voice disorders in teachers]. *Cad Saude Publica*. 2007; 23(10):2439-2461. ISSN: 0102-311X.
- Jaroszewski A. The extent of hearing damage from exposures to music. *NVB*. 2003; January:1.
- Jaruchinda P; Thongdeetae T; Panichkul S, and Hanchumpol P. Prevalence and an analysis of noise--induced hearing loss in army helicopter pilots and aircraft mechanics. *J Med Assoc Thai*. 2005; 88(Suppl 3):S232-S239. ISSN: 0125-2208.
- Jarup L; Babisch W; Houthuijs D; Pershagen G; Katsouyanni K, and Cadum E. Hypertension and exposure to noise near airports- The HYENA project. *Epidemiol*. 2003; 14(5):S78.
- Jarup L; Babisch W; Houthuijs D; Pershagen G; Katsouyanni K; Cadum E; Dudley ML; Savigny P; Seiffert I; Swart W; Breugelmans O; Bluhm G; Selander J; Haralabidis A; Dimakopoulou K; Sourtzi P; Velonakis M, and Vigna-Taglianti F. Hypertension and Exposure to Noise Near Airports: the HYENA Study. *Environ Health Perspect*. 2008; 116(3):329-333. ISSN: 0091-6765.
- Jarup L; Dudley M; Babisch W; Houthuijs D; Swart W, and Pershagen G. Hypertension and Exposure to Noise Near Airports- the Hyena Study. *Epidemiol*. 2007; 18(5):S137. ISSN: 1044-3983.
- Jarup L; Dudley ML; Babisch W; Houthuijs D; Kwekkeboom J; Swart W; Pershagen G; Bluhm G; Katsouyanni K; Charalambidis A; Velonakis M; Sourtzi P; Cadum E, and Vigna-Taglianti F. Hypertension and exposure to noise near airports(HYENA)- Study design and noise exposure assessment. *Epidemiol*. 2005; 16(5):S53.
- Jarup L; Dudley ML; Babisch W; Houthuijs D; Swart W; Pershagen G; Bluhm G; Katsouyanni K; Velonakis M; Cadum E, and Vigna-Taglianti F. Hypertension and Exposure to Noise near Airports (HYENA): study design and noise exposure assessment. *Environ Health Perspect*. 2005; 113(11):1473-1478. ISSN: 0091-6765.

Jastreboff PJ and Jastreboff MM. Tinnitus retraining therapy: a different view on tinnitus. *ORL J Otorhinolaryngol Relat Spec.* 2006; 68(1):23-29; discussion 29-30. ISSN: 0301-1569.

Jauchem JR and Cook MC. High-Intensity Acoustics for Military Nonlethal Applications: a Lack of Useful Systems. *Mil Med.* 2007; 172(2):182-189.

Jederberg WW. Issues with the integration of technical information in planning for and responding to nontraditional disasters. *J Toxicol Environ Health A.* 2005; 68(11-12):877-88. ISSN: 1528-7394.

Jedrzejczak WW; Blinowska KJ, and Konopka W. Time-frequency analysis of transiently evoked otoacoustic emissions of subjects exposed to noise. *Hear Res.* 2005; 205(1-2):249-255. ISSN: 0378-5955.

Jedrzejczak WW; Hatzopoulos S; Martini A, and Blinowska KJ. Otoacoustic emissions latency difference between full-term and preterm neonates. *Hear Res.* 2007; 231(1-2):54-62. ISSN: 0378-5955.

Jedrzejczak WW; Lorens A; Piotrowska A; Kochanek K, and Skarzynski H. Otoacoustic emissions evoked by 0.5 kHz tone bursts. *J Acoust Soc Am.* 2009; 125(5):3158-3165. ISSN: 1520-8524.

Janicek M. How to read, understand, and write 'Discussion' sections in medical articles. An exercise in critical thinking. *Med Sci Monit.* 2006; 12(6):SR28-36. ISSN: 1234-1010.

Jenkins PL; Stack SG; Earle-Richardson GB; Scofield SM, and May JJ. Screening events to reduce farmers' hazardous exposures. *J Agric Saf Health.* 2007; 13(1):57-64. ISSN: 1074-7583.

Jennings MB and Shaw L. Impact of Hearing Loss in the Workplace: Raising Questions About Partnerships With Professionals. *Work J Prev Assess Rehab.* 2008; 30(3):289-295. ISSN: 1051-9815.

Jeon JH and Kim YH. Localization of Moving Periodic Impulsive Source in a Noisy Environment. *Mechanical Systems and Signal Processing.* 2008; 22(3):753-759. ISSN: 0888-3270.

Jeon JY and Mum M. An Optimum Embossment of Rectangular Section in Panel to Minimize Noise Power. *J Vib Acoust-Trans Asme.* 2008; 130 (2). ISSN: 1048-9002.

Jepsen ML and Dau T. Estimating the basilar-membrane inputoutput-function in normal-hearing and hearing-impaired listeners using forward masking. *J Acoust Soc Am.* 2008; 123(5):3859. ISSN: 1520-8524.

Jepsen ML; Ewert SD, and Dau T. A computational model of human auditory signal processing and perception. *J Acoust Soc Am.* 2008; 124(1):422-438. ISSN: 1520-8524.

Jerger J. Auditory training. *J Am Acad Audiol.* 2006; 17(8):536-537. ISSN: 1050-0545.

Jerger, J. Clear speech. *J Am Acad Audiol.* 2005; 16(3):128. ISSN: 1050-0545.

Jerger J. Evidence-based practice and individual differences. *J Am Acad Audiol.* 2008; 19(9):656. ISSN: 1050-0545.

Jerger J. Hearing Loss and Cognitive Effort. *J Am Acad Audiol.* 2009; 20(2). ISSN: 1050-0545.

Jerger J. The laboratory versus the natural environment. *J Am Acad Audiol.* 2004; 15(9):1 p following table of contents. ISSN: 1050-0545.

Jerger J. More than you wanted to know about sound fields. *J Am Acad Audiol.* 2005; 16(1):4. ISSN: 1050-0545.

Jerger J. Spoken words versus spoken language. *J Am Acad Audiol*. 2006; 17(7):2 p following table of contents. ISSN: 1050-0545.

Jerger J. Use it or lose it! But use it wisely. *J Am Acad Audiol*. 2006; 17(10):1 p preceding 681. ISSN: 1050-0545.

Jia, L. and Cheng, L. [Clinical analysis on 53 cases of occupational noise-induced hearing loss]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 2004; 22(4):313. ISSN: 1001-9391.

Jia, L.; Cheng, L., and Zhao, C. S. [Application of standards for hearing monitoring and protection to occupational noise exposed people]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 2004; 22(3):235-236. ISSN: 1001-9391.

Jiang H; Sha SH; Forge A, and Schacht J. Caspase-independent pathways of hair cell death induced by kanamycin in vivo. *Cell Death Differ*. 2006; 13(1):20-30. ISSN: 1350-9047.

Jin SH and Nelson PB. Speech perception in gated noise: the effects of temporal resolution. *J Acoust Soc Am*. 2006; 119(5 Pt 1):3097-3108. ISSN: 0001-4966.

Jirojwong S; Joubert D, and Anastasi S. Perceived industrial deafness and hearing loss among people in a small Queensland rural community. *Southeast Asian J Trop Med Public Health*. 2005; 36(4):1048-1056. ISSN: 0125-1562.

Joachims HZ; Segal J; Golz A; Netzer A, and Goldenberg D. Antioxidants in treatment of idiopathic sudden hearing loss. *Otol Neurotol*. 2003; 24(4):572-575.

Job, A.; Cian, C.; Esquivie, D.; Leiffen, D.; Trousselard, M.; Charles, C., and Nottet, J. B. Moderate variations of mood/emotional states related to alterations in cochlear otoacoustic emissions and tinnitus onset in young normal hearing subjects exposed to gun impulse noise. *Hear Res*. 2004; 193(1-2):31-38. ISSN: 0378-5955.

Job A; Raynal M, and Kossowski M. Susceptibility to Tinnitus Revealed at 2 kHz Range by Bilateral Lower DPOAEs in Normal Hearing Subjects with Noise Exposure. *Audiol Neurotol*. 2007; 12(3):137-144. ISSN: 1421-9700.

Job A; Raynal M; Kossowski M; Studler M; Ghernaouti C; Baffioni-Venturi A; Roux A; Darolles C, and Guelorget A. Otoacoustic detection of risk of early hearing loss in ears with normal audiograms: A 3-year follow-up study. *Hear Res*. 2009; Feb 25. ISSN: 1878-5891.

Job RFS; Hatfield J; Carter N; Peploe P, and Morrell SF. The effect of relative optimism on responses to anticipated changes in noise exposure. *Epidemiol*. 2003; 14(5):S18.

Johansson MS and Arlinger SD. Otoacoustic emissions and tympanometry in a general adult population in Sweden. *Int J Audiol*. 2003; 42(8):448-464. ISSN: 1499-2027.

Johansson MSK and Arlinger SD. Otoacoustic emissions and tympanometry in a general adult population in Sweden. 2003; 42, (8): 448-464.

Johansson MSK and Arlinger SD. Prevalence of hearing impairment in a population in Sweden. *Int J Audiol*. 2003; 42(1):18-28.

Johnescu JR. Modeling aircraft cabin noise. *Occup Health Safety*. 2003; June.

Johnson AC. Relationship between styrene exposure and hearing loss: review of human studies. *Int J Occup Med Environ Health*. 2007; 20(4):315-325. ISSN: 1232-1087.

Johnson AC; Morata TC; Lindblad AC; Nysten PR; Svensson EB; Krieg E; Aksentijevic A, and Prasher D. Audiological findings in workers exposed to styrene alone or in concert with noise. *Noise Health*. 2006; 8(30):45-57. ISSN: 1463-1741.

Johnson EE; Ricketts TA, and Hornsby BW. The effect of digital phase cancellation feedback reduction systems on amplified sound quality. *J Am Acad Audiol*. 2007; 18(5):404-416. ISSN: 1050-0545.

Johnson LF. The everyday hearing protection program. *Occup Health Saf*. 2006; 75(4):32, 34-36. ISSN: 0362-4064.

Johnson TA and Brown CJ. Threshold prediction using the auditory steady-state response and the tone burst auditory brain stem response: a within-subject comparison. *Ear Hear*. 2005; 26(6):559-576. ISSN: 0196-0202.

Johnson TA; Neely ST; Garner CA, and Gorga MP. Influence of primary-level and primary-frequency ratios on human distortion product otoacoustic emissions. *J Acoust Soc Am*. 2006; 119(1):418-428. ISSN: 0001-4966.

Johnson TA; Neely ST; Kopun JG, and Gorga MP. Reducing reflected contributions to ear-canal distortion product otoacoustic emissions in humans. *J Acoust Soc Am*. 2006; 119(6):3896-3907. ISSN: 0001-4966.

Jokitalppo J; Ikaheimo M, and Paakkonen R. Noise Exposure Measurements in Real Ears: an Evaluation of Mire-Technique Use in the Field and in the Laboratory. *Acta Acustica United With Acustica*. 2008; 94(5):734-739. ISSN: 1610-1928.

Jokitalppo J; Toivonen M, and Bjork E. Estimated leisure-time noise exposure, hearing thresholds, and hearing symptoms of Finnish conscripts. *Mil Med*. 2006; 171(2):112-116. ISSN: 0026-4075.

Jokitalppo J; Toivonen M; Paakkonen R; Savolainen S; Bjork E, and Lehtomaki K. Military and leisure-time noise exposure and hearing thresholds of Finnish conscripts. *Mil Med*. 2008; 173(9):906-912. ISSN: 0026-4075.

Jones M and Elliott SJ. Personal audio with multiple dark zones. *J Acoust Soc Am*. 2008; 124(6):3497-3506. ISSN: 1520-8524.

Joon Shim H; Hee Kang H; Ho Ahn J, and Woo Chung J. Retinoic acid applied after noise exposure can recover the noise-induced hearing loss in mice. *Acta Otolaryngol*. 2008; Aug 13:1-6. ISSN: 0001-6489.

Joseph A; Punch J; Stephenson M; Paneth N; Wolfe E, and Murphy W. The effects of training format on earplug performance. *Int J Audiol*. 2007; 46(10):609-618. ISSN: 1499-2027.

Joseph M and Bradburn P. Ambient noise strategy: A solution for noise control? *Noise Health*. 2003; 5(18):41-44.

Joshi SK; Devkota S; Chamling S, and Shrestha S. Environmental noise induced hearing loss in Nepal. *Kathmandu Univ Med J (KUMJ)*. 2003; 1(3):177-183. ISSN: 1812-2027.

Joubert DM. Hearing loss in recreational shooters in Central Queensland: a pilot study. *Aust J Rural Health*. 2006; 14(4):164-166. ISSN: 1038-5282.

Joy GJ and Middendorf PJ. Noise exposure and hearing conservation in u.s. Coal mines-a surveillance report. *J Occup Environ Hyg*. 2007; 4(1):26-35. ISSN: 1545-9624.

Juman, S.; Karmody, C. S., and Simeon, D. Hearing loss in steelband musicians. *Otolaryngol Head Neck Surg*. 2004; 131(4):461-465. ISSN: 0194-5998.

- Jung SS; Cheung WS; Cheong C, and Shin SH. Experimental Identification of Acoustic Emission Characteristics of Large Wind Turbines With Emphasis on Infrasound and Low-Frequency Noise. *J Korean Physical Soc.* 2008; 53(4):1897-1905. ISSN: 0374-4884.
- Junge JA; Scholl BJ, and Chun MM. How Is Spatial Context Learning Integrated Over Signal Versus Noise? A Primacy Effect in Contextual Cueing. *Visual Cognition.* 2007; 15(1):1-11.
- Junius, D. and Dau, T. Influence of cochlear traveling wave and neural adaptation on auditory brainstem responses. *Hear Res.* 2005; 205(1-2):53-67. ISSN: 0378-5955.
- Jurkiewicz D and Kantor I. [Noise in military service--current problem]. *Pol Merkurisuz Lek.* 2005; 19(111):261-264. ISSN: 1426-9686.
- Kacelnik O; Nodal FR; Parsons CH, and King AJ. Training-Induced Plasticity of Auditory Localization in Adult Mammals. *PLoS Biol.* 2006; 4(4):71. ISSN: 1545-7885.
- Kaczmarska A and Luczak A. A study of annoyance caused by low-frequency noise during mental work. *Int J Occup Saf Ergon.* 2007; 13(2):117-125. ISSN: 1080-3548.
- Kaerlev L; Jensen A; Nielsen PS; Olsen J; Hannerz H, and Tuchsén F. Hospital contacts for noise-related hearing loss among Danish seafarers and fishermen: a population-based cohort study. *Noise Health.* 2008; 10(39):41-45. ISSN: 1463-1741.
- Kaf WA; Durrant JD; Sabo DL; Robert Boston J; Taubman LB, and Kovacyk K. Validity and accuracy of electric response audiometry using the auditory steady-state response: Evaluation in an empirical design. *Int J Audiol.* 2006; 45(4):211-223. ISSN: 1499-2027.
- Kaf WA; Sabo DL; Durrant JD, and Rubinstein E. Reliability of electric response audiometry using 80 Hz auditory steady-state responses. *Int J Audiol.* 2006; 45(8):477-486. ISSN: 1499-2027.
- Kahari, K; Zachau, G; Eklof, M, and Moller, C. The influence of music and stress on musicians' hearing. *J Sound Vib.* 2004; 277(3):627-631.
- Kahari K; Zachau G; Eklof M; Sandsjö L, and Moller C. Assessment of hearing and hearing disorders in rock/jazz musicians. *Int J Audiol.* 2003; 42(5):279-288.
- Kain A; Amano-Kusumoto A, and Hosom JP. Hybridizing conversational and clear speech to determine the degree of contribution of acoustic features to intelligibility. *J Acoust Soc Am.* 2008; 124(4):2308-2319. ISSN: 1520-8524.
- Kaiser, C. L.; Girod, D. A., and Durham, D. Breed-dependent susceptibility to acute sound exposure in young chickens. *Hear Res.* 2005; 203(1-2):101-111. ISSN: 0378-5955.
- Kaizuka T and Tanaka N. Vibroacoustic Modes and Active Control of Both Vibration and Sound. *Aiaa J.* 2008; 46(6):1490-1504. ISSN: 0001-1452.
- Kalaroa N. Breaching the language barrier. *Occup Health Saf.* 2004; 73(6):60-65. ISSN: 0362-4064.
- Kalcioglu MT; Bayindir T; Erdem T, and Ozturan O. Objective evaluation of the effects of intravenous lidocaine on tinnitus. *Hear Res.* 2005; 199(1-2):81-88. ISSN: 0378-5955.
- Kales SN; Tsismenakis AJ; Zhang C, and Soteriades ES. Blood pressure in firefighters, police officers, and other emergency responders. *Am J Hypertens.* 2009; 22(1):11-20. ISSN: 1879-1905.

- Kalinec GM; Fernandez-Zapico ME; Urrutia R; Esteban-Cruciani N; Chen S, and Kalinec F. Pivotal role of Harakiri in the induction and prevention of gentamicin-induced hearing loss. *Proc Natl Acad Sci U S A*. 2005; 102(44):16019-16024. ISSN: 0027-8424.
- Kaliski K and Duncan E. Propagation Modeling Parameters for Wind Power Projects. *Sound Vib*. 2008; 42(12):12-14. ISSN: 1541-0161.
- Kalkanis, J. G.; Whitworth, C., and Rybak, L. P. Vitamin E reduces cisplatin ototoxicity. *Laryngoscope*. 2004; 114(3):538-542. ISSN: 0023-852X.
- Kaltenbach JA. The dorsal cochlear nucleus as a participant in the auditory, attentional and emotional components of tinnitus. *Hear Res*. 2006; 216-217:224-234. ISSN: 0378-5955.
- Kaltenbach JA; Zhang J, and Finlayson P. Tinnitus as a plastic phenomenon and its possible neural underpinnings in the dorsal cochlear nucleus. *Hear Res*. 2005; 206(1-2):200-226. ISSN: 0378-5955.
- Kaluzny W; Durko T, and Pajor A. [Impact of tinnitus on quality of life in the patients' self-assessment]. *Otolaryngol Pol*. 2005; 59(2):271-276. ISSN: 0030-6657.
- Kang KJ; Ko SH, and Lee DS. A Study on Impulsive Sound Attenuation for a High-Pressure Blast Flowfield. *J Mech Sci Tech*. 2008; 22(1):190-200. ISSN: 1738-494X.
- Kaplan-Neeman R; Kishon-Rabin L; Henkin Y, and Muchnik C. Identification of syllables in noise: electrophysiological and behavioral correlates. *J Acoust Soc Am*. 2006; 120(2):926-933. ISSN: 0001-4966.
- Kardous, C. A.; Willson, R. D.; Hayden, C. S.; Szlapa, P.; Murphy, W. J., and Reeves, E. R. Noise exposure assessment and abatement strategies at an indoor firing range. *Appl Occup Environ Hyg*. 2003; 18(8):629-636. ISSN: 1047-322X.
- Kardous CA; Franks JR, and Davis RR. NIOSH/NHCA best-practices workshop on impulsive noise. *Noise Cont Eng J*. 2005; 53(2):53-60.
- Kardous CA; Murphy WJ, and Willson RD. Personal noise exposure assessment from small firearms. *J Acoust Soc Am*. 2003; 113(4 Pt 2):2195.
- Kardous CA and Willson RD. Limitations of using dosimeters in impulse noise environments. *J Occup Environ Hyg*. 2004; 1:456-462.
- Kardous CA; Willson RD, and Murphy WJ. Noise dosimeter for monitoring exposure to impulse noise. *Appl Acoust*. 2005; 66(8):974-985.
- Karimi D; Mondor TA, and Mann DD. Application of auditory signals to the operation of an agricultural vehicle: results of pilot testing. *J Agric Saf Health*. 2008; 14(1):71-78. ISSN: 1074-7583.
- Karino S; Yamasoba T; Ito K, and Kaga K. Alteration of frequency range for binaural beats in acute low-tone hearing loss. *Audiol Neurootol*. 2005; 10(4):201-208. ISSN: 1420-3030.
- Karlidag, T.; Kaygusuz, I.; Keles, E.; Yalcin, S.; Serhatlioglu, S. S.; Acik, Y., and Ozturk, L. Hearing in workers exposed to low-dose radiation for a long period. *Hear Res*. 2004; 194(1-2):60-64. ISSN: 0378-5955.
- Karlqvist LK; Harenstam A; Leijon O, and Scheele P. Excessive physical demands in modern worklife and characteristics of work and living conditions of persons at risk. *Scand J Work Environ Health*. 2003; 29(5):363-377.

Karlsson A and Hiselius P. Hearing protection for people with a typical hearing impairment. *Spectrum*. 2003; 20(Suppl 1):21.

Kasicka-Jonderko A; Jonderko K; Dolinski K; Dolinski M; Kaminska M; Szymaszal M; Dzielicki M, and Blonska-Fajfrowska B. Extracirculatory effects of noise of various frequency spectra in humans--effect of pink and blue noise on gastric myoelectrical activity and gastrointestinal passage of nutrients. *J Smooth Muscle Res*. 2007; 43(1):25-42. ISSN: 0916-8737.

Kasicka-Jonderko A; Jonderko K; Dolinski K; Dolinski M; Kaminska M; Szymaszal M; Dzielicki M, and Fajfrowska BB. Effect of an Acute Exposure to a Blue Tonal Noise on Gastric Emptying of Liquids and Solids in Humans. *J Gastroenterol Hepatol*. 2006; 21:A400. ISSN: 0815-9319.

Kasicka-Jonderko A; Jonderko K; Dolinski K; Dolinski M; Kaminska M; Szymaszal M; Dzielicki M, and Fajfrowska BB. Effect of an Acute Exposure to a Pink Tonal Noise on Gastric Emptying of Liquids and Solids in Humans. *J Gastroenterol Hepatol*. 2006; 21:A401. ISSN: 0815-9319.

Kastak D; Southall BL; Schusterman RJ, and Kastak CR. Underwater temporary threshold shift in pinnipeds: effects of noise level and duration. *J Acoust Soc Am*. 2005; 118(5):3154-3163. ISSN: 0001-4966.

Kastanioudakis I; Ziavra N; Anastasopoulos D, and Skevas A. Measuring of distortion product otoacoustic emissions using multiple tone pairs. *Eur Arch Oto-Rhino-Laryngol*. 2003; 260(7):395-400.

Katbamna B and Flamme GA. Acquired hearing loss in adolescents. *Pediatr Clin North Am*. 2008; 55(6):1391-1402. ISSN: 0031-3955.

Kates, J. M. and Arehart, K. H. Coherence and the speech intelligibility index. *J Acoust Soc Am*. 2005; 117(4 Pt 1):2224-2237. ISSN: 0001-4966.

Katkovnik V; Lee MS, and Kim YH. Performance Study of the Minimax Robust Phased Array for Wireless Communications. *IEEE Transactions on Communications*. 2006; 54(4):608-613.

Kattelmann L; Epperson W, and Chase C. Swine veterinarians and hearing loss: Summary of results of audiology testing at the 2002 AASV annual meeting. 2005; 13, (1): 34-37.

Kauffman MA; Moron DG, and Bruno V. Re: How accurate are bedside hearing tests? *Neurology*. 2007; 69(13):1382; author reply 1382. ISSN: 1526-632X.

Kaufman, L. R.; LeMasters, G. K.; Olsen, D. M., and Succop, P. Effects of concurrent noise and jet fuel exposure on hearing loss. *J Occup Environ Med*. 2005; 47(3):212-218. ISSN: 1076-2752.

Kawakami H; Mito Y; Watanuma R, and Marumo M. Analysis of drum player's motion. *J Acoust Soc Am*. 2008; 123(5):3799. ISSN: 1520-8524.

Kawamoto, K.; Ishimoto, S.; Minoda, R.; Brough, D. E., and Raphael, Y. Math1 gene transfer generates new cochlear hair cells in mature guinea pigs in vivo. *J Neurosci*. 2003 Jun 1; 23(11):4395-4400. ISSN: 1529-2401.

Kawamoto K; Sha SH; Minoda R; Izumikawa M; Kuriyama H; Schacht J, and Raphael Y. Antioxidant gene therapy can protect hearing and hair cells from ototoxicity. 2004; 9, (2): 173-181.

Kazkayasi M; Yetiser S, and Ozcelik S. Effect of musical training on musical perception and hearing sensitivity: conventional and high-frequency audiometric comparison. *J Otolaryngol*. 2006; 35(5):343-348. ISSN: 0381-6605.

Keate B. Ototoxic medications can cause tinnitus. *Advance for Audiol*. 2007; Sept/Oct:59-61.

- Keefe DH; Ellison JC, and Fitzpatrick DF. Two-tone suppression of stimulus frequency otoacoustic emissions in human ears with sensorineural hearing loss. *J Acoust Soc Am*. 2008; 123(5):3852. ISSN: 1520-8524.
- Keene JR. Construction Techniques for Effective Floor/Ceiling Noise Control. *Sound Vib*. 2008; 42(6):18-20. ISSN: 1541-0161.
- Keidser G. Evaluation of a noise-reduction algorithm that targets non-speech transient sounds. *Hear J*. 2007; 60(2):29, 32, 34, 38-39.
- Keidser G; Brew C; Brewer S; Dillon H; Grant F, and Storey L. The preferred response slopes and two-channel compression ratios in twenty listening conditions by hearing-impaired and normal-hearing listeners and their relationship to the acoustic input. *Int J Audiol*. 2005; 44(11):656-670. ISSN: 1499-2027.
- Keidser G; Carter L; Chalupper J, and Dillon H. Effect of low-frequency gain and venting effects on the benefit derived from directionality and noise reduction in hearing aids. *Int J Audiol*. 2007; 46(10):554-568. ISSN: 1499-2027.
- Keith A. Noise exposure in motorcyclists. *J Roy Soc Med*. 2003; 96(3):158.
- Keith SE; Michaud DS, and Bly SHR. A Proposal for Evaluating the Potential Health Effects of Wind Turbine Noise for Projects Under the Canadian Environmental Assessment Act. *J Low Freq Noise Vib Active Contr*. 2008; 27(4):253-265. ISSN: 0263-0923.
- Keith SE; Michaud DS, and Chiu V. Evaluating the Maximum Playback Sound Levels From Portable Digital Audio Players. *J Acoust Soc Am*. 2008; 123(6):4227-4237. ISSN: 0001-4966.
- Keithley, E. M.; Canto, C.; Zheng, Q. Y.; Fischel-Ghodsian, N., and Johnson, K. R. Age-related hearing loss and the ahl locus in mice. *Hear Res*. 2004; 188(1-2):21-28. ISSN: 0378-5955.
- Kemp D and Brill OJ. 5 mHz oscillations in OAE intensity following sound exposure. *J Acoust Soc Am*. 2008; 123(5):3852. ISSN: 1520-8524.
- Kendall CJ and Rosenheck R. Use of mental health services by veterans disabled by auditory disorders. *J Rehabil Res Dev*. 2008; 45(9):1349-1360. ISSN: 0748-7711.
- Kenna MA. Music to your ears: is it a good thing? *Acta Paediatr*. 2008; 97(2):151-152. ISSN: 0803-5253.
- Keranen J; Virjonen P; Elorza DO, and Hongisto V. Design of Room Acoustics for Open Offices. *Scand J Work Environ Health*. 2008; Suppl 4:46-49. ISSN: 0355-3140.
- Kern A; Heid C; Steeb WH; Stoop N, and Stoop R. Biophysical Parameters Modification Could Overcome Essential Hearing Gaps. *Plos Computational Biol*. 2008; 4(8). ISSN: 1553-734X.
- Kerr MJ; McCullagh M; Savik K, and Dvorak LA. Perceived and measured hearing ability in construction laborers and farmers. *Am J Ind Med*. 2003; 44:431-437.
- Kerr MJ; Savik K; Monsen KA, and Lusk SL. Effectiveness of computer-based tailoring versus targeting to promote use of hearing protection. *Can J Nurs Res*. 2007; 39(1):80-97. ISSN: 0844-5621.
- Khalil S and Nunez DA. Do mobile 'phones have a detrimental impact on auditory function? *J Laryngol Otol*. 2006; 120(10):822-826. ISSN: 1748-5460.

- Khan IA; Mallick Z, and Khan ZA. A study on the combined effect of noise and vibration on operators' performance of a readability task in a mobile driving environment. *Int J Occup Saf Ergon.* 2007; 13(2):127-136. ISSN: 1080-3548.
- Khan ZA and Rizvi SA. A study on the effect of human laterality, type of computer and noise on operators' performance of a data entry task. *Int J Occup Saf Ergon.* 2009; 15(1):53-60. ISSN: 1080-3548.
- Kharkheli E; Kevanishvili Z; Maglakelidze T; Davitashvili O, and Schacht J. Does vitamin E prevent gentamicin-induced ototoxicity? *Georgian Med News.* 2007(146):14-17. ISSN: 1512-0112.
- Kieran SM; Dunne J; Hughes JP, and Fenton JE. The effect of head protection on the hearing of rugby players. *Br J Sports Med.* 2008; 42(9):779-780. ISSN: 1473-0480.
- Kieran SM and Fenton JE. Clinical assessment of hearing impairment. *JAMA.* 2007; 297(7):695; author reply 695-696. ISSN: 1538-3598.
- Kiessling J. [New aspects of hearing aid fitting in noise-induced hearing loss]. *HNO.* 2006; 54(7):573-82; quiz 582. ISSN: 0017-6192.
- Kil J; Pierce C; Tran H; Gu R, and Lynch ED. Ebbselen treatment reduces noise induced hearing loss via the mimicry and induction of glutathione peroxidase. *Hear Res.* 2007; 226 (1-2):44-51. ISSN: 0378-5955.
- Kilgard MP; Vazquez JL; Engineer ND, and Pandya PK. Experience dependent plasticity alters cortical synchronization. *Hear Res.* 2007; 229(1-2):171-179. ISSN: 0378-5955.
- Killion MC; Niquette PA, and Gudmundsen GI. Homogeneity of the 18 QuickSIN lists. *J Am Acad Audiol.* 2006; 17(8):617-618. ISSN: 1050-0545.
- Killion MC; Niquette PA; Gudmundsen GI; Revit LJ, and Banerjee S. Development of a quick speech-in-noise test for measuring signal-to-noise ratio loss in normal-hearing and hearing-impaired listeners. *J Acoust Soc Am.* 2004; 116(4 Pt 1):2395-2405. ISSN: 0001-4966.
- Killion MC; Niquette PA; Gudmundsen GI; Revit LJ, and Banerjee S. Development of a Quick Speech-in-Noise Test for Measuring Signal-to-Noise Ratio Loss in Normal-Hearing and Hearing-Impaired Listeners (Vol 116, 2395, 2004). *J Acoust Soc Am.* 2006; 119(3):1888.
- Kim H; Lee MH; Chang HK; Lee TH; Lee HH; Shin MC; Shin MS; Won R; Shin HS, and Kim CJ. Influence of prenatal noise and music on the spatial memory and neurogenesis in the hippocampus of developing rats. *Brain Dev.* 2006; 28(2):109-114. ISSN: 0387-7604.
- Kim H; Roh S; Kwon HJ; Paik KC; Rhee MY; Jeong JY; Lim MH; Koo MJ; Kim CH; Kim HY; Lim JH, and Kim DH. [Study on the Health Status of the Residents near Military Airbases in Pyeongtaek City.]. *J Prev Med Public Health.* 2008; 41(5):307-314. ISSN: 1975-8375.
- Kim HS; Kim BK; Cha SI, and Kim YS. Floor Impact Noise Reduction in Ship Cabins by Means of a Floating Floor. *Noise Control Eng J.* 2006; 54(6):406-413.
- Kim HW and Lee SK. Active noise control for a short duct. *J Acoust Soc Am.* 2008; 124(4):2589. ISSN: 1520-8524.
- Kim IJ; Park SR; Song I; Lee J; Kwon H, and Yoon S. Detection Schemes for Weak Signals in First-Order Moving Average of Impulsive Noise. *IEEE Transactions on Vehicular Technology.* 2007; 56(1):126-133.

- Kim J; Park H; Ha E; Jung T; Paik N, and Yang S. Combined effects of noise and mixed solvents exposure on the hearing function among workers in the aviation industry. *Ind Health*. 2005; 43(3):567-573. ISSN: 0019-8366.
- Kim, J. J.; Gross, J.; Morest, D. K., and Potashner, S. J. Quantitative study of degeneration and new growth of axons and synaptic endings in the chinchilla cochlear nucleus after acoustic overstimulation. *J Neurosci Res*. 2004; 77(6):829-842. ISSN: 0360-4012.
- Kim, J. J.; Gross, J.; Potashner, S. J., and Morest, D. K. Fine structure of long-term changes in the cochlear nucleus after acoustic overstimulation: chronic degeneration and new growth of synaptic endings. *J Neurosci Res*. 2004; 77(6):817-828. ISSN: 0360-4012.
- Kim JS; Nam EC, and Park SI. Electrocochleography is More Sensitive Than Distortion-Product Otoacoustic Emission Test for Detecting Noise-Induced Temporary Threshold Shift. *Otolaryngol Head Neck Surg*. 2005; 133(4):619-624. ISSN: 0194-5998.
- Kim JU; Lee HJ; Kang HH; Shin JW; Ku SW; Ahn JH; Kim YJ, and Chung JW. Protective effect of isoflurane anesthesia on noise-induced hearing loss in mice. *Laryngoscope*. 2005; 115(11):1996-1999. ISSN: 0023-852X.
- Kim JY; Kang HH; Ahn JH, and Chung JW. Circadian Changes in Serum Corticosterone Levels Affect Hearing in Mice Exposed to Noise. *Neuroreport*. 2008; 19(14):1373-1376. ISSN: 0959-4965.
- Kim LH; Hasegawa-Johnson M; Lim JS, and Sung KM. Acoustic model for robustness analysis of optimal multipoint room equalization. *J Acoust Soc Am*. 2008; 123(4):2043-2053. ISSN: 1520-8524.
- Kim, S. M. and Choi, W. On the externalization of virtual sound images in headphone reproduction: a Wiener filter approach. *J Acoust Soc Am*. 2005; 117(6):3657-3665. ISSN: 0001-4966.
- Kim SJ; Jeong HJ; Myung NY; Kim MC; Lee JH; So HS; Park RK; Kim HM; Um JY, and Hong SH. The Protective Mechanism of Antioxidants in Cadmium-Induced Ototoxicity in Vitro and in Vivo. *Environ Health Perspect*. 2008; 116(7):854-862. ISSN: 0091-6765.
- Kim YJ; Kang HH; Ahn JH, and Chung JW. Hypoxic changes in the central nervous system of noise-exposed mice. *Acta Otolaryngol Suppl*. 2007(558):73-77. ISSN: 0365-5237.
- King RP and Davis JR. Community noise: Health effects and management. *Int J Hyg Environ Health*. 2003; 203(2):123-131.
- Kinoshita H; Furuya S; Aoki T, and Altmüller E. Loudness control in pianists as exemplified in keystroke force measurements on different touches. *J Acoust Soc Am*. 2007; 121(5 Pt1):2959-2969. ISSN: 0001-4966.
- Kirchner C. Seize the Moment! Establishing Vision-Related Rehabilitation and Access in the Nation's Public Health Policy Agenda. *J Visual Impairment & Blindness*. 2006; 100:780-792.
- Kirk EC and Smith DW. Protection from acoustic trauma is not a primary function of the medial olivocochlear efferent system. 2003; 4, (4): 445.
- Kirkegaard M; Murai N; Risling M; Suneson A; Jarlebark L, and Ulfendahl M. Differential gene expression in the rat cochlea after exposure to impulse noise. *Neuroscience*. 2006; 142(2):425-435. ISSN: 0306-4522.
- Kishikawa H; Matsui T; Uchiyama I; Miyakawa M; Hiramatsu K, and Stansfeld SA. The development of Weinstein's noise sensitivity scale. *Noise Health*. 2006; 8(33):154-160. ISSN: 1463-1741.

- Kishikawa H; Matsui T; Uchiyama I; Miyakawa M; Hiramatsu K, and Stansfeld SA. Noise sensitivity and subjective health: Questionnaire study conducted along trunk roads in Kusatsu, Japan. *Noise Health*. 2009; 11(43):111-117. ISSN: 1463-1741.
- Kitajima, H. and Kurths, J. Synchronized firing of FitzHugh-Nagumo neurons by noise. *Chaos*. 2005; 15(2):23704. ISSN: 1054-1500.
- Kitsunai Y; Yoshida N; Murakoshi M; Iida K; Kumano S; Kobayashi T, and Wada H. Effects of heat stress on filamentous actin and prestin of outer hair cells in mice. *Brain Res*. 2007; Aug 16. ISSN: 0006-8993.
- Kittusamy, N. K. and Buchholz, B. Whole-body vibration and postural stress among operators of construction equipment: a literature review. *J Safety Res*. 2004; 35(3):255-261. ISSN: 0022-4375.
- Kjellberg A. Effects of reverberation time on the cognitive load in speech communication: theoretical considerations. *Noise Health*. 2004; 7(25):11-21. ISSN: 1463-1741.
- Klaeboe R. Aircraft noise annoyance in recreational areas after changes in noise exposure: comments on Krog and Engdahl (2004). *J Acoust Soc Am*. 2005; 118(3 Pt 1):1265-1267. ISSN: 0001-4966.
- Klaeboe R. Are Adverse Impacts of Neighbourhood Noisy Areas the Flip Side of Quiet Area Benefits? *Applied Acoustics*. 2007; 68(5):557-575. ISSN: 0003-682X.
- Klaeboe, R; Amundsen, AH; Fyhri, A, and Solberg, S. Road traffic noise- the relationship between noise exposure and noise annoyance in Norway. *Appl Acoust*. 2004; 65(9):893-912.
- Klaeboe R; Engelién E, and Steinnes M. Context Sensitive Noise Impact Mapping. *Appl Acoust*. 2006; 67(7):620-642.
- Klaeboe R; Kolbenstvedt M; Fyhri A, and Solberg S. The impact of an adverse neighbourhood soundscape on road traffic noise annoyance. *Acta Acustica*. 2005; 91(6):1039-1050.
- Kleinhenrich C; Krahe D, and Niepenberg A. A two-dimensional ANC system- from simulation to application. *J Acoust Soc Am*. 2008; 123(5):3875. ISSN: 1520-8524.
- Klingmann C; Knauth M; Ries S, and Tasman AJ. Hearing threshold in sport divers- Is diving really a hazard for inner ear function? 2004; 130, (2): 221-225.
- Klingmann C and Plinkert PK. [Hearing loss in divers.]. *HNO*. 2005; 53(12):1016-1019. ISSN: 0017-6192.
- Klokker M; Vesterhauge S, and Jansen EC. Pressure-equalizing earplugs do not prevent barotrauma on descent from 8000 ft cabin altitude. *Aviat Space Environ Med*. 2005; 76(11):1079-1082. ISSN: 0095-6562.
- Kluk K and Moore BC. Dead regions in the cochlea and enhancement of frequency discrimination: Effects of audiogram slope, unilateral versus bilateral loss, and hearing-aid use. *Hear Res*. 2006; 222(1-2):1-15. ISSN: 0378-5955.
- Kluk K and Moore BC. Detecting dead regions using psychophysical tuning curves: a comparison of simultaneous and forward masking. *Int J Audiol*. 2006; 45(8):463-476. ISSN: 1499-2027.
- Kluk K and Moore BCJ. Factors affecting psychophysical tuning curves for hearing-impaired subjects with high-frequency dead regions. 2005; 200, (1-2): 115-131.
- Kneip L and Baumann C. Binaural Model for Artificial Spatial Sound Localization Based on Interaural Time Delays and Movements of the Interaural Axis. *J Acoust Soc Am*. 2008; 124(5):3108-3119. ISSN: 0001-4966.

- Knudsen LE and Burr H. Follow-up examination of Danish stainless steel welders previously examined in 1987. *Ugeskr Laeger*. 2003; 165 (29):2882-2886.
- Koch C and Jenderka KV. Determination of the receiving range of sound field measurements in cavitating media. *Ultrason Sonochem*. 2008; 15(5):846-852. ISSN: 1350-4177.
- Koch, D. B.; Staller, S.; Jaax, K., and Martin, E. Bioengineering solutions for hearing loss and related disorders. *Otolaryngol Clin North Am*. 2005; 38(2):255-272. ISSN: 0030-6665.
- Kocher CA. Presbycusis: Reversible with anesthesia drugs? *Med Hypotheses*. 2009; 72(2):157-159. ISSN: 0306-9877.
- Kock, S.; Andersen, T.; Kolstad, H. A.; Kofoed-Nielsen, B.; Wiesler, F., and Bonde, J. P. Surveillance of noise exposure in the Danish workplace: a baseline survey. *Occup Environ Med*. 2004; 61(10):838-843. ISSN: 1470-7926.
- Kodama H; Date M; Yamamoto K, and Fukada E. A Study of Sound Shielding Control of Curved Piezoelectric Sheets Connected to Negative Capacitance Circuits. *J Sound Vib*. 2008; 311(3-5):898-911. ISSN: 0022-460X.
- Koehncke N; Taylor M; Taylor C; Harman L; Hessel PA; Beaulne P, and Guidotti T. An investigation of noise levels in Alberta sawmills. *Am J Ind Med*. 2003; 43(2):156-164.
- Kohlhuber M; Heinrich J; Van Den Hazel P; Zuurbier M; Bistrup ML; Koppe JG, and Bolte G. Children's environmental health: Why should social disparities be considered? *Acta Paediatr Suppl*. 2006; 95(453):26-30. ISSN: 0803-5326.
- Koike S. Performance Analysis of the Normalized Lms Algorithm for Complex-Domain Adaptive Filters in the Presence of Impulse Noise at Filter Input. *IEICE Transactions on Fundamentals of Electronics Communications and Computer Sciences*. 2006; E89A(9):2422-2428.
- Kojima K; Matsumoto M, and Ito J. Severe Acoustic Trauma in Adult Rats Induced by Short Duration High Intensity Sound. *Acta Oto-Laryngologica*. 2007; 127(Suppl 557):26-29. ISSN: 0001-6489.
- Kokitsu-Nakata, N. M.; Guion-Almeida, M. L., and Richieri-Costa, A. Clinical genetic study of 144 patients with nonsyndromic hearing loss. *Am J Audiol*. 2004; 13(2):99-103. ISSN: 1059-0889.
- Kolossa-Gehring M; Becker K; Conrad A; Ludecke A; Riedel S; Seiwert M; Schulz C, and Szewzyk R. German Environmental Survey for Children (GerES IV)--first results. *Int J Hyg Environ Health*. 2007; 210(5):535-540. ISSN:- 5.
- Kolossa-Gehring M; Becker K; Conrad A; Schulz C, and Seiwert M. Exposure of Children to Chemicals, Biological Factors and Noise- the German Environmental Survey on Children (Geres Iv). *Epidemiol*. 2008; 19(6 Suppl S):S288.
- Kolycheva IV; Pankov VA; Dorogova VB, and Verzunov VA. Characteristics of work conditions and evaluation of health status of firemen. *Med Tr Prom Ekol*. 2003; 3:24-27.
- Kondylas K; Fuller CR; King JA, and Levit N. Low frequency noise reduction from building technical equipment: A case study. *J Acoust Soc Am*. 2008; 123(5):3259. ISSN: 1520-8524.
- Kondylas K; Levit N; King JA, and Fuller CR. Advanced acoustical material tuned for low frequency noise reduction: a case study. *J Acoust Soc Am*. 2008; 123(5):3811. ISSN: 1520-8524.

- Konig O; Schaette R; Kempster R, and Gross M. Course of hearing loss and occurrence of tinnitus. *Hear Res.* 2006; 221(1-2):59-64. ISSN: 0378-5955.
- Konings A; Van Laer L; Pawelczyk M; Carlsson PI; Bondeson ML; Rajkowska E; Dudarewicz A; Vandeveld A; Fransen E; Huyghe J; Borg E; Sliwiska-Kowalska M, and Van Camp G. Association between variations in CAT and noise-induced hearing loss in two independent noise-exposed populations. *Hum Mol Genet.* 2007; 16(15):1872-1883. ISSN: 0964-6906.
- Konings A; Van Laer L, and Van Camp G. Genetic Studies on Noise-Induced Hearing Loss: A Review. *Ear Hear.* 2009; Feb 3. ISSN: 1538-4667.
- Konings A; Van Laer L; Wiktorek-Smagur A; Rajkowska E; Pawelczyk M; Carlsson PI; Bondeson ML; Dudarewicz A; Vandeveld A; Fransen E; Huyghe J; Borg E; Sliwiska-Kowalska M, and Van Camp G. Candidate Gene Association Study for Noise-induced Hearing Loss in Two Independent Noise-exposed Populations. *Ann Hum Genet.* 2009; Jan 16. ISSN: 1469-1809.
- Konkel F; Jakob A; Heintze F, and Moser M. Active sound design of a bassoon. *J Acoust Soc Am.* 2008; 123(5):3663. ISSN: 1520-8524.
- Konopka W; Mielczarek M, and Olszewski J. [Electrical stimulation as an alternative method of tinnitus treatment]. *Otolaryngol Pol.* 2008; 62(5):601-605. ISSN: 0030-6657.
- Konopka W and Olszewski J. [Otoacoustic emissions and recruitment]. *Otolaryngol Pol.* 2005; 59(5):731-736. ISSN: 0030-6657.
- Konopka W; Olszewski J; Pietkiewicz P, and Mielczarek M. [Distortion product otoacoustic emissions before and after one year exposure to impulse noise]. *Otolaryngol Pol.* 2006; 60(2):243-247. ISSN: 0030-6657.
- Konopka W; Olszewski J; Pietkiewicz P, and Mielczarek M. [Impulse noise influence on hearing]. *Pol Merkuriusz Lek.* 2005; 19(111):296-297. ISSN: 1426-9686.
- Konopka W; Olszewski J, and Straszynski P. [Evaluation of the risk on hearing loss at soldiers]. *Otolaryngol Pol.* 2006; 60(2):249-253. ISSN: 0030-6657.
- Konopka W; Pawlaczyk-Luszczynska M; Sliwiska-Kowalska M; Grzanka A, and Zalewski P. Effects of impulse noise on transiently evoked otoacoustic emission in soldiers. *Int J Audiol.* 2005; 44(1):3-7. ISSN: 1499-2027.
- Konopka W; Straszynski P; Jedrzejczak W, and Olszewski J. [Jet engine noise influence on TEOAE in jet engine servicing personnel]. *Otolaryngol Pol.* 2007; 61(5):868-871. ISSN: 0030-6657.
- Koopman J; Davey E; Thomas N; Wittkop T, and Verschuure H. How Should Hearing Screening Tests Be Offered? *Int J Audiol.* 2008; 47(5):230-237. ISSN: 1499-2027.
- Koopman J; Houtgast T, and Dreschler WA. Modulation Detection Interference for Asynchronous Presentation of Masker and Target in Listeners With Normal and Impaired Hearing. *J Speech Lang Hear Res.* 2008; 51(6):1588-1598. ISSN: 1092-4388.
- Kopke, R; Bielefeld, E; Liu, JZ; Zheng, JF; Jackson, R; Henderson, D, and Coleman, JKM. Prevention of impulse noise-induced hearing loss with antioxidants. *Acta Oto-Laryngol.* 2005; 125(3):235-243.
- Kopke RD; Jackson RL; Coleman JK; Liu J; Bielefeld EC, and Balough BJ. NAC for noise: From the bench top to the clinic. *Hear Res.* 2006; Dec 19. ISSN: 0378-5955.

Korfali SI and Massoud M. Assessment of community noise problem in Greater Beirut Area, Lebanon. *Environ Monitoring Assessment*. 2003; 84(3):203-218.

Korhonen E. European standardisation of hearing protectors. *Noise Health*. 2005; 7(26):55-58. ISSN: 1463-1741.

Korres GS; Balatsouras DG; Tzagaroulakis A; Kandiloros D, and Ferekidis E. Extended high-frequency audiometry in subjects exposed to occupational noise. *B-ENT*. 2008; 4(3):147-155. ISSN: 1781-782X.

Korres GS; Balatsouras DG; Tzagaroulakis A; Kandiloros D; Ferekidou E, and Korres S. Distortion product otoacoustic emissions in an industrial setting. *Noise Health*. 2009; 11(43):103-110. ISSN: 1463-1741.

Kortequee, S.; Agada, F. O., and Coatesworth, A. P. Sudden sensorineural hearing loss following intracarotid injection of heroin. *Int J Clin Pract Suppl*. 2005(147):128-129. ISSN: 1368-504X.

Kostek B. Applying Computational Intelligence to Musical Acoustics. *Arch Acoust*. 2007; 32(3):617-629. ISSN: 0137-5075.

Kotak, V. C.; Fujisawa, S.; Lee, F. A.; Karthikeyan, O.; Aoki, C., and Sanes, D. H. Hearing loss raises excitability in the auditory cortex. *J Neurosci*. 2005; 25(15):3908-3918. ISSN: 1529-2401.

Kotarbinska E. Attenuating properties of hearing protectors in versus time factor. *Int J Occup Med Environ Health*. 2003; 16(1):67-72.

Kotarbinska E. The influence of aging on the noise attenuation of ear-muffs. *Noise Health*. 2005; 7(26):39-45. ISSN: 1463-1741.

Kotus J; Czyzewski A, and Kostek B. Evaluation of Excessive Noise Effects on Hearing Employing Psychoacoustic Dosimetry. *Noise Contr Eng J*. 2008; 56(6):497-510. ISSN: 0736-2501.

Kotus J and Kostek B. The Noise-Induced Harmful Effect Assessment Based on the Properties of the Human Hearing System. *Arch Acoust*. 2008; 33(4):435-440. ISSN: HAVE-ELECTRONICALLY.

Kotus J; Kostek B; Czyzewski A; Kochanek K, and Skarzynski H. The noise induced harmful effects assessment using psychoacoustical noise dosimeter. *J Acoust Soc Am*. 2008; 123(5):3299. ISSN: 1520-8524.

Koukoulas T; Theobald P; Schlicke T, and Barham R. Towards a Future Primary Method for Microphone Calibration: Optical Measurement of Acoustic Velocity in Low Seeding Conditions. *Optics Lasers Eng*. 2008; 46(11):791-796. ISSN: 0143-8166.

Koushki, PA; Kartam, N, and Al-Mutairi, N. Urban development and construction noise: A study in metropolitan Kuwait. *Kuwait J Sci Eng*. 2003; 30(2):119-138.

Koushki, PA; Kartam, N, and Al-Mutairi, N. Workers' perceptions and awareness of noise pollution at construction sites in Kuwait. *Civ Eng Environ Systems*. 2004; 21(2):127-136.

Kovacevic M and Belojevic G. Tooth abrasion in workers exposed to noise in the Montenegrin textile industry. *Ind Health*. 2006; 44(3):481-485. ISSN: 0019-8366.

Kovacic P and Somanathan R. Ototoxicity and noise trauma: electron transfer, reactive oxygen species, cell signaling, electrical effects, and protection by antioxidants: practical medical aspects. *Med Hypotheses*. 2008; 70(5):914-923. ISSN: 0306-9877.

Kovack P and Somanathan R. Ototoxicity and Noise Trauma: Electron Transfer, Reactive Oxygen Species, Cell Signaling, Electrical Effects, and Protection by Antioxidants: Practical Medical Aspects. *Med Hypotheses*. 2008; 70(5):914-923.

Kovalchik PG; Matetic RJ; Smith AK, and Bealko SB. Application of Prevention through Design for Hearing Loss in the Mining Industry. *J Safety Res*. 2008; 39(2):251-254. ISSN: 0022-4375.

Kowalska S; Konopka W; Slominska R, and Olszewski J. [The value of impedance audiometry in the hearing loss diagnosis]. *Otolaryngol Pol*. 2008; 62(6):764-768. ISSN: 0030-6657.

Kozak AT and Grundfast KM. Hearing loss. *Otolaryngol Clin North Am*. 2009; 42(1):79-85. ISSN: 0030-6665.

Kozien MS and Wiciak J. Reduction of Structural Noise Inside Crane Cage by Piezoelectric Actuators- Fem Simulation. *Arch Acoust*. 2008; 33(4):643-652.

Kozin OV. [Establishment of hearing defects relation with occupation in civil aviation crews]. *Vestn Otorinolaringol*. 2005(6):28-29. ISSN: 0042-4668.

Kozin OV. [Method for calculating aviation noise exposure in the estimation of its impact on the organ of hearing in air crewmen]. *Gig Sanit*. 2006(2):83-5. ISSN: 0016-9900.

Kozin OV. [Specific features of professional hypoacusis in airline pilots]. *Vestn Otorinolaringol*. 2005(5):16-19. ISSN: 0042-4668.

Kozlowski E and Kotarbinska E. A comparison of earmuff protection measured in real-world and laboratory conditions. *J Acoust Soc Am*. 2008; 123(5):3528. ISSN: 1520-8524.

Kozou H; Kujala T; Shtyrov Y; Toppila E; Starck J; Alku P, and Naatanen R. The effect of different noise types on the speech and non-speech elicited mismatch negativity. *Hear Res*. 2005; 199(1-2):31-39. ISSN: 0378-5955.

Krahe D. Why is sharp-limited low-frequency noise extremely annoying. *J Acoust Soc Am*. 2008; 123(5):3569. ISSN: 1520-8524.

Krajcarz F. Who can guaranty compliance with the Exposure Limit Value of 87 dB(A). *J Acoust Soc Am*. 2008; 123(5):3678. ISSN: 1520-8524.

Kral PJ. Influence of constructional parameters of small reciprocating compressors on sound power emissions. *J Acoust Soc Am*. 2008; 123(5):3316. ISSN: 1520-8524.

Kramer S; Dreisbach L; Lockwood J; Baldwin K; Kopke R; Scranton S, and O'Leary M. Efficacy of the antioxidant N-acetylcysteine (NAC) in protecting ears exposed to loud music. *J Am Acad Audiol*. 2006; 17(4):265-278. ISSN: 1050-0545.

Kramer SE. Hearing impairment, work, and vocational enablement. *Int J Audiol*. 2008; 47(Suppl 2):S124-S130. ISSN: 1708-8186.

Kramer SE; Kapteyn TS, and Houtgast T. Occupational performance: Comparing normally-hearing and hearing-impaired employees using the Amsterdam Checklist for Hearing and Work. *Int J Audiol*. 2006; 45(9):503-512. ISSN: 1499-2027.

Kreisman B. Stimulated reverberation and speech perception. *Hear J*. 2003; 56(6):14-15.

Krieger N; Chen JT; Waterman PD; Hartman C; Stoddard AM; Quinn MM; Sorensen G, and Barbeau EM. The inverse hazard law: Blood pressure, sexual harassment, racial discrimination, workplace abuse and occupational

exposures in US low-income black, white and Latino workers. *Soc Sci Med.* 2008; 67(12):1970-1981. ISSN: 0277-9536.

Krishnamurti S. Sensorineural hearing loss associated with occupational noise exposure: effects of age-corrections. *Int J Environ Res Public Health.* 2009; 6(3):889-899. ISSN: 1660-4601.

Krishnamurti S and Grandjean PW. Effects of simultaneous exercise and loud music on hearing acuity and auditory function. *J Strength Conditioning Res.* 2003; 17(2):307-313.

Kristiansen J; Mathiesen L; Nielsen PK; Hansen AM; Shibuya H; Petersen HM; Lund SP; Skotte J; Jorgensen MB, and Sogaard K. Stress reactions to cognitively demanding tasks and open-plan office noise. *Int Arch Occup Environ Health.* 2009; 82(5):631-641. ISSN: 1432-1246.

Kroesen M; Molin EJ, and van Wee B. Testing a theory of aircraft noise annoyance: a structural equation analysis. *J Acoust Soc Am.* 2008; 123(6):4250-4260. ISSN: 1520-8524.

Krog NH and Engdahl B. Annoyance with aircraft noise in local recreational areas and the recreationists' noise situation at home. 2005; 117, (1): 221-231.

Krog NH and Engdahl B. Annoyance with aircraft noise in local recreational areas, contingent on changes in exposure and other context variables. *J Acoust Soc Am.* 2004; 116(1):323-333.

Kros CJ. How to build an inner hair cell: challenges for regeneration. *Hear Res.* 2007; 227(1-2):3-10. ISSN: 0378-5955.

Kruize H; Driessen PP; Glasbergen P, and van Egmond KN. Environmental equity and the role of public policy: experiences in the Rijnmond region. *Environ Manage.* 2007; 40(4):578-595. ISSN: 0364-152X.

Krumm M; Ribera J, and Klich R. Providing basic hearing tests using remote computing technology. *J Telemed Telecare.* 2007; 13(8):406-410. ISSN: 1357-633X.

Kryter KD. Acoustical, Sensory, and Psychological Research Data and Procedures for Their Use in Predicting Effects of Environmental Noises. *JASA.* 2007; 122(5):2601-2614. ISSN: 0001-4966.

Kubli, L. R.; Leek, M. R., and Dreisbach, L. E. Acoustic reflexes to Schroeder-phase harmonic complexes in normal-hearing and hearing-impaired individuals. *Hear Res.* 2005; 202(1-2):1-12. ISSN: 0378-5955.

Kucharski R. Complex Noise Indicator for Noise Mapping Based on the Eu Working Groups' and Polish Results of the Annoyance Investigations. *Arch Acoust.* 2007; 32(2):293-302. ISSN: 0137-5075.

Kuczkowski J; Mikaszewski B, and Narozny W. Our experience in diagnostics and treatment of sudden sensorineural hearing loss. *Otol Neurotol.* 2005; 26(2):317; author reply 317. ISSN: 1531-7129.

Kuhnt S; Schurmann C, and Griefahn B. Annoyance from multiple transportation noise: Statistical models and outlier detection. 2004; 43, (5): 510-515.

Kujala T; Shtyrov Y; Winkler I; Saher M; Tervaniemi M; Sallinen M; Teder-Salejarvi W; Alho K; Reinikainen K, and Naatanen R. Long-term exposure to noise impairs cortical sound processing and attention control. *Psychophysiol.* 2004; 41(6):875-881.

Kujawa SG and Liberman MC. Acceleration of age-related hearing loss by early noise exposure: evidence of a misspent youth. *J Neurosci.* 2006; 26(7):2115-2123. ISSN: 1529-2401.

- Kuk FK. Critical factors in ensuring efficacy of frequency transposition Part 1: Individualizing the start frequency. *Hear Rev.* 2007; March:60-66.
- Kullpattaranirun T and Nanthavanij S. A heuristic genetic algorithm for solving complex safety-based work assignment problems. *Int J Ind Eng- Theroy Appl Pract.* 2005; 12(1):45-57.
- Kumar, A.; Mathur, N. N.; Varghese, M.; Mohan, D.; Singh, J. K., and Mahajan, P. Effect of tractor driving on hearing loss in farmers in India. *Am J Ind Med.* 2005; 47(4):341-348. ISSN: 0271-3586.
- Kumar UA and Jayaram MM. Prevalence and audiological characteristics in individuals with auditory neuropathy/auditory dys-synchrony. *Int J Audiol.* 2006; 45(6):360-366. ISSN: 1499-2027.
- Kummer P; Schuster EM; Rosanowski F; Eysholdt U, and Lohscheller J. [The influence of conductive hearing loss on DPOAE-threshold. The effect of an individually optimized stimulation]. *HNO.* 2006; 54(6):457-464, 466-467. ISSN: 0017-6192.
- Kunelskay NL and Polyakova EP. Function of the acoustic and vestibular analyzers in patients with head injury of shock-wave and mechanical nature. *Vestn Otorinolaringol.* 2006(6):14-17. ISSN: 0042-4668.
- Kung B and Sataloff RT. Noise-induced perilymph fistula. *Ear Nose Throat J.* 2006; 85(4):240-241, 245-246. ISSN: 0145-5613.
- Kuntz HL. Radiated Sound and the Geometric Nearfield Size. *Noise Contr Eng J.* 2008; 56(4):269-281. ISSN: 0736-2501.
- Kuo SM; Yenduri RK, and Gupta A. Frequency-Domain Delayless Active Sound Quality Control Algorithm. *J Sound Vib.* 2008; 318(4-5):715-724. ISSN: 0022-460X.
- Kupper, T. E.; Steffgen, J., and Jansing, P. Noise exposure during alpine helicopter rescue operations. *Ann Occup Hyg.* 2004; 48(5):475-481. ISSN: 0003-4878.
- Kurepin AD; Kirzhevanov AA, and Prokopenko LV. [Calculator processing measurement results for occupational vibration and acoustic factors]. *Med Tr Prom Ekol.* 2005(8):32-38. ISSN: 1026-9428.
- Kurmis AP and Apps SA. Occupationally-acquired noise-induced hearing loss: a senseless workplace hazard. *Int J Occup Med Environ Health.* 2007; 20(2):127-136. ISSN: 1232-1087.
- Kuronen P; Sorri MJ; Paakkonen R, and Muhli A. Temporary threshold shift in military pilots measured using conventional and extended high-frequency audiometry after one flight. *Int J Audiol.* 2003; 42(1):29-33.
- Kushnir T; Avin L; Neck A; Sviatochevski A; Polak S, and Peretz C. Dysfunctional thinking patterns and immigration status as predictors of hearing protection device usage. *Ann Behav Med.* 2006; 32(2):162-167. ISSN: 0883-6612.
- Kushwaha M. Ultra-wide-band filter for noise control. *J Acoust Soc Am.* 2008; 124(4):2488. ISSN: 1520-8524.
- Lacerda A; Leroux T, and Morata T. [Ototoxic effects of carbon monoxide exposure: a review]. *Pro Fono.* 2005; 17(3):403-412. ISSN: 0104-5687.
- Laitinen H. Factors affecting the use of hearing protectors among classical music players. *Noise Health.* 2005; 7(26):21-29. ISSN: 1463-1741.

- Laitinen H and Poulsen T. Questionnaire investigation of musicians' use of hearing protectors, self reported hearing disorders, and their experience of their working environment. *Int J Audiol.* 2008; 47(4):160-168. ISSN: 1708-8186.
- Laitinen HM; Toppila EM; Olkinuora PS, and Kuisma K. Sound exposure among the Finnish national opera personnel. *Appl Occup Environ Hyg.* 2003; 18(3):177-182.
- Lalor EC; Pearlmutter BA; Reilly RB; McDarby G, and Foxe JJ. The VESPA: a method for the rapid estimation of a visual evoked potential. *Neuroimage.* 2006; 32(4):1549-1561. ISSN: 1053-8119.
- Lam KC and Au WH. Human Response to a Step Change in Noise Exposure Following the Opening of a New Railway Extension in Hong Kong. *Acta Acustica United With Acustica.* 2008; 94(4):553-562. ISSN: 1610-1928.
- Lamm, K.; Michaelis, C.; Deingruber, K.; Scheler, R.; Steinhoff, H. J.; Grober, I.; Huth, M.; Kutscher, C., and Arnold, W. [Inner ear damage due to leisure and broadband noise. An experimental study on initial and permanent functional and morphological damage]. *HNO.* 2004; 52(4):301-310. ISSN: 0017-6192.
- Lan TS. Numerical Assessment and Optimal Allocation Plan for Plant Noise Control. *Trans Canadian Soc Mech Eng.* 2007; 31(2):207-217. ISSN: 0315-8977.
- Lan TS and Chiu MC. Identification of Noise Sources in Factory's Sound Field by Using Genetic Algorithm. *Appl Acoust.* 2008; 69(8):733-750. ISSN: 0003-682X.
- Landen, D.; Wilkins, S.; Stephenson, M., and McWilliams, L. Noise exposure and hearing loss among sand and gravel miners. *J Occup Environ Hyg.* 2004; 1(8):532-541. ISSN: 1545-9624.
- Lander LI; Rudnick SN, and Perry MJ. Assessing Noise Exposures in Farm Youths. *J Agromed.* 2007; 12(2):25-32. ISSN:- 2.
- Landon, P.; Breyse, P., and Chen, Y. Noise exposures of rail workers at a North American chemical facility. *Am J Ind Med.* 2005; 47(4):364-369. ISSN: 0271-3586.
- Lang H; Schulte BA; Zhou D; Smythe N; Spicer SS , and Schmiedt RA. Nuclear factor kappaB deficiency is associated with auditory nerve degeneration and increased noise-induced hearing loss. *J Neurosci.* 2006 Mar 29; 26(13):3541-50. ISSN: 1529-2401.
- Lang T. Twenty statistical errors even YOU can find in biomedical research articles. *Croatian Med J.* 2004; 45(4):361-370.
- Lang W. Where do we stand on standards for noise. *J Acoust Soc Am.* 2008; 123(5):3131. ISSN: 1520-8524.
- Langer S and Wulkau M. On the prediction of absorption coefficient of porous materials with Finite Elements. *J Acoust Soc Am.* 2008; 123(5):3174. ISSN: 1520-8524.
- Langers DR; van Dijk P; Schoenmaker ES, and Backes WH. fMRI activation in relation to sound intensity and loudness. *Neuroimage.* 2007; 35(2):709-718. ISSN: 1053-8119.
- Lanoye R; Vermeir G; Lauriks W; Sgard F, and Desmet W. Prediction of the sound field above a patchwork of absorbing materials. *J Acoust Soc Am.* 2008; 123(2):793-802. ISSN: 1520-8524.
- Lantz J; Jensen OD; Haastrup A, and Olsen SO. Real-ear measurement verification for open, non-occluding hearing instruments. *Int J Audiol.* 2007; 46(1):11-16. ISSN: 1499-2027.

- Lapka W and Cempel C. Noise reduction of spiral ducts. *Int J Occup Saf Ergon*. 2007; 13(4):419-426. ISSN: 1080-3548.
- Lapsley Miller JA; Marshall L; Heller LM, and Hughes LM. Low-level otoacoustic emissions may predict susceptibility to noise-induced hearing loss. *J Acoust Soc Am*. 2006; 120(1):280-296. ISSN: 0001-4966.
- Laroche C; Giguere C, and Vaillancourt V. Use of a versatile acoustic room for audiology applications. *J Acoust Soc Am*. 2008; 123(5):3813. ISSN: 1520-8524.
- Larose E; Roux P, and Campillo M. Reconstruction of Rayleigh-Lamb dispersion spectrum based on noise obtained from an air-jet forcing. *J Acoust Soc Am*. 2007; 122(6):3437-3444. ISSN: 1520-8524.
- Larsen, JB; Lansing, CR; Bilger, RC; Wheeler, BC; Phatak, SA; Lockwood, ME; O'Brien, W, and Feng, AS. Speech perception in noise with a two-sensor frequency-domain minimum-variance (FMV) beamforming algorithm. *Acoust Res Lett Onl*. 2004; 5(3):100-105.
- Larson V. Inter-laboratory agreement of S3.19-1974 estimates of hearing protector performance. *Spectrum*. 2003; 20(1):24.
- Lataye R; Campo P; Loquet G, and Morel G. Combined effects of noise and styrene on hearing: comparison between active and sedentary rats. *Noise Health*. 2005; 7(27):49-64. ISSN: 1463-1741.
- Lataye R; Campo P; Pouyatos B; Cossec B; Blachere V, and Morel G. Solvent ototoxicity in the rat and guinea pig. *Neurotoxicol Teratol*. 2003; 25(1):39-50.
- Lataye R; Maguin K, and Campo P. Increase in cochlear microphonic potential after toluene administration. *Hear Res*. 2007; 230(1-2):34-42. ISSN: 0378-5955.
- Lataye R; Pouyatos B; Campo P; Lambert AM, and Morel G. Critical period for styrene ototoxicity in the rat. *Noise Health*. 2004; 7(25):1-10. ISSN: 1463-1741.
- Lau SK and Tang SK. Spatial Attenuation of Sound in a Rectangular Enclosure Under Active Control of Sound Transmission Through an Elastically Supported Flexible Panel. *J Low Freq Noise Vib Active Contr*. 2008; 27(2):147-165. ISSN: 0263-0923.
- Laukli, E. Epidemiology of hearing loss in noise-exposed workers and in the elderly population. *Int J Rehab Res*. 2004; 27:151-152.
- Laurell GF; Teixeira M; Duan M; Sterkers O, and Ferrary E. Intact blood-perilymph barrier in the rat after impulse noise trauma. *Acta Otolaryngol*. 2008; 128(6):608-612. ISSN: 0001-6489.
- Lauter JL. The EPIC model of functional asymmetries: implications for research on laterality in the auditory and other systems. *Front Biosci*. 2007; 12:3734-3756. ISSN: 1093-4715.
- Lavandier M and Culling JF. Speech segregation in rooms: monaural, binaural, and interacting effects of reverberation on target and interferer. *J Acoust Soc Am*. 2008; 123(4):2237-2248. ISSN: 1520-8524.
- Lawton BW. The 1971 BOHS hygiene standard for wide-band noise. *Ann Occup Hyg*. 2003; 47(4):255-259.
- Lawton BW. Variation of young normal-hearing thresholds measured using different audiometric earphones: implications for the acoustic coupler and the ear simulator. *Int J Audiol*. 2005; 44(8):444-451. ISSN: 1499-2027.

Lawton BW; Hoffmann J, and Triebig G. The ototoxicity of styrene: a review of occupational investigations. *Int Arch Occup Environ Health*. 2006; 79(2):93-102. ISSN: 0340-0131.

Lazarus H. The new EC Noise Directive to protect employees at the workplace. *Appl Acoust*. 2003; 64(11):1103-1112.

Lazarus H. Signal recognition and hearing protectors with normal and impaired hearing. *Int J Occup Saf Ergon*. 2005; 11(3):233-250. ISSN: 1080-3548.

Lazzara JJ. Are ANSI standards really voluntary? *Occupational Hazards*. 2004; December:24.

Le Prell CG; Hughes LF, and Miller JM. Free radical scavengers vitamins A, C, and E plus magnesium reduce noise trauma. *Free Radic Biol Med*. 2007; 42(9):1454-1463. ISSN: 0891-5849.

Le Prell CG; Kawamoto K; Raphael Y, and Dolan DF. Electromotile hearing: acoustic tones mask psychophysical response to high-frequency electrical stimulation of intact guinea pig cochleae. *J Acoust Soc Am*. 2006; 120(6):3889-3900. ISSN: 0001-4966.

Le Prell CG; Yamashita D; Minami SB; Yamasoba T, and Miller JM. Mechanisms of noise-induced hearing loss indicate multiple methods of prevention. *Hear Res*. 2007; 226(1-2):22-43. ISSN: 0378-5955.

Leather P; Beale D, and Sullivan L. Noise, psychosocial stress and their interaction in the workplace. *J Environ Psychol*. 2003; 23(2):213-222.

Lee CA; Mistry D; Sharma R, and Coatesworth AP. Rhinological, laryngological, oropharyngeal and other head and neck side effects of drugs. *J Laryngol Otol*. 2006; 120(2):e6. ISSN: 1748-5460.

Lee CY; Jaw FS; Pan SL; Lin MY, and Young YH. Auditory cortical evoked potentials in tinnitus patients with normal audiological presentation. *J Formos Med Assoc*. 2007; 106(12):979-985. ISSN: 0929-6646.

Lee D and Cabrera D. An application of time-reversal acoustics to sound insulation measurements in buildings. *J Acoust Soc Am*. 2008; 123(5):3501. ISSN: 1520-8524.

Lee DJ; Gomez-Marin O; Lam BL, and Zheng DD. Trends in hearing impairment in United States adults: The National Health Interview Survey, 1986-1995. 2004; 59, (11): 1186-1190.

Lee FS; Matthews LJ; Dubno JR, and Mills JH. Longitudinal study of pure-tone thresholds in older persons. 2005; 26, (1): 1-11.

Lee J; Behar A; Kunov H, and Wong W. Musicians' noise exposure in orchestra pit. *Appl Acoust*. 2005; 66(8):919-931.

Lee JH; Kang W; Yaang SR; Choy N, and Lee CR. Cohort study for the effect of chronic noise exposure on blood pressure among male workers in Busan, Korea. *Am J Ind Med*. 2009; Mar 6. ISSN: 1097-0274.

Lee JS and Kong DJ. Investigation of Hearing Protection Effects in an Extreme Noise Environment With an Alarm Location Problem. *International Journal of Industrial Ergonomics*. 2006; 36(8):685-693.

Lee PPS; Herring S, and Tan AKW. Automobile air-bag deployment and hearing loss. 2003; 32, (4): 274-279.

Lee SJ and Kim SH. Noise Estimation Based on Standard Deviation and Sigmoid Function Using a Posteriori Signal to Noise Ratio in Nonstationary Noisy Environments. *Int J Contr Auto Systems*. 2008; 6(6):818-827. ISSN: 1598-6446.

Leek MR; Molis MR; Kubli LR, and Tufts JB. Enjoyment of Music by Elderly Hearing-Impaired Listeners. *J Am Acad Audiol*. 2008; 19(6):519-526.

Lefebvre L and Laville F. Noise Source Identification for Mechanical Systems Generating Periodic Impacts. *Appl Acoust*. 2008; 69(9):812-823. ISSN: 0003-682X.

Legent F and Calais C. The Early medico-social Center for Hearing Loss (Nantes University Hospital). A twenty two years experience. *Bull Acad Nat Med*. 2004; 188(1):77-86.

Leggat PA; Kedjarune U, and Smith DR. Occupational health problems in modern dentistry: a review. *Ind Health*. 2007; 45(5):611-621. ISSN:- 5.

Lehrer JF. Our experience in diagnostics and treatment of sudden sensorineural hearing loss- Reply. *Otol Neurotol*. 2005; 26(2):318. ISSN: 1531-7129.

Lehrl S and Seifert K. Does hearing loss in adults diminish intelligence? *HNO*. 2003; 51(4):296-304.

Leis J and Snook C. A Zero-Cost, Real-Time, Windows Signal Laboratory. *Int J Electrical Eng Edu*. 2009; 46(1):1-10. ISSN: 0020-7209.

Lenarz, T. Future of rehabilitation in hearing loss. *Int J Rehab Res*. 2004; 27:150.

Lenhardt ML. Eyes as fenestrations to the ears: a novel mechanism for high-frequency and ultrasonic hearing. *Int Tinnitus J*. 2007; 13(1):3-10. ISSN: 0946-5448.

Lenhardt ML. Tinnitus: a philosophical problem. *Int Tinnitus J*. 2008; 14(1):37-41. ISSN: 0946-5448.

Lenhardt ML; Goldstein BA, and Shulman A. Binaural hearing, atresia, and the masking dilemma. *Int Tinnitus J*. 2006; 12(2):96-100. ISSN: 0946-5448.

Lentz, J. J.; Leek, M. R., and Molis, M. R. The effect of onset asynchrony on profile analysis by normal-hearing and hearing-impaired listeners. *J Acoust Soc Am*. 2004; 116(4 Pt 1):2289-2297. ISSN: 0001-4966.

Lentz JJ and Leek MR. Spectral shape discrimination by hearing-impaired and normal-hearing listeners. *J Acoust Soc Am*. 2003; 113(3):1604-1616.

Lentz JJ and Marsh SL. The effect of hearing loss on identification of asynchronous double vowels. *J Speech Lang Hear Res*. 2006; 49 (6):1354-1367. ISSN: 1092-4388.

Leong AC; Fairley JW, and Padgham ND. Response to Freeman. *Clin Otolaryngol*. 2008; 33(2):165-166. ISSN: 1749-4486.

Leong AC; Fairley JW, and Padgham ND. Response to Ifeacho and Narula. *Clin Otolaryngol*. 2008; 33(2):156-157. ISSN: 1749-4486.

Leong AC; Fairley JW, and Padgham ND. Sudden hearing loss. *Clin Otolaryngol*. 2007; 32(5):391-394. ISSN: 1749-4478.

Leong ST and Laortanakul P. Monitoring and assessment of daily exposure of roadside workers to traffic noise levels in an asian city: A case study of Bangkok streets. *Environ Monitoring Assessment*. 2003; 85(1):69-85.

LePrell C; Dolan D; Schacht J; Miller J; Lomax M, and Altschuler R. Pathways for protection from noise induced hearing loss. *Noise Health*. 2003; 5(20):1-17.

- LePrell CG. Role for the lateral olivocochlear neurons in auditory function. Focus on "Selective removal of lateral olivocochlear efferents increases vulnerability to acute acoustic injury". *J Neurophysiol.* 2007; 97(2):963-965. ISSN: 0022-3077.
- Lercher P; Evans GW, and Meis M. Ambient noise and cognitive processes among primary schoolchildren. 2003; 35, (6): 725-735.
- Lesperance MM and Burmeister M. Commentary on "Occupational Noise, Smoking and a High Body Mass Index are Risk Factors for Age-Related Hearing Impairment and Moderate Alcohol Consumption is Protective: a European Population-Based Multicentre Study" by Fransen et al., *J. Assoc. Res. Otolaryngol.* DOI 10.1007/s10162-008-0123-1. *J Assoc Res Otolaryngol.* 2008; June 10. ISSN: 1525-3961.
- Letowski T. Bone conduction communication: applications and limitations. *Spectrum.* 2003; 20(Suppl 1):22.
- Letzel S. [The burden of sight and hearing in the workplace and in the environment]. *Dtsch Med Wochenschr.* 2007; 132(8):365-366. ISSN: 0012-0472.
- Lew HL; Jerger JF; Guillory GB, and Henry JA. Auditory dysfunction in traumatic brain injury. *J Rehabil Res Dev.* 2007; 44(7):921-928. ISSN: 0748-7711.
- Lewis ER and van Dijk P. New variation on the derivation of spectro-temporal receptive fields for primary auditory afferent axons. *Hear Res.* 2004; 189(1-2):120-136. ISSN: 0378-5955.
- Li CJ; Zhu PF; Liu ZH; Wang ZG; Yang C; Chen HB; Ning X; Zhou JH, and Chen J. Comparative observation of protective effects of earplug and barrel on auditory organs of guinea pigs exposed to experimental blast underpressure. *Chin J Traumatol.* 2006; 9(4):242-245. ISSN: 1008-1275.
- Li EP; Li-Tsang CW; Lee TK; Lee GW, and Lam EC. Vocational rehabilitation program for persons with occupational deafness. *J Occup Rehabil.* 2006; 16(4):503-512. ISSN: 1053-0487.
- Li, F.; Liang, R.; Chen, C., and Song, W. [Application of distortion product otoacoustic emissions in detection of pseudohypacusis and exaggerated hearing loss]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi.* 2006 Apr; 20(7):303-5.
- Li F; Liang R; Chen C, and Song W. [Application of distortion product otoacoustic emissions in detection of pseudohypacusis and exaggerated hearing loss]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi.* 2006; 20(7):303-305. ISSN: 1001-1781.
- Li G; Liu W, and Frenz D. Cisplatin ototoxicity to the rat inner ear: a role for HMG1 and iNOS. *Neurotoxicol.* 2006; 27(1):22-30. ISSN: 0161-813X.
- Li H and Steyger PS. Synergistic ototoxicity due to noise exposure and aminoglycoside antibiotics. *Noise Health.* 2009; 11(42):26-32. ISSN: 1463-1741.
- Li HJ; Cai DL, and Zhang CX. [Difference in individual noise exposure level between day shift and night shift workers in iron ore crushing area.]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2009; 27(2):90-92. ISSN: 1001-9391.
- Li, HW; Corrales, CE; Edge, A, and Heller, S. Stem cells as therapy for hearing loss. *Trends in Mol Med.* 2004; 10(7):309-315.
- Li L; Daneman M; Qi JG, and Schneider BA. Does the information content of an irrelevant source differentially affect spoken word recognition in younger and older adults? *J Experiment Psychol- Human Perception Perform.* 2004; 30(6):1077-1091.

- Li N and Loizou PC. The contribution of obstruent consonants and acoustic landmarks to speech recognition in noise. *J Acoust Soc Am*. 2008; 124(6):3947. ISSN: 1520-8524.
- Li WJ and Yu QJ. Fuzzy Edge-Sensitive Noise Reduction Algorithm. *Dynamics of Continuous Discrete and Impulsive Systems-Series a-Mathematical Analysis*. 2006; 13(Part 2 Suppl S):718-721.
- Li YY and Cheng L. Mechanisms of Active Control of Sound Transmission Through a Linked Double-Wall System Into an Acoustic Cavity. *Appl Acoust*. 2008; 69(7):614-623.
- Lichtenhan, J. T.; Chertoff, M. E.; Smittkamp, S. E.; Durham, D., and Girod, D. A. Predicting severity of cochlear hair cell damage in adult chickens using DPOAE input-output functions. *Hear Res*. 2005; 201(1-2):109-120. ISSN: 0378-5955.
- Lichtenhan JT and Chertoff ME. Temporary hearing loss influences post-stimulus time histogram and single neuron action potential estimates from human compound action potentials. *J Acoust Soc Am*. 2008; 123(4):2200-2012. ISSN: 1520-8524.
- Lichtenstein N; Jaschke M; Nies E, and Moller A. Basic Principles for Testing Ear Protection Equipment for Content of Hazardous Substances- Analysis and Evaluation Criteria. *Gefahrstoffe Reinhaltung Der Luft*. 2006; 66(4):135-141.
- Liedtke M. Risk by use of hearing protectors--expert programme supports SMEs in appropriate selection and use. *Noise Health*. 2005; 7(26):31-37. ISSN: 1463-1741.
- Lievens M. Characterising a washing machine as a structure borne sound source on a lightweight floor. *J Acoust Soc Am*. 2008; 123(5):3502. ISSN: 1520-8524.
- Liew L and Morrison GA. Bilateral hearing loss following electrocution. *J Laryngol Otol*. 2006; 120(1):65-66. ISSN: 0022-2151.
- Lightfoot G and Kennedy V. Cortical electric response audiometry hearing threshold estimation: accuracy, speed, and the effects of stimulus presentation features. *Ear Hear*. 2006; 27(5):443-456. ISSN: 0196-0202.
- Lim C; Kim J; Hong J, and Lee S. Effect of background noise levels on community annoyance from aircraft noise. *J Acoust Soc Am*. 2008; 123(2):766-771. ISSN: 1520-8524.
- Lim C; Kim J; Hong J, and Lee S. The relationship between railway noise and community annoyance in Korea. *J Acoust Soc Am*. 2006; 120(4):2037-2042. ISSN: 0001-4966.
- Lim C; Kim J; Hong J; Lee S, and Lee S. The Relationship Between Civil Aircraft Noise and Community Annoyance in Korea. *J Sound Vib*. 2007; 299(3):575-586.
- Lin CY; Yang YC; Guo YL; Wu CH; Chang CJ, and Wu JL. Prevalence of hearing impairment in an adult population in southern Taiwan. *Int J Audiol*. 2007; 46(12):732-737. ISSN: 1708-8186.
- Lin HC; Lee HC; Chao PZ, and Wu CS. The Effects of Weather on the Incidence of Sudden Sensorineural Hearing Loss: A 5-Year Population-Based Study. *Audiol Neurootol*. 2006; 11(3):165-171. ISSN: 1420-3030.
- Lin HC; Shu MT; Lee KS; Ho GM; Fu TY, and Bruna S Lin G. Comparison of hearing screening programs between one step with transient evoked otoacoustic emissions (TEOAE) and two steps with TEOAE and automated auditory brainstem response. *Laryngoscope*. 2005; 115(11):1957-1962. ISSN: 0023-852X.
- Lin J and Staecker H. Nonorganic hearing loss. *Semin Neurol*. 2006; 26(3):321-330. ISSN: 0271-8235.

- Lin JH; Li PC; Tang ST; Liu PT, and Young ST. Industrial wideband noise reduction for hearing aids using a headset with adaptive-feedback active noise cancellation. *Med Biol Eng Comput.* 2005; 43(6):739-745. ISSN: 0140-0118.
- Lin JH; Tang ST; Han WR; Chuang CY; Liu PT, and Young ST. Effects of an Adaptive-Feedback Active Noise Cancellation Headset on Wideband Noise and Speech Intelligibility in Mandarin. *Biomed Eng-Applicat Basis Commun.* 2008; 20(2):123-131. ISSN: 1016-2372.
- Lin JM; Jiang CQ; Zhang WS; Hou LJ; Cheng KK, and Lam HT. [Electrocardiogram change of workers after disengaging occupational noise exposure]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2007; 25(10):600-603. ISSN:- 10.
- Lin YC; Chiang CM; Wu JL; Su HJ, and Guo YL. Noise Exposure in Taiwanese School Children and Disturbance on Speech Comprehension. *Epidemiol.* 2006; 17(Suppl 6):S171-S172. ISSN: 1044-3983.
- Lin YH; Ho HC, and Wu HP. Comparison of auditory steady-state responses and auditory brainstem responses in audiometric assessment of adults with sensorineural hearing loss. *Auris Nasus Larynx.* 2008; Jul 11. ISSN: 0385-8146.
- Lindgren T; Andersson K, and Norback D. Perception of cockpit environment among pilots on commercial aircraft. *Aviat Space Environ Med.* 2006; 77(8):832-837. ISSN: 0095-6562.
- Lindgren T; Wieslander G; Dammstrom BG, and Norback D. Hearing status among commercial pilots in a Swedish airline company. *Int J Audiol.* 2008; 47(8):515-519. ISSN: 1708-8186.
- Lindgren T; Wieslander G; Dammstrom BG, and Norback D. Tinnitus among airline pilots: prevalence and effects of age, flight experience, and other noise. *Aviat Space Environ Med.* 2009; 80(2):112-116. ISSN: 0095-6562.
- Lindgren T; Wieslander G; Nordquist T; Dammstrom BG, and Norback D. Hearing status among cabin crew in a Swedish commercial airline company. *Int Arch Occup Environ Health.* 2009; 82(7):887-892. ISSN: 0340-0131.
- Lindhardt BO. [Hearing disorders and rock music.]. *Ugeskr Laeger.* 2008; 170(51):4233-4235. ISSN: 1603-6824.
- Lindstrom F; Ren K; Persson Waye K, and Li H. A comparison of two active-speaker-detection methods suitable for usage in noise dosimeter measurements. *J Acoust Soc Am.* 2008; 123(5):3527. ISSN: 1520-8524.
- Linke R; Mazurek B, and Matschke R. Subjective assessment of acute tinnitus and proposal of a tinnitus score. *Laryngorhinootol.* 2003; 82(9):620-625.
- Linss V; Emmerich E; Richter F, and Linss W. Is there a close relationship between changes in amplitudes of distortion product otoacoustic emissions and hair cell damage after exposure to realistic industrial noise in guinea pigs? *Eur Arch Otorhinolaryngol.* 2005; 262(6):488-495. ISSN: 0937-4477.
- Linss V; Linss W; Emmerich E, and Richter F. The cochleogram of the guinea pig. *Eur Arch Otorhinolaryngol.* 2007; 264(4):369-375. ISSN: 0937-4477.
- Lipper J. Active noise reduction. *Occup Health Saf.* 2007; 76(6):96, 98-99. ISSN: 0362-4064.
- Lipscomb DM. An exercise in futility: Frustrations of a hearing conservationist (An historical review and summary of hearing conservation issues) [Web Page]. 2005 May 16; Accessed 2005 May 18. Available at: http://audiologyonline.com/articles/pf_arc_disp.asp?id=1371.

Liss HJ and Wagner RJ. GE's Crash Course in Culture Change. Occupational Hazards. 2006; 66(9):83. ISSN: 00297909.

Lister JJ; Maxfield ND, and Pitt GJ. Cortical evoked response to gaps in noise: within-channel and across-channel conditions. Ear Hear. 2007; 28(6):862-878. ISSN:- 6.

Lister JJ and Roberts RA. Effects of age and hearing loss on gap detection and the precedence effect: narrow-band stimuli. J Speech Lang Hear Res. 2005; 48(2):482-493. ISSN: 1092-4388.

Liu B and Du YH. [Evaluation of the literatures of clinical studies on acupuncture and moxibustion for treatment of sensorineural hearing loss]. Zhongguo Zhen Jiu. 2005; 25(12):893-896. ISSN: 0255-2930.

Liu HY; Chi FL, and Gao WY. Taurine attenuates aminoglycoside ototoxicity by inhibiting inducible nitric oxide synthase expression in the cochlea. Neuroreport. 2008; 19(1):117-120. ISSN: 0959-4965.

Liu JCC and Niu F. Study on the Analogy Feedback Active Soft Edge Noise Barrier. Appl Acoust. 2008; 69(8):728-732. ISSN: 0003-682X.

Liu JJ; Shin JH; Hyrc KL; Liu S; Lei D; Holley MC, and Bao J. Stem cell therapy for hearing loss: Math1 overexpression in VOT-E36 cells. Otol Neurotol. 2006; 27(3):414-421. ISSN: 1531-7129.

Liu, T. C.; Hsu, C. J.; Hwang, J. H.; Tseng, F. Y., and Chen, Y. S. Effects of alcohol and noise on temporary threshold shift in Guinea pigs. ORL J Otorhinolaryngol Relat Spec. 2004; 66(3):124-129. ISSN: 0301-1569.

Liu WS; Lee SP; Lee JK; Su MC; Chen GD, and Lee HS Lee H. Factors influencing the parotid function in nasopharyngeal carcinoma treated with parotid-sparing radiotherapy. Jpn J Clin Oncol. 2006; 36(10):626-631. ISSN: 0368-2811.

Liu X; Iwanaga K; Shimomura Y, and Katsuura T. Comparison of stress responses between mental tasks and white noise exposure. J Physiol Anthropol. 2007; 26(2):165-171. ISSN: 1880-6791.

Liu YH. Adaptive active noise control incorporating with a transfer function method for reducing acoustic feedback in a duct. J Acoust Soc Am. 2008; 123(5):3874. ISSN: 1520-8524.

Liu YM; Lai JM, and Song AH. [Effects of occupational noise exposure on variation of blood pressure and electrocardiogram.]. Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2007; 25(4):235-236.

Liu YM; Lai JM; Xiao QH; Xiao LW; Yang ZY, and Luo XL. [Effects of occupational noise exposure on norepinephrine in peripheral blood and cardiovascular system]. Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2007; 25(4):227-229. ISSN: 1001-9391.

Liu YM; Li XD; Li YS; Guo X; Xiao LW; Xiao QH; He GQ, and Wu L. [Effect of environmental risk factors in occupational noise exposure to Noise-induced hearing loss.]. Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2008; 26(12):721-724. ISSN: 1001-9391.

Livera MD; Priya B; Ramesh A; Suman Rao PN; Srilakshmi V; Nagapoornima M; Ramakrishnan AG, and Dominic M. Spectral analysis of noise in the neonatal intensive care unit. Indian J Pediatr. 2008; 75(3):217-222. ISSN: 0973-1679.

Ljungberg, J.; Neely, G., and Lundstrom, R. Cognitive performance and subjective experience during combined exposures to whole-body vibration and noise. Int Arch Occup Environ Health. 2004; 77(3):217-221. ISSN: 0340-0131.

- Ljungberg, J; Neely, G, and Lundstrom, R. Effects on spatial skills after exposure to low frequency noise. *J Low Freq Noise Vib Active Control*. 2004; 23(1):1-5.
- Ljungberg JK. Combined Exposures of Noise and Whole-Body Vibration and the Effects on Psychological Responses, a Review. *J Low Freq Noise Vib Active Contr*. 2008; 27(4):267-279. ISSN: 0263-0923.
- Ljungberg JK and Neely G. Cognitive after-effects of vibration and noise exposure and the role of subjective noise sensitivity. *J Occup Health*. 2007; 49(2):111-116. ISSN: 1341-9145.
- Ljungberg JK and Neely G. Stress, Subjective Experience and Cognitive Performance During Exposure to Noise and Vibration. *J Environ Psychol*. 2007; 27(1):44-54. ISSN: 0272-4944.
- Llop S; Ballester F; Estarlich M; Esplugues A; Ramon R, and Iniguez C. Air Pollution and Noise Annoyance in Pregnant Women. Relation With Predicted Exposure to Ambient No2. *Epidemiol*. 2007; 18(5):S121. ISSN: 1044-3983.
- Lobarinas E; Sun W; Stolzberg D; Lu J, and Salvi R. Human Brain Imaging of Tinnitus and Animal Models. *Semin Hear*. 2008; 29(4):333-349. ISSN: 0734-0451.
- Loera-Gonzalez Mde L; Salinas-Tovar S; Aguilar-Madrid G, and Borja-Aburto VH. [Hypoacusia as a result of chronic traumatic acoustic lesion in workers with affiliation to the Mexican Social Security Institute, 1992-2002]. *Rev Med Inst Mex Seguro Soc*. 2006; 44(6):497-504. ISSN: 0443-5117.
- Lofgren, D. J.; Johnson, D. C., and Walley, T. L. Silica and noise exposure during installation of fibercement siding. *J Occup Environ Hyg*. 2004; 1(1):D1-6. ISSN: 1545-9624.
- Lofgren DJ. Results of inspections in health hazard industries in a region of the state of washington. *J Occup Environ Hyg*. 2008; 5(6):367-379. ISSN: 1545-9632.
- Loftis M. Sources of noise-induced hearing loss. *AAOHN J*. 2007; 55(11):476. ISSN: 0891-0162.
- Lombardi C; Tansini A, and Passalacqua G. Seasonal sensorineural hearing loss associated with allergic rhinitis: a case report. *J Allergy Clin Immunol*. 2006; 117(2):468-469. ISSN: 0091-6749.
- Lonsbury-Martin BL and Martin GK. Otoacoustic emissions. *Current Opinion in Otolaryngol Head Neck Surg*. 2003; 11(5):361-366.
- Lopez-Poveda, E. A.; Plack, C. J.; Meddis, R., and Blanco, J. L. Cochlear compression in listeners with moderate sensorineural hearing loss. *Hear Res*. 2005; 205(1-2):172-183. ISSN: 0378-5955.
- Lopez-Vazquez M; Berruecos P; Lopez LE, and Cacho J. Attitude and knowledge of hearing loss among medical doctors selected to initiate a residency in Mexico. *Int J Audiol*. 2009; 48(3):101-107. ISSN: 1708-8186.
- Lorenzi C; Debrulle L; Garnier S; Fleuriot P, and Moore BC. Abnormal processing of temporal fine structure in speech for frequencies where absolute thresholds are normal. *J Acoust Soc Am*. 2009; 125(1):27-30. ISSN: 1520-8524.
- Lorenzi C; Husson M; Ardoint M, and Debrulle X. Speech masking release in listeners with flat hearing loss: Effects of masker fluctuation rate on identification scores and phonetic feature reception. *Int J Audiol*. 2006; 45(9):487-495. ISSN: 1499-2027.
- Lorito G; Giordano P; Petruccelli J; Martini A, and Hatzopoulos S. Different strategies in treating noiseinduced hearing loss with N-acetylcysteine. *Med Sci Monit*. 2008; 14(8):BR159-BR164. ISSN: 1643-3750.

Lorito G; Giordano P; Prosser S; Martini A, and Hatzopoulos S. Noise-induced hearing loss: a study on the pharmacological protection in the Sprague Dawley rat with N-acetyl-cysteine. *Acta Otorhinolaryngol Ital.* 2006; 26(3):133-139. ISSN: 0392-100X.

Love H. Noise exposure in the orthopaedic operating theatre: a significant health hazard. *Aust New Zealand J Surg.* 2003; 73(10):836-838.

Loverde J and Dong W. Acoustical criteria in a two-parameter system for evaluating impact noise insulation. *J Acoust Soc Am.* 2009; 125(4):2709. ISSN: 1520-8524.

Lowis CR and Joseph PF. Determining the Strength of Rotating Broadband Sources in Ducts by Inverse Methods. *J Sound Vib.* 2006; 295(3-5):614-632.

Lu J; Cheng X; Li Y; Zeng L, and Zhao Y. Evaluation of individual susceptibility to noise-induced hearing loss in textile workers in China. *Arch Environ Occup Health.* 2005; 60(6):287-294. ISSN: 1933-8244.

Lu JL. Occupational hazards and illnesses of Filipino women workers in export processing zones. *Int J Occup Saf Ergon.* 2008; 14(3):333-342. ISSN: 1080-3548.

Lu JL. Perceived job stress of women workers in diverse manufacturing industries. *Human Factors Ergon Manufact.* 2005; 15(3):275-291.

Lu SY and Hong YJ. Least square error method to estimate individual power of noise sources under simultaneous operating conditions. *Int J Ind Ergon.* 2005; 35(8):755-760.

Lu WY and Wang WH. Diagnosis and Control of Machine Induced Noise and Vibration in Steel Construction. *J Mech Sci Tech.* 2008; 22(11):2107-2121. ISSN: 1738-494X.

Lubman D. Sound field amplification competes with noise control. *J Acoust Soc Am.* 2008; 124(4):2572. ISSN: 1520-8524.

Lubman D and Sutherland LC. Education stakeholders and the ANSI standard for school acoustics. *Sound Vib.* 2004; June:12.

Lui WK; Li KM; Leung CWM, and Frommer GH. An Experimental Study of the Vertical Directivity Pattern of Wheel/Rail Rolling Noise. *Acta Acustica United With Acustica.* 2007; 93(5):742-749. ISSN: 1610-1928.

Lukashkin, A. N. and Russell, I. J. Dependence of the DPOAE amplitude pattern on acoustical biasing of the cochlear partition. *Hear Res.* 2005; 203(1-2):45-53. ISSN: 0378-5955.

Lund SP and Kristiansen GB. Hazards to hearing from combined exposure to toluene and noise in rats. *Int J Occup Med Environ Health.* 2008; 21(1):47-57. ISSN: 1232-1087.

Lundquist P; Holmberg K; Burstrom L, and Landstrom U. Sound levels in classrooms and effects on self-reported mood among school children. *Percept Motor Skill.* 2003; 96(3):1289-1299.

Lupo JE; Koka K, and Tollin DJ. The Effects of Experimentally-Induced Conductive Hearing Loss on Spectral and Temporal Aspects of Sound Transmission Through the Ear. *J Invest Med.* 2008; 56(1):149. ISSN: 1081-5589.

Lusk, S. L.; Eakin, B. L.; Kazanis, A. S., and McCullagh, M. C. Effects of booster interventions on factory workers' use of hearing protection. *Nurs Res.* 2004; 53(1):53-58. ISSN: 0029-6562.

Lusk SL; Gillespie B; Hagerty BM, and Ziemba RA. Acute effects of noise on blood pressure and heart rate. *Arch Environ Health*. 2004; 59(8):392-399. ISSN: 0003-9896.

Lusk SL; Ronis DL; Kazanis AS; Eakin BL; Hong OS, and Raymond DM. Effectiveness of a tailored intervention to increase factory workers' use of hearing protection. *Nurs Res*. 2003; 52(5):289-295.

Lustig LR. Nicotinic acetylcholine receptor structure and function in the efferent auditory system. *Anat Rec A Discov Mol Cell Evol Biol*. 2006; 288A(4):424-434. ISSN: 1552-4884.

Luterman D. Children with hearing loss: A family guide. *Hear Rev*. 2006; Oct.

Luterman D. Ten considerations for early intervention derived from nearly 50 years in the clinic. *Hear J*. 2008; 61(5):25-28.

Luts H; Van Dun B; Alaerts J, and Wouters J. The Influence of the Detection Paradigm in Recording Auditory Steady-State Responses. *Ear Hear*. 2008; 29(4):638-650. ISSN: 0196-0202.

Luz G; Nykaza E; Stewart C, and Pater L. Use of Actimeters to Determine Awakenings by Sounds of Large Guns. *Noise Control Eng J*. 2008; 56(3):211-217. ISSN: 0736-2501.

Luz GA. Noise sensitivity rating of individuals. *Sound and Vibration*. 2005; Aug:14-17.

Lwow F and Szmigiero L. [Polymeric hearing protectors in sport shooting]. *Polim Med*. 2007; 37(3):21-29. ISSN: 0370-0747.

Lynch ED; Gu R; Pierce C, and Kil J. Reduction of acute cisplatin ototoxicity and nephrotoxicity in rats by oral administration of allopurinol and ebselen. *Hear Res*. 2005; 201(1-2):81-89. ISSN: 0378-5955.

Lynch ED and Kil J. Compounds for the prevention and treatment of noise-induced hearing loss. *Drug Discov Today*. 2005; 10(19):1291-1298. ISSN: 1359-6446.

Lyxell, B; Borg, E; Larsby, B, and Hallgren, M. Speech understanding in noise: Effects of cognitive skill and hearing loss. *Int J Psychol*. 2004; 39(5-6):129.

Ma EY; Rubel EW, and Raible DW. Notch signaling regulates the extent of hair cell regeneration in the zebrafish lateral line. *J Neurosci*. 2008; 28(9):2261-2273. ISSN: 1529-2401.

Ma WL and Young ED. Dorsal cochlear nucleus response properties following acoustic trauma: response maps and spontaneous activity. *Hear Res*. 2006; 216-217:176-88. ISSN: 0378-5955.

Maassen, M. M.; Rodriguez Jorge, J.; Herberhold, S.; Vonthein, R.; Zimmermann, R.; Baumann, I.; Brosch, S.; Mauz, P. S.; Pfister, M.; Zalaman, I. M.; Lowenheim, H., and Zenner, H. P. Safe and reliable sound threshold measures with direct vibration of the ossicular chain. *Laryngoscope*. 2004; 114(11):2012-2020.

Mac Crawford J; Hoppin JA; Alavanja MCR; Blair A; Sandler DP, and Kamel F. Hearing Loss Among Licensed Pesticide Applicators in the Agricultural Health Study. *J Occup Environ Med*. 2008; 50(7):817-826. ISSN: 1076-2752.

Maccacaro G; Baratieri S; Princivalle A, and Perbellini L. [Evidence Based Occupational Medicine: ten year experience with audiometric examination in a handicraft company]. *G Ital Med Lav Ergon*. 2007; 29(Suppl 3):241-243. ISSN: 1592-7830.

Macchione M and Termine L. [Congress "The occupational physician and new obligations concerning noise and vibrations"-- Milan, 20 April 2006]. *Med Lav*. 2006; 97(5):727-729. ISSN: 0025-7818.

- Macdonald JA. A localization algorithm based on head-related transfer functions. *J Acoust Soc Am*. 2008; 123(6):4290-4296. ISSN: 1520-8524.
- Mace BL; Bell PA, and Loomis RJ. Visibility and natural quiet in national parks and wilderness areas- Psychological considerations. 2004; 36, (1): 5-31.
- Machles D. Evaluating the effectiveness of safety training. *Occup Health Safety*. 2003; 72(6):54, 56, 58, 61, 63.
- MacKenzie DJ; Schiavetti N; Whitehead RL, and Metz DE. Perception of the voicing distinction in speech produced during simultaneous communication. *J Commun Disord*. 2006; 39(1):12-21. ISSN: 0021-9924.
- Mackenzie E and Lutman ME. Speech recognition and comfort using hearing instruments with adaptive directional characteristics in asymmetric listening conditions. *Ear Hear*. 2005; 26(6):669-679. ISSN: 0196-0202.
- Mackersie CL. Talker separation and sequential stream segregation in listeners with hearing loss: Patterns associated with talker gender. *J Speech Lang Hear Res*. 2003; 46(4):912-918.
- MacLeod M; Dunn J; Busch-Vishniac IJ; West JE, and Reedy A. Quieting Weinberg 5C: a case study in hospital noise control. *J Acoust Soc Am*. 2007; 121(6):3501-3508. ISSN: 1520-8524.
- MacLurg K; McCaughan J, and McQuillan P. Hearing Surveillance Chart- a tool for tracking serial audiometry results and predicting future hearing impairment. 2004; 54, (8): 583-584.
- Madden B. From "hear" to there. *J Miss State Med Assoc*. 2005; 46(12):373-376. ISSN: 0026-6396.
- Madej B; Bartus R, and Bem S. [Epidemiology of occupational diseases in Tarnow and Tarnow District in years 1994-2003]. *Przegl Lek*. 2006; 63(Suppl 7):49-52. ISSN: 0033-2240.
- Madsen RT. Marine mammals and noise: Problems with root mean square sound pressure levels for transients. *J Acoust Soc Am*. 2005; 117(6):3952-3957.
- Maes JHR and de Groot G. Effects of noise on the performance of rats in an operant discrimination task. *Behav Processes*. 2003; 61(1-2):57-68.
- Maguin K; Campo P, and Parietti-Winkler C. Toluene can perturb the neuronal voltage-dependent Ca²⁺ channels involved in the middle-ear reflex. *Toxicol Sci*. 2008; Nov 24. ISSN: 1096-0929.
- Maguin K; Lataye R; Campo P; Cossec B; Burgart M, and Waniusiow D. Ototoxicity of the three xylene isomers in the rat. *Neurotoxicol Teratol*. 2006; 28(6):648-656. ISSN: 0892-0362.
- Mahendra Prashanth KV and Sridhar V. The relationship between noise frequency components and physical, physiological and psychological effects of industrial workers. *Noise Health*. 2008; 10(40):90-98. ISSN: 1463-1741.
- Mahjoob MJ; Mohammadi N, and Malakooti S. An Investigation Into the Acoustic Insulation of Triple-Layered Panels Containing Newtonian Fluids: Theory and Experiment. *Appl Acoust*. 2009; 70(1):165-171. ISSN: 0003-682X.
- Maia JR and Russo IC. [Study of the hearing of rock and roll musicians.]. *Pro Fono*. 2008; 20(1):49-54. ISSN: 0104-5687.
- Maier JK; Kindermann T; Grothe B, and Klump GM. Effects of omni-directional noise-exposure during hearing onset and age on auditory spatial resolution in the Mongolian gerbil (*Meriones unguiculatus*)- a behavioral approach. *Brain Res*. 2008; Feb 12. ISSN: 0006-8993.

- Maikala RV; King S, and Bhambhani YN. Acute physiological responses in healthy men during whole-body vibration. *Int Arch Occup Environ Health*. 2006; 79(2):103-114. ISSN: 0340-0131.
- Maison SF; Parker LL; Young L; Adelman JP; Zuo J, and Liberman MC. Overexpression of SK2 Channels Enhances Efferent Suppression of Cochlear Responses without Enhancing Noise Resistance. *J Neurophysiol*. 2007; Jan 31. ISSN: 0022-3077.
- Majumder J; Mehta CR, and Sen D. Excess Risk Estimates of Hearing Impairment of Indian Professional Drivers. *Int J Ind Ergon*. 2009; 39(1):234-238. ISSN: 0169-8141.
- Mak CM and Au WM. A Turbulence-Based Prediction Technique for Flow-Generated Noise Produced by in-Duct Elements in a Ventilation System. *Appl Acoust*. 2009; 70(1):11-20. ISSN: 0003-682X.
- Makarewicz, R. Noise reduction through source rerouting. *J Acoust Soc Am*. 2004; 116(5):2735-2737. ISSN: 0001-4966.
- Makarewicz R and Golebiewski R. Modeling of the roundabout noise impact. *J Acoust Soc Am*. 2007; 122(2):860-868. ISSN: 1520-8524.
- Makitie AA; Pirvola U; Pyykko I; Sakakibara H; Riihimaki V, and Ylikoski J. The ototoxic interaction of styrene and noise. *Hear Res*. 2003; 179(1-2):9-20.
- Malchaire J and Piette A. The SOBANE strategy for the management of risk, as applied to whole-body or hand-arm vibration. *Ann Occup Hyg*. 2006; 50(4):411-416. ISSN: 0003-4878.
- Malkin, R.; Hudock, S. D.; Hayden, C.; Lentz, T. J.; Topmiller, J., and Niemeier, R. W. An assessment of occupational safety and health hazards in selected small businesses manufacturing wood pallets--part 1. Noise and physical hazards. *J Occup Environ Hyg*. 2005; 2(4):D18-21. ISSN: 1545-9624.
- Malkin R; Lentz TJ; Topmiller J; Hudock SD, and Niemeier RW. The characterization of airborne occupational safety and health hazards in selected small businesses; manufacturing wood pallets. *Ind Health*. 2006; 44(1):58-63. ISSN: 0019-8366.
- Mallick Z; Badruddin IA; Khaleed Hussain MT; Salman Ahmed NJ, and Kanesan J. Noise characteristics of grass-trimming machine engines and their effect on operators. *Noise Health*. 2009; 11(43):98-102. ISSN: 1463-1741.
- Mamak A; Yilmaz S; Cansiz H; Inci E; Guclu E, and Derekoylu L. A study of prognostic factors in sudden hearing loss. *Ear Nose Throat J*. 2005; 84(10):641-644. ISSN: 0145-5613.
- Mangiardi DA and Cotanche DA. Mechanisms of aminoglycoside-induced hair cell death. *Volta Rev*. 2005; 105(3):357-370.
- Manikandan S and Devi RS. Antioxidant property of alpha-asarone against noise-stress-induced changes in different regions of rat brain. *Pharmacol Res*. 2005; 52(6):467-474. ISSN: 1043-6618.
- Maniwa K; Jongman A, and Wade T. Perception of clear fricatives by normal-hearing and simulated hearing-impaired listeners. *J Acoust Soc Am*. 2008; 123(2):1114-1125. ISSN: 1520-8524.
- Manley GA. Spontaneous otoacoustic emissions in monitor lizards. *Hear Res*. 2004; 189(1-2):41-57. ISSN: 0378-5955.
- Manning CJ and Harris GJ. Noise control in the transportation corridor. *Noise Health*. 2003; 5(18):45-48.

Manoussaki D; Dimitriadis EK, and Chadwick RS. Cochlea's graded curvature effect on low frequency waves. *Phys Rev Lett.* 2006; 96(8):088701. ISSN: 0031-9007.

Mao Y and Wang W. [Clinical study of acute low-tone sensorineural hearing loss]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi.* 2006; 20(13):602-604. ISSN: 1001-1781.

Marano GC; Sgobba S; Greco R, and Mezzina M. Robust Optimum Design of Tuned Mass Dampers Devices in Random Vibrations Mitigation. *J Sound Vib.* 2008; 313(3-5):472-492. ISSN: 0022-460X.

Marchese-Ragona R; Marioni G; Marson P; Martini A, and Staffieri A. The discovery of salicylate ototoxicity. *Audiol Neurootol.* 2008; 13(1):34-36. ISSN: 1421-9700.

Marchione M. Doctors: Ruptured eardrums signal possible TBI. *Navy News.* 2007; Aug 23.

Marcotte P. Comments on "a Discussion on Comparing Alternative Measures With Frequency-Weighted Accelerations Defined in Iso Standards" [R.g. Dong, J.z. Wu, D.e. Welcome, T.w. Mcdowell, *Journal of Sound and Vibration*]- Discussion. *J Sound Vib.* 2008; 317(3-5):1051-1056. ISSN: 0022-460X.

Margolis RH and Saly GL. Asymmetric Hearing Loss: Definition, Validation, and Prevalence. *Otol Neurotol.* 2008; Apr 14. ISSN: 1531-7129.

Margolis RH and Saly GL. Distribution of hearing loss characteristics in a clinical population. *Ear Hear.* 2008; 29(4):524-532. ISSN: 1538-4667.

Margolis RH and Saly GL. Toward a standard description of hearing loss. *Int J Audiol.* 2007; 46(12):746-758. ISSN:- 12.

Marini AL; Halpern R, and Aerts D. [Sensitivity, specificity and predictive value of hearing complaints.]. *Rev Saude Publica.* 2005; 39(6):982-984. ISSN: 0034-8910.

Maris E; Stallen PJ; Vermunt R, and Steensma H. Evaluating Noise in Social Context: the Effect of Procedural Unfairness on Noise Annoyance Judgments. *J Acoust Soc Am.* 2007; 122(6):3483-3494. ISSN: 0001-4966.

Maris E; Stallen PJ; Vermunt R, and Steensma H. Noise within the social context: annoyance reduction through fair procedures. *J Acoust Soc Am.* 2007; 121(4):2000-2010. ISSN: 0001-4966.

Markessis E; Kapadia S; Munro K, and Moore BC. Modification of the Threshold Equalising Noise (TEN) test for cochlear dead regions for use with steeply sloping high-frequency hearing loss. *Int J Audiol.* 2006; 45(2):91-98. ISSN: 1499-2027.

Markessis E; Poncelet L; Colin C; Coppens A; Hoonhorst I; Kadhim H, and Deltenre P. Frequency Tuning Curves Derived From Auditory Steady State Evoked Potentials: a Proof-of-Concept Study. *Ear Hear.* 2009; 30(1):43-53. ISSN: 0196-0202.

Markowski P. Pill said to guard against noise-related hearing loss. *OHS Canada.* 2003; 19(4):22.

Marks A.; Griefahn B, and Basner M. Event-Related Awakenings Caused by Nocturnal Transportation Noise. *Noise Control Eng J.* 2008; 56(1):52-62. ISSN: 0736-2501.

Marlin, S.; Feldmann, D.; Blons, H.; Loundon, N.; Rouillon, I.; Albert, S.; Chauvin, P.; Garabedian, E. N.; Couderc, R.; Odent, S.; Joannard, A.; Schmerber, S.; Delobel, B.; Leman, J.; Journal, H.; Catros, H.; Lemarechal, C.; Dollfus, H.; Eliot, M. M.; Delaunoy, J. L.; David, A.; Calais, C.; Drouin-Garraud, V.; Obstoy, M. F.; Goizet, C.; Duriez, F.; Fellmann, F.; Helias, J.; Vigneron, J.; Montaut, B.; Matin-Coignard, D.; Faivre, L.; Baumann, C.; Lewin, P.; Petit, C., and Denoyelle, F. GJB2 and GJB6 mutations: genotypic and phenotypic

correlations in a large cohort of hearing-impaired patients. *Arch Otolaryngol Head Neck Surg.* 2005; 131(6):481-487. ISSN: 0886-4470.

Maros K; Pongracz P; Bardos G; Molnar C; Farago T, and Miklosi A. Dogs Can Discriminate Barks From Different Situations. *Appl Animal Behav Sci.* 2008; 114(1-2):159-167. ISSN: 0168-1591.

Marques FP and Costa EA. [Exposure to occupational noise: otoacoustic emissions test alterations.]. *Rev Bras Otorrinolaringol.* 2006; 72(3):362-366. ISSN: 1808-8694.

Marquis-Favre C; Premat E, and Aubree D. Noise and its effects- A review on qualitative aspects of sound. Part II: Noise and annoyance. *Acta Acustica.* 2005; 91(4):626-642.

Marrone N; Mason CR, and Kidd G. The Effects of Hearing Loss and Age on the Benefit of Spatial Separation Between Multiple Talkers in Reverberant Rooms. *J Acoust Soc Am.* 2008; 124(5):3064-3075. ISSN: 0001-4966.

Marrone N; Mason CR, and Kidd G. Tuning in the spatial dimension: evidence from a masked speech identification task. *J Acoust Soc Am.* 2008; 124(2):1146-1158. ISSN: 1520-8524.

Marsh RE. Dual position hearing protection device. *J Acoust Soc Am.* 2008; 123(2):592. ISSN: 1520-8524.

Marshall L; Lapsley Miller JA; Heller LM; Wolgemuth KS; Hughes LM; Smith SD, and Kopke RD. Detecting incipient inner-ear damage from impulse noise with otoacoustic emissions. *J Acoust Soc Am.* 2009; 125(2):995-1013. ISSN: 1520-8524.

Marshall L; Miller JAL; Heller LM; Wolgemuth KS; Hughes LM; Smith SD, and Kopke RD. Detecting Incipient Inner-Ear Damage From Impulse Noise With Otoacoustic Emissions. *J Acoust Soc Am.* 2009; 125(2):995-1013. ISSN: 0001-4966.

Marsico G; Brambilla G; Curcuruto S; Clapiz M; Betti R, and Riccardi M. Acoustic climate inside a canteen and mitigation solutions. *J Acoust Soc Am.* 2008; 123(5):3354. ISSN: 1520-8524.

Martin, B. A. and Stapells, D. R. Effects of low-pass noise masking on auditory event-related potentials to speech. *Ear Hear.* 2005; 26(2):195-213. ISSN: 0196-0202.

Martin BA; Tremblay KL, and Korczak P. Speech Evoked Potentials: From the Laboratory to the Clinic. *Ear Hear.* 2008; 29(3):285-313. ISSN: 0196-0202.

Martin GK; Stagner BB, and Lonsbury-Martin BL. Assessment of cochlear function in mice: distortion-product otoacoustic emissions. *Curr Protoc Neurosci.* 2006; Chapter 8:Unit8.21C. ISSN: 1934-8576.

Martin GK; Vazquez AE; Jimenez AM; Stagner BB; Howard MA, and Lonsbury-Martin BL. Comparison of distortion product otoacoustic emissions in 28 inbred strains of mice. *Hear Res.* 2007; 234(1-2):59-72. ISSN: 0378-5955.

Martin MA; Tarrero A; Gonzalez J, and Machimbarrena M. Exposure-Effect Relationships Between Road Traffic Noise Annoyance and Noise Cost Valuations in Valladolid, Spain. *Appl Acoust.* 2006; 67(10):945-958.

Martin N. Review: self report of hearing loss and the whispered voice test are useful for screening for hearing impairment. *Evid Based Nurs.* 2006; 9(4):120. ISSN: 1367-6539.

Martin PR; Reece J, and Forsyth M. Noise as a trigger for headaches: relationship between exposure and sensitivity. *Headache.* 2006; 46(6):962-972. ISSN: 0017-8748.

- Martin RL and McAnally KI. Spectral integration time of the auditory localisation system. *Hear Res.* 2008; 238(1-2):118-123. ISSN: 0378-5955.
- Martin WH; Sobel J; Greist SE; Howarth L, and Shi YB. Noise induced hearing loss in children: Preventing the silent epidemic. *J Otol.* 2006; 1(1):11-21.
- Martinez-Cruz CF; Poblano A, and Fernandez-Carroceria LA. Risk factors associated with sensorineural hearing loss in infants at the neonatal intensive care unit: 15-year experience at the national institute of perinatology (Mexico city). *Arch Med Res.* 2008; 39(7):686-694. ISSN: 0188-4409.
- Martinez Devesa P; Waddell A; Perera R, and Theodoulou M. Cognitive behavioural therapy for tinnitus. *Cochrane Database Syst Rev.* 2007(1):CD005233. ISSN: 1469-493X.
- Martinez-Monedero R; Oshima K; Heller S, and Edge AS. The potential role of endogenous stem cells in regeneration of the inner ear. *Hear Res.* 2007; 227(1-2):48-52. ISSN: 0378-5955.
- Martins RH; Tavares EL; Lima Neto AC, and Fioravanti MP. Occupational hearing loss in teachers: a probable diagnosis. *Rev Bras Otorrinolaringol (Engl Ed).* 2007; 73(2):239-244. ISSN: 1808-8694.
- Mascagni P; Formenti C; Pettazoni M; Feltrin G, and Toffoletto F. [Hearing function and solvent exposure: study of a worker population exposed to styrene]. *G Ital Med Lav Ergon.* 2007; 29(3 Suppl):277-279. ISSN: 1592-7830.
- Masini CV; Day HE, and Campeau S. Long-term habituation to repeated loud noise is impaired by relatively short interstressor intervals in rats. *Behav Neurosci.* 2008; 122(1):210-223. ISSN: 0735-7044.
- Massardier-Pilonchery A and Duclos JC. [How should a noise-related occupational disease be declared?]. *Ann Otolaryngol Chir Cervicofac.* 2008; 125(2):105-108. ISSN: 0003-438X.
- Mastrangelo G; Perticaroli S; Camipo G; Priolo G; Leva A; de Merich D; Marangi G; Fedeli U; Fadda E; Scoizzato L, and Marchiori L. [Working and health conditions and preventive measures in a random sample of 5000 workers in the Veneto Region examined by telephone interview]. *Med Lav.* 2008; 99 Suppl 1:9-30. ISSN: 0025-7818.
- Mastrangelo G; Perticaroli S; Camipo G; Priolo G; Leva A; de Merich D; Marangi G; Fedeli U; Fadda E; Scoizzato L, and Marchiori L. [Working and health conditions and preventive measures in a random sample of 5000 workers in the Veneto Region examined by telephone interview]. *Med Lav.* 2008; 99(Suppl 1):9-30. ISSN: 0025-7818.
- Matsnev EI and Sigaleva EE. [Effects of noise generated by life support systems on the human hearing function]. *Aviakosm Ekolog Med.* 2006; 40(4):3-14. ISSN: 0233-528X.
- Matsnev EI; Sigaleva EE; Tikhonova GA, and Buravkova LB. [Otoprotective effect of argon in exposure to noise]. *Vestn Otorinolaringol.* 2007(3):22-26. ISSN: 0042-4668.
- Matsui JI; Parker MA; Ryals BM, and Cotanche DA. Regeneration and replacement in the vertebrate inner ear. *Drug Discov Today.* 2005; 10(19):1307-1312. ISSN: 1359-6446.
- Matsui T; Matsuno T; Ashimine K; Miyakita T; Hiramatsu K, and Yamamoto T. Association between the rates of low birth-weight and/or preterm infants and aircraft noise exposure. *Nippon Eiseigaku Zasshi.* 2003; 58(3):385-394.
- Matsui T; Stansfeld S; Haines M, and Head J. Children's cognition and aircraft noise exposure at home--the West London Schools Study. *Noise Health.* 2004; 7(25):49-58. ISSN: 1463-1741.

- Maudoux A; Bonnet S; Lhonneux-Ledoux E, and Lefebvre P. Ericksonian Hypnosis in Tinnitus Therapy. *B-Ent.* 2007; 3(Suppl 7):75-77. ISSN: 0001-6497.
- Maue J. Measurement strategies according to the new ISODIS 9612. *J Acoust Soc Am.* 2008; 123(5):3526. ISSN: 1520-8524.
- Mauermann M and Hohmann V. Differences in loudness of positive and negative Schroeder-phase tone complexes as a function of the fundamental frequency. *J Acoust Soc Am.* 2007; 121(2):1028-1039. ISSN: 0001-4966.
- Maury C and Bravo T. Analytic Solutions to the Acoustic Source Reconstruction Problem. *Proceedings of the Royal Society a-Mathematical Physical and Engineering Sciences.* 2008; 464(2095):1697-1718. ISSN: 1364-5021.
- May, B. J.; Budelis, J., and Niparko, J. K. Behavioral studies of the olivocochlear efferent system: learning to listen in noise. *Arch Otolaryngol Head Neck Surg.* 2004; 130(5):660-664. ISSN: 0886-4470.
- Mazer, S. E. Hear, hear. Assessing and resolving hospital noise issues. *Health Facil Manage.* 2005; 18(4):24-29. ISSN: 0899-6210.
- Mazurek B; Haupt H; Amarjargal N; Yarin YM; Machulik A, and Gross J. Up-regulation of prestin mRNA expression in the organs of Corti of guinea pigs and rats following unilateral impulse noise exposure. *Hear Res.* 2007; 231(1-2):73-83. ISSN: 0378-5955.
- Mazurek B and Haupt H; Gross J. [Acute tinnitus: pharmacotherapy and the role of hypoxia and ischemia in pathogenesis.]. *HNO.* 2006; 54(1):9-15. ISSN: 0017-6192.
- Mazurek B; Stover T; Haupt H; Gross J, and Szczepek A. [The role of cochlear neurotransmitters in tinnitus.]. *HNO.* 2007; Oct 19. ISSN: 1433-0458.
- Mbuligwe, S. E. Levels and influencing factors of noise pollution from small-scale industries (SSIs) in a developing country. *Environ Manage.* 2004; 33(6):830-839. ISSN: 0364-152X.
- Mc Donnell C. Comparison of the previous and incoming categorisations of audiograms in the occupational health setting in Ireland. *Ir Med J.* 2007; 100(8):555-556. ISSN: 0332-3102.
- McArdle R and Wilson RH. Predicting Word-Recognition Performance in Noise by Young Listeners With Normal Hearing Using Acoustic, Phonetic, and Lexical Variables. *J Am Acad Audiol.* 2008; 19(6):507-518.
- McArdle RA; Wilson RH, and Burks CA. Speech recognition in multitalker babble using digits, words, and sentences. *J Am Acad Audiol.* 2005; 16(9):726-39; quiz 763-4. ISSN: 1050-0545.
- McBride, D. I. Noise-induced hearing loss and hearing conservation in mining. *Occup Med (Lond).* 2004; 54(5):290-296. ISSN: 0962-7480.
- McBride DI; Firth HM, and Herbison GP. Noise exposure and hearing loss in agriculture: A survey of farmers and farm workers in the southland region of New Zealand. *J Occup Environ Med.* 2003; 45(12):1281-1288.
- McCabe, B. F. Autoimmune sensorineural hearing loss. 1979. *Ann Otol Rhinol Laryngol.* 2004; 113(7):526-530. ISSN: 0003-4894.
- McCall, B. P. and Horwitz, I. B. An assessment of the effects of increased regulatory enforcement and legislative reform on occupational hearing loss workers' compensation claims: Oregon 1984-1998. *Am J Ind Med.* 2004; 45(5):417-427. ISSN: 0271-3586.

McCombe AW. Hearing loss in motorcyclists: occupational and medicolegal aspects. *J Roy Soc Med.* 2003; 96(1):7-9.

McCullagh M and Robertson C. Too late smart: farmers' adoption of self-protective behaviors in response to exposure to hazardous noise. *AAOHN J.* 2009; 57(3):99-105. ISSN: 0891-0162.

McCullagh P; Wang H; Zheng H; Lightbody G, and McAllister G. A comparison of supervised classification methods for auditory brainstem response determination. *Medinfo.* 2007; 12(Pt 2):1289-1293.

McCurdy, D. A.; Brown, S. A., and Hilliard, R. D. Subjective response of people to simulated sonic booms in their homes. *J Acoust Soc Am.* 2004; 116(3):1573-1584. ISSN: 0001-4966.

McFadden, S. L.; Woo, J. M.; Michalak, N., and Ding, D. Dietary vitamin C supplementation reduces noise-induced hearing loss in guinea pigs. *Hear Res.* 2005; 202(1-2):200-208. ISSN: 0378-5955.

McFerran DJ and Baguley DM. Acoustic shock. *J Laryngol Otol.* 2007; 121(4):301-305. ISSN: 1748-5460.

McGhee JS and Ritenour AE. Tympanic Membrane Perforation and Hearing Loss From Blast Overpressure in Operation Enduring Freedom and Operation Iraqi Freedom Wounded- Discussion. *J Trauma-Injury Infection Crit Care.* 2008; 64(2 Suppl S):S178. ISSN: 0022-5282.

McGuire, J. F. and Casado, B. Proteomics: a primer for otologists. *Otol Neurotol.* 2004; 25(5):842-849. ISSN: 1531-7129.

McIlwain DS; Gates K, and Ciliax D. Heritage of army audiology and the road ahead: the Army Hearing Program. *Am J Public Health.* 2008; 98(12):2167-2172. ISSN: 1541-0048.

McKee RH; Medeiros AM, and Daughtrey WC. A proposed methodology for setting occupational exposure limits for hydrocarbon solvents. *J Occup Environ Hyg.* 2005; 2(10):524-542. ISSN: 1545-9624.

McKenzie S. Noise annoys. *J R Soc Health.* 2008; 128(2):58-59. ISSN: 0264-0325.

McKinley R; Dancer A, and von Gierke H. Bone and tissue conduction of high intensity acoustic energy to the human cochlea. *J Acoust Soc Am.* 2003; 113(4 Pt 2):2239.

McKinley R; Hobbs B; Buck K, and Hudson D. Impulse and continuous noise reduction of tactical hearing protection systems. *J Acoust Soc Am.* 2008; 123(5):3529. ISSN: 1520-8524.

McLaren E and Maxwell-Armstrong C. Noise pollution on an acute surgical ward. *Ann R Coll Surg Engl.* 2008; 90(2):136-139. ISSN: 1478-7083.

McNamee R; Burgess G; Cherry N, and Dippnall WM. Occupational Noise Exposure And Ischaemic Heart Disease Mortality. *Occup Environ Med.* 2006; Aug 15. ISSN: 1470-7926.

McNamee R; Burgess G; Dippnall M, and Cherry N. Predictive Validity Of A Retrospective Measure Of Noise Exposure. *Occup Environ Med.* 2006; June 6. ISSN: 1470-7926.

McNew J; Bellina A, and O'Brien WD. Applying acoustic ray tracing from the full wave equation solution to determine the nonair conduction pathways into the human head. *J Acoust Soc Am.* 2008; 124(4):2456. ISSN: 1520-8524.

McReynolds, M. C. Noise-induced hearing loss. *Air Med J.* 2005; 24(2):73-78. ISSN: 1067-991X.

Meenderink, S. W.; Narins, P. M., and van Dijk, P. Detailed f1, f2 area study of distortion product otoacoustic emissions in the frog. *J Assoc Res Otolaryngol.* 2005; 6(1):37-47. ISSN: 1525-3961.

Meenderink, S. W. and van Dijk, P. Level dependence of distortion product otoacoustic emissions in the leopard frog, *Rana pipiens pipiens*. *Hear Res.* 2004; 192(1-2):107-118. ISSN: 0378-5955.

Mehta RP; Rosowski JJ; Voss SE; O'Neil E, and Merchant SN. Determinants of hearing loss in perforations of the tympanic membrane. *Otol Neurotol.* 2006; 27(2):136-143. ISSN: 1531-7129.

Meijer A; Huijbregts MAJ; Hertwich E, and Reijnders L. Including Human Health Damages Due to Road Traffic in Life Cycle Assessment of Dwellings. *Int J Life Cycle Assess.* 2006; 11:64-71.

Meinke D; Lankford J, and Wells L. Sound advice- asking clients to consider their favorite sounds can motivate them to be more concerned about hearing health. *Advance for Audiol.* 2003; 5(1):38-41.

Meinke DK and Dice N. Comparison of audiometric screening criteria for the identification of noise-induced hearing loss in adolescents. *Am J Audiol.* 2007; 16(2):S190-S202. ISSN:- 2.

Mejia J; Dillon H, and Fisher M. Active cancellation of occlusion: an electronic vent for hearing aids and hearing protectors. *J Acoust Soc Am.* 2008; 124(1):235-240. ISSN: 1520-8524.

Melamed, S.; Fried, Y., and Fromm, P. The joint effect of noise exposure and job complexity on distress and injury risk among men and women: the cardiovascular occupational risk factors determination in Israel study. *J Occup Environ Med.* 2004; 46(10):1023-1032. ISSN: 1076-2752.

Memoli G; Licitra G, and Cerchiai M. Perspectives for a strategical mapping of soundscapes. *J Acoust Soc Am.* 2008; 123(5):3820. ISSN: 1520-8524.

Mendes A; Alves-Pereira M, and Castelo Branco NA. Voice acoustic patterns of patients diagnosed with vibroacoustic disease. *Rev Port Pneumol.* 2006; 12(4):375-382. ISSN: 0873-2159.

Mendes MH; Morata TC, and Marques JM. Acceptance of hearing protection aids in members of an instrumental and voice music band. *Rev Bras Otorrinolaringol (Engl Ed).* 2007; 73(6):785-792. ISSN: 1808-8694.

Menezes Pde, L.; Cabral, A.; Morais Lda, S.; Rocha, L. P., and Passos, V. [Resonance: a study of the outer ear]. *Pro Fono.* 2004; 16(3):333-340. ISSN: 0104-5687.

Menzel D; Fastl H; Graf R, and Hellbruck J. Influence of vehicle color on loudness judgments. *J Acoust Soc Am.* 2008; 123(5):2477-2479. ISSN: 1520-8524.

Mercier V; Luy D, and Hohmann BW. The sound exposure of the audience at a music festival. *Noise Health.* 2003; 5(19):51-58.

Mercorelli P. Denoising and Harmonic Detection Using Nonorthogonal Wavelet Packets in Industrial Applications. *J Systems Sci Complexity.* 2007; 20(3):325-343. ISSN: 1009-6124.

Merluzzi F. [A methodological question concerning the evaluation of hearing loss due to occupational noise]. *Med Lav.* 2005; 96(5):445-447. ISSN: 0025-7818.

Merluzzi F; Pira E, and Riboldi L. ["The Italian decree 195/2006 on the protection of workers against risks arising from noise"]. *G Ital Med Lav Ergon.* 2006; 28(3):245-247. ISSN: 1592-7830.

Meuwese-Jongejeugd A; Vink M; van Zanten B; Verschuure H; Eichhorn E; Koopman D; Bernsen R, and Evenhuis H. Prevalence of hearing loss in 1598 adults with an intellectual disability: Cross-sectional population based study. *Int J Audiol*. 2006; 45(11):660-669. ISSN: 1499-2027.

Meyer-Bisch, C. [Measuring noise.]. *Med Sci (Paris)*. 2005; 21(5):546-550. ISSN: 0767-0974.

Meyer-Bisch, C. [Noise-induced hearing loss: news in the regulation.]. *Med Sci (Paris)*. 2005; 21(12):1089-1095. ISSN: 0767-0974.

Meyer N; Spiegel H; Kreuzmaier I; Schulze A; Heumann C; Vonkries R; Nowak D, and Radon K. Exposure to Noise and Well-Being in South Germany. *Epidemiol*. 2006; 17(Suppl 6):S97-S98. ISSN: 1044-3983.

Miah K and Hixson E. Design and implementation of a three-dimensional seven microphone vector intensity probe with low and high frequency compensations. *J Acoust Soc Am*. 2008; 123(5):3117. ISSN: 1520-8524.

Michaelis CE; Gehr DD; Deingruber K; Arnold W, and Lamm K. Optimum primary tone level setting for measuring high amplitude DPOAEs in guinea pigs. *Hear Res*. 2004; 189(1-2):58-62. ISSN: 0378-5955.

Michaud, D.; Miller, S.; Ferrarotto, C.; Keith, S.; Bowers, W.; Kumarathsan, P.; Marro, L., and Trivedi, A. Exposure to chronic noise and fractionated X-ray radiation elicits biochemical changes and disrupts body weight gain in rat. *Int J Radiat Biol*. 2005; 81(4):299-307. ISSN: 0955-3002.

Michaud DS; Fidell S; Pearsons K; Campbell KC, and Keith SE. Review of field studies of aircraft noise-induced sleep disturbance. *J Acoust Soc Am*. 2007; 121(1):32-41. ISSN: 0001-4966.

Michel O. Acute Hearing Loss- Corticoid-Massive-Dose Therapy Brings No Advantage- Comment. *Laryngo-Rhino-Otologie*. 2007; 86(11):766-767. ISSN: 0935-8943.

Michel O and Brusis T. [Compensation for Tinnitus in Private Accident Insurance.]. *Laryngorhinotologie*. 2007; Jan 4. ISSN: 0935-8943.

Michel O and Brusis T. [Compensation tables for tinnitus as a physical defect in private accident insurance]. *Versicherungsmedizin*. 2007; 59(2):73-80. ISSN: 0933-4548.

Mick P and Westerberg BD. Sensorineural hearing loss as a probable serious adverse drug reaction associated with low-dose oral azithromycin. *J Otolaryngol*. 2007; 36(5):257-263. ISSN:- 5.

Mick PT; Lee PK, and Longridge N. More on thunderstorms and iPods. *N Engl J Med*. 2007; 357(14):1447-1448; author reply 1448. ISSN: 1533-4406.

Middendorf, P. J. Surveillance of occupational noise exposures using OSHA's Integrated Management Information System. *Am J Ind Med*. 2004; 46(5):492-504. ISSN: 0271-3586.

Middleton S. A Study of Occupational Noise and Hand-Arm Vibration Exposure to Employees in Multidisciplinary Organisation. *Epidemiol*. 2007; 18(5):S118-S119. ISSN: 1044-3983.

Miedema, H. M. Relationship between exposure to multiple noise sources and noise annoyance. *J Acoust Soc Am*. 2004; 116(2):949-957. ISSN: 0001-4966.

Miedema, H. M.; Fields, J. M., and Vos, H. Effect of season and meteorological conditions on community noise annoyance. *J Acoust Soc Am*. 2005; 117(5):2853-2865. ISSN: 0001-4966.

- Miedema, H. M. and Vos, H. Noise annoyance from stationary sources: relationships with exposure metric day-evening-night level (DENL) and their confidence intervals. *J Acoust Soc Am.* 2004; 116(1):334-343. ISSN: 0001-4966.
- Miedema HM and Vos H. Associations between self-reported sleep disturbance and environmental noise based on reanalyses of pooled data from 24 studies. *Behav Sleep Med.* 2007; 5(1):1-20. ISSN: 1540-2002.
- Miedema HME. Annoyance Caused by Environmental Noise: Elements for Evidence-Based Noise Policies. *J Soc Issues.* 2007; 63(1):41-57.
- Miedema HME and Vos H. Noise sensitivity and reactions to noise and other environmental conditions. *J Acoust Soc Am.* 2003; 113(3):1492-1504.
- Mietlicki F. Noise Action Plan in the Ile-de-France region: a complex process. *J Acoust Soc Am.* 2008; 123(5):3026. ISSN: 1520-8524.
- Mikalauskas R and Volkovas V. Investigation and application of theoretical acoustic field model evaluating the change of environmental conditions. *J Acoust Soc Am.* 2008; 123(5):3254. ISSN: 1520-8524.
- Mil'kov AA and Gofman VR. [Hearing loss as an occupation pathology in civil pilots]. *Aviakosm Ekolog Med.* 2007; 41(3):52-56. ISSN: 0233-528X.
- Miller B. The lowdown on backup alarms in retail stores. *Occup Health Saf.* 2007; 76(7):48-51. ISSN: 0362-4064.
- Miller E. Protection for the next generation. *Occup Health Saf.* 2004; 73(6):80-84. ISSN: 0362-4064.
- Miller JA; Marshall L; Heller LM, and Hughes LM. Low-level otoacoustic emissions may predict susceptibility to noise-induced hearing loss. *J Acoust Soc Am.* 2006; 120(1):280-296. ISSN: 0001-4966.
- Miller, JAL; Marshall, L, and Heller, LM. A longitudinal study of changes in evoked otoacoustic emissions and pure-tone thresholds as measured in a hearing conservation program. *Int J Audiol.* 2004; 43(6):307-322.
- Miller, K. Occupational health injuries: a brief review of three disorders. *Nurs Clin North Am.* 2004; 39(2):395-402. ISSN: 0029-6465.
- Miller MH. How to Eliminate Air-Bone Gaps Audiometrically: Use Too Much Masking. *Ent-Ear Nose Throat J.* 2008; 87(5):273-276. ISSN: 0145-5613.
- Miller MH and Schein JD. Selected complex auditory disorders. *J Rehabil Res Dev.* 2005; 42(4 Suppl 2):1-8. ISSN: 0748-7711.
- Miller MW; Riedel G; Hoistad D; Sutherland C; Juhn SK; Adams GL; Griffin R, and Ondrey FG. Ototoxicity after combined platinum and fractionated radiation in a novel guinea pig model. *Am J Otolaryngol.* 2009; 30(1):1-7. ISSN: 1532-818X.
- Miller VL; Stewart M, and Lehman M. Noise Exposure Levels for Student Musicians. *Med Probl Perform Art.* 2007; 22(4):160-165. ISSN: 0885-1158.
- Mills DM. Determining the cause of hearing loss: differential diagnosis using a comparison of audiometric and otoacoustic emission responses. *Ear Hear.* 2006; 27(5):508-525. ISSN: 0196-0202.
- Mills DM; Feeney MP, and Gates GA. Evaluation of cochlear hearing disorders: normative distortion product otoacoustic emission measurements. *Ear Hear.* 2007; 28(6):778-792. ISSN: 0196-0202.

- Milonski J. [Assessment of temporary threshold shift after short-term impulse noise exposure]. *Otolaryngol Pol.* 2006; 60(3):451-453. ISSN: 0030-6657.
- Milonski J and Olszewski J. [The evaluation of usefulness of hearing protectors while exposure to impulse noise]. *Otolaryngol Pol.* 2007; 61(5):877-879. ISSN: 0030-6657.
- Milz SA; Wilkins JR 3rd; Ames AL, and Witherspoon MK. Occupational noise exposures among three farm families in northwest ohio. *J Agromedicine.* 2008; 13(3):165-174. ISSN: 1059-924X.
- Mimura T; Sato E; Sugiura M; Yoshino T; Naganawa S, and Nakashima T. Hearing loss in patients with enlarged vestibular aqueduct: air-bone gap and audiological Bing test. *Int J Audiol.* 2005; 44(8):466-469. ISSN: 1499-2027.
- Minami, S. B.; Sha, S. H., and Schacht, J. Antioxidant protection in a new animal model of cisplatin-induced ototoxicity. *Hear Res.* 2004; 198(1-2):137-143. ISSN: 0378-5955.
- Minami SB; Yamashita D; Ogawa K; Schacht J, and Miller JM. Creatine and tempol attenuate noise-induced hearing loss. *Brain Res.* 2007; 1148:83-89. ISSN: 0006-8993.
- Minja BM; Moshi NH, and Riwa P. Noise induced hearing loss among industrial workers in Dar Es Salaam. *East African Med J.* 2003; 80(6):298-302.
- Minoda, R.; Izumikawa, M.; Kawamoto, K., and Raphael, Y. Strategies for replacing lost cochlear hair cells. *Neuroreport.* 2004; 15(7):1089-1092. ISSN: 0959-4965.
- Minter SG. Have you heard about safety? *Occup Haz.* 2003; 65(10):44. ISSN: 00297909.
- Minter SG. The power of positive safety. *Occup Haz.* 2003; 65(3):39-41.
- Mir L. Professional Exposure to Noise and Acoustic Neurinoma Risk. *Environ Risques & Sante.* 2008; 7(3):164-165. ISSN: 1635-0421.
- Mirzaee R; Allameh A; Mortazavi SB; Khavanin A; Kazemnejad A, and Akbary M. Assessment of outer hair cell function and blood antioxidant status of rabbits exposed to noise and metal welding fumes. *Auris Nasus Larynx.* 2007; 34(2):147-154. ISSN: 0385-8146.
- Mispagel KM and Valente M. Effect of multichannel digital signal processing on loudness comfort, sentence recognition, and sound quality. *J Am Acad Audiol.* 2006; 17(10):681-707. ISSN: 1050-0545.
- Mitchell P; Gopinath B; McMahon CM; Rochtchina E; Wang JJ; Boyages SC, and Leeder SR. Relationship of Type 2 Diabetes to the Prevalence, Incidence and Progression of Age-Related Hearing Loss. *Diabetic Med.* 2009; 26(5):483-488. ISSN: 0742-3071.
- Mitchell RE. How many deaf people are there in the United States? Estimates from the survey of income and program participation. *J Deaf Stud Deaf Educ.* 2006 Winter; 11(1):112-119. ISSN: 1081-4159.
- Miyakawa M; Matsui T; Kishikawa H; Murayama R; Uchiyama I; Itoh T, and Yoshida T. Salivary chromogranin A as a measure of stress response to noise. *Noise Health.* 2006; 8(32):108-113. ISSN: 1463-1741.
- Miyakita, T; Ueda, A; Futatsuka, M; Inaoka, T; Nagano, M, and Koyama, W. Noise exposure and hearing conservation for farmers of rural Japanese communities. *J Sound Vib.* 2004; 277(3):633-641.
- Mizoue T; Miyamoto T, and Shimizu T. Combined effect of smoking and occupational exposure to noise on hearing loss in steel factory workers. *Occup Environ Med.* 2003; 60(1):56-59.

- Mlynski R and Zera J. Effect of Measurement Method on an Earmuff's Frequency Response. *Arch Acoust.* 2007; 32(4 Suppl S):253-258. ISSN: 0137-5075.
- Mlynski R and Zera J. Prediction of impulsive noise waveform under an earmuff worn by a real user. *J Acoust Soc Am.* 2008; 123(5):3529. ISSN: 1520-8524.
- Moehler U; Kurze UJ; Liepert M, and Onnich H. The New German Prediction Model for Railway Noise "Schall 03 2006": an Alternative Method for the Harmonised Calculation Method Proposed in the Eu Directive on Environmental Noise. *Acta Acustica United With Acustica.* 2008; 94(4):548-552. ISSN: 1610-1928.
- Moelker, A.; Maas, R. A., and Pattynama, P. M. Verbal communication in MR environments: effect of MR system acoustic noise on speech understanding. *Radiology.* 2004; 232(1):107-113. ISSN: 0033-8419.
- Moen BE; Koefoed VF; Bondevik K, and Haukenes I. A survey of occupational health in the Royal Norwegian Navy. *Int Marit Health.* 2008; 59(1-4):35-44. ISSN: 1641-9251.
- Mohammadi G. Hearing Conservation Programs in Selected Metal Fabrication Industries. *Appl Acoust.* 2008; 69(4):287-292. ISSN: 0003-682X.
- Mohan S; Lockwood ME; Kramer ML, and Jones DL. Localization of multiple acoustic sources with small arrays using a coherence test. *J Acoust Soc Am.* 2008; 123(4):2136-2147. ISSN: 1520-8524.
- Moloczniak, A. Time of farmers' exposure to biological factors in agricultural working environment. *Ann Agric Environ Med.* 2004; 11(1):85-89. ISSN: 1232-1966.
- Mom T. [Otoacoustic emissions in clinical and surgical practice]. *Ann Otolaryngol Chir Cervicofac.* 2007; 124(2):80-89. ISSN: 0003-438X.
- Monsefi MZ and Talaei T. Changes of heart glycoconjugates by noise stress in mouse as an experimental model. *J Appl Animal Res.* 2005; 27(2):121-124.
- Montagnani V and Trentin E. Hidden Markov Models and Multiple Transfer Functions for Voice Subtraction in an Acoustic Dosimeter. *Circuits Systems Sig Proc.* 2007; 26(3):311-323. ISSN: 0278-081X.
- Montano JJ. Emerging technologies for hearing loss: An ecological approach. *Generations J Am Soc Aging.* 2003; 27(1):71-77.
- Montazeri A; Poshtan J, and Kahaie MH. Application of Genetic Algorithms for Overall Optimization of an Active Noise Control System in an Enclosure. *Fluctuation Noise Lett.* 2008; 8(1):L51-L64. ISSN: 0219-4775.
- Montbrun N; Rastelli V; Oliver K, and Chacon R. Measurement of the Impact Produced by Short Duration Occasional Noises. *Interciencia.* 2006; 31(6):411-416.
- Montiel-Lopez M; Corzo-Alvarez G; Chacin-Almarza B; Rojas-Gonzalez L; Quevedo A, and Rendiles H. [Prevalence and characterization of hearing loss in workers exposed to industrial noise of the turbogenerated electric plant of a petrochemical industry]. *Invest Clin.* 2006; 47(2):117-131. ISSN: 0535-5133.
- Montoya FS; Ibarguen AM; Del Rey AS, and Fernandez JM. Evaluation of cochlear function in patients with tinnitus using spontaneous and transitory evoked otoacoustic emissions. *J Otolaryngol.* 2007; 36(5):296-302. ISSN:- 5.
- Montoya FS; Ibarguen AM; Vences AR; del Rey AS, and Fernandez JM. Evaluation of cochlear function in normal-hearing young adults exposed to MP3 player noise by analyzing transient evoked otoacoustic emissions and distortion products. *J Otolaryngol Head Neck Surg.* 2008; 37(5):718-724. ISSN: 1916-0216.

- Monzani D; Galeazzi GM; Genovese E; Marrara A, and Martini A. Psychological profile and social behaviour of working adults with mild or moderate hearing loss. *Acta Otorhinolaryngol Ital.* 2008; 28(2):61-66. ISSN: 0392-100X.
- Monzani D; Genovese E; Palma S; Rovatti V; Borgonzoni M, and Martini A. Measuring the psychosocial consequences of hearing loss in a working adult population: focus on validity and reliability of the Italian translation of the hearing handicap inventory. *Acta Otorhinolaryngol Ital.* 2007; 27(4):186-191. ISSN: 0392-100X.
- Moon IS. Noise-induced hearing loss caused by gunshot in South Korean military service. *Mil Med.* 2007; 172(4):421-425. ISSN: 0026-4075.
- Moon P; Gearhart C; Fulton S; Pouyatos B; Nelson-Miller A, and Feebler L. The Potentiation of Noise-Induced Hearing Loss by Jp-8 Jet Fuel in Rats. *J Investigative Med.* 2007; 55(1):S132. ISSN: 1081-5589.
- Moore BC. Basic psychophysics of human spectral processing. *Int Rev Neurobiol.* 2005; 70:49-86. ISSN: 0074-7742.
- Moore BC. Dead regions in the cochlea: conceptual foundations, diagnosis, and clinical applications. *Ear Hear.* 2004; 25(2):98-116. ISSN: 0196-0202.
- Moore BC. The role of temporal fine structure processing in pitch perception, masking, and speech perception for normal-hearing and hearing-impaired people. *J Assoc Res Otolaryngol.* 2008; 9(4):399-406. ISSN: 1525-3961.
- Moore BC and Glasberg BR. A revised model of loudness perception applied to cochlear hearing loss. *Hear Res.* 2004; 188(1-2):70-88. ISSN: 0378-5955.
- Moore BC; Glasberg BR, and Stone MA. New version of the TEN test with calibrations in dB HL. *Ear Hear.* 2004; 25(5):478-487. ISSN: 0196-0202.
- Moore BC; Stainsby TH, and Tarasewicz E. Effects of masker component phase on the forward masking produced by complex tones in normally hearing and hearing-impaired subjects. *Hear Res.* 2004; 192(1-2):90-100. ISSN: 0378-5955.
- Moore BCJ. Basic psychophysics of human spectral processing. *Aud Spectral Proc.* 2005; 70(179):49-86.
- Moore BCJ and Glasberg BR. A revised model of loudness perception applied to cochlear hearing loss. 2004; 188, (1-2): 70-88.
- Moore BCJ and Moore GA. Discrimination of the fundamental frequency of complex tones with fixed and shifting spectral envelopes by normally hearing and hearing-impaired subjects. *Hear Res.* 2003; 182(1-2):153-163.
- Moore BCJ and Vinay SN. Enhanced discrimination of low-frequency sounds for subjects with high-frequency dead regions. *Brain.* 2009; 132(Pt 2):524-536. ISSN: 1460-2156.
- Moore DR; Ferguson MA; Halliday LF, and Riley A. Frequency discrimination in children: perception, learning and attention. *Hear Res.* 2008; 238(1-2):147-154. ISSN: 0378-5955.
- Moore JM; Tollin DJ, and Yin TC. Can measures of sound localization acuity be related to the precision of absolute location estimates? *Hear Res.* 2008; 238(1-2):94-109. ISSN: 0378-5955.

- Mor R and Azevedo MF. Otoacoustic emissions and medial olivocochlear system: patients with tinnitus and no hearing loss. *Pro-Fono Revista De Analizacion Cientifica*. 2005; 17(3):283-292.
- Mora R; Mora F; Mora M; Barbieri M, and Yoo TJ. Restoration of hearing loss with tissue plasminogen activator. Case report. *Ann Otol Rhinol Laryngol*. 2003; 112(8):671-674.
- Morais D; Benito JI, and Almaraz A. [Acoustic trauma in classical music players.]. *Acta Otorrinolaringol Esp*. 2007; 58(9):401-407. ISSN: 0001-6519.
- Moral FJ; Alvarez P, and Canito JL. Mapping and Hazard Assessment of Atmospheric Pollution in a Medium Sized Urban Area Using the Rasch Model and Geostatistics Techniques. *Atmos Environ*. 2006; 40(8):1408-1418.
- Morata TC. Chemical exposure as a risk factor for hearing loss. *J Occup Environ Med*. 2003; 45(7):676-682.
- Morata TC. Young people: Their noise and music exposures and the risk of hearing loss. *Int J Audiol*. 2007; 46(3):111-112. ISSN: 1499-2027.
- Morata TC; Themann CL; Randolph RF; Verbsky BL; Byrne DC, and Reeves ER. Working in noise with a hearing loss: perceptions from workers, supervisors, and hearing conservation program managers. *Ear Hear*. 2005; 26(6):529-545. ISSN: 0196-0202.
- Moreau A and Enghardt L. Improvements of a parametric model for fan broadband and tonal noise. *J Acoust Soc Am*. 2008; 123(5):3540. ISSN: 1520-8524.
- Moreau D; Cazzolato B, and Zander A. Active Noise Control at a Moving Virtual Sensor in Three-Dimensions. *Acoust Aust*. 2008; 36(3):93-96. ISSN: 0814-6039.
- Moreau DJ; Cazzolato BS, and Zander AC. Active noise control at a moving location in a modally dense three-dimensional sound field using virtual sensing. *J Acoust Soc Am*. 2008; 123(5):3063. ISSN: 1520-8524.
- Moreira, R. R. and Ferreira Junior, M. [Speech tests: application in individuals with noise induced hearing loss]. *Pro Fono*. 2004; 16(3):293-300. ISSN: 0104-5687.
- Morgaine KC; Firth HM; Herbison GP; Feyer AM, and McBride DI. Obtaining health information from farmers: interviews versus postal questionnaires in a New Zealand case study. *Ann Agric Environ Med*. 2005; 12(2):223-228. ISSN: 1232-1966.
- Morgan H. Back-up Safety Alarms Minimize Environmental Noise Exposure and Focus Warning Signals. *Sound Vibration*. 2007; 41(2):6-8. ISSN: 1541-0161.
- Morgans, AS; Karabasov, SA; Dowling, AP, and Hynes, TP. Transonic helicopter noise. *AIAA J*. 2005; 43(7):1512-1524.
- Morillas, J. M.; Escobar, V. G.; Sierra, J. A.; Vilchez-Gomez, R.; Vaquero, J. M., and Carmona, J. T. A categorization method applied to the study of urban road traffic noise. *J Acoust Soc Am*. 2005; 117(5):2844-2852. ISSN: 0001-4966.
- Morita T; Hiraumi H; Fujiki N; Naito Y; Nagamine T; Fukuyama H, and Ito J. A recovery from enhancement of activation in auditory cortex of patients with idiopathic sudden sensorineural hearing loss. *Neurosci Res*. 2007; 58(1):6-11. ISSN: 0168-0102.

Morita Y; Hirokawa S; Kikkawa Y; Nomura T; Yonekawa H; Shiroishi T; Takahashi S, and Kominami R. Fine mapping of Ahl3 affecting both age-related and noise-induced hearing loss. *Biochem Biophys Res Commun.* 2007; 355(1):117-121. ISSN: 0006-291X.

Morken T; Bratveit M, and Moen BE. [Reporting of occupational hearing loss in the Norwegian offshore industry 1992-2003]. *Tidsskr Nor Laegeforen.* 2005; 125(23):3272-3274. ISSN: 0807-7096.

Morowatisharifabad M and Shirazi KK. Determinants of oral health behaviors among preuniversity (12th-grade) students in Yazd (Iran): an application of the health promotion model. *Family Community Health.* 2007; 4(342-350). ISSN:- 4.

Morrison WE; Haas EC; Shaffner DH; Garrett ES, and Fackler JC. Noise, stress, and annoyance in a pediatric intensive care unit. *Crit Care Med.* 2003; 31(1):113-119.

Mosconi G; Cassina T; Catenacci G; Ditaranto D; Frigeri G; Imbriani M; Merluzzi F; Mutti A; Riboldi L; Roscelli F; Saretto G; Toffoletto F; Violante F, and Apostoli P. [Research and formal demonstration of evidence of efficiency in occupational medicine]. *G Ital Med Lav Ergon.* 2006; 28(Suppl 1):135-148. ISSN: 1592-7830.

Moshammer H; Herbst A; Feuerstein A, and Hurter H. Determinants of Occupational Hearing Loss. *Epidemiol.* 2007; 18(5):S35. ISSN: 1044-3983.

Moss CF; Bohn K; Gilkenson H, and Surlykke A. Active Listening for Spatial Orientation in a Complex Auditory Scene. *PLoS Biol.* 2006; 4(4):e79. ISSN: 1545-7885.

Mostafa BE; Tawfik S; Hefnawi NG; Hassan MA, and Ismail FA. The role of deferoxamine in the prevention of gentamicin ototoxicity: a histological and audiological study in guinea pigs. *Acta Otolaryngol.* 2007; 127(3):234-239. ISSN: 0001-6489.

Moulin AM and Nottet JB. Hemispheric Laterality and Peripheral Auditory Asymmetry studied by Transiently Evoked Otoacoustic Emissions. *J Acoust Soc Am.* 2008; 123(5):3854. ISSN: 1520-8524.

Moura-De-Sousa C and Alves CMR. Knowledge amid annoyance related with noise exposure: A preliminary study. *Epidemiol.* 2003; 14(5):S69.

Mrena, R.; Paakkonen, R.; Back, L.; Pirvola, U., and Ylikoski, J. Otologic consequences of blast exposure: a Finnish case study of a shopping mall bomb explosion. *Acta Otolaryngol.* 2004; 124(8):946-952. ISSN: 0001-6489.

Mrena, R.; Savolainen, S.; Pirvola, U., and Ylikoski, J. Characteristics of acute acoustical trauma in the Finnish Defence Forces. *Int J Audiol.* 2004; 43(3):177-181. ISSN: 1499-2027.

Mrena R; Ylikoski J; Kiukaanniemi H; Makitie AA, and Savolainen S. The effect of improved hearing protection regulations in the prevention of military noise-induced hearing loss. *Acta Otolaryngol.* 2008; Mar 10:1-7. ISSN: 0001-6489.

Mrena R; Ylikoski M; Makitie A; Pirvola U, and Ylikoski J. Occupational noise-induced hearing loss reports and tinnitus in Finland. *Acta Otolaryngol.* 2007; 127(7):729-735. ISSN: 0001-6489.

Muehleisen RT. Acoustics Modules Developed in the IIT Research Experience for Teachers Program. *J Acoust Soc Am.* 2008; 123(5):3519. ISSN: 1520-8524.

Muehleisen RT. Analysis of uncertainty in building acoustic predictions using Monte-Carlo methods. *J Acoust Soc Am.* 2008; 123(5):3504. ISSN: 1520-8524.

Muehleisen RT. A Description of the Acoustic Requirements in Leed for Schools and a Comparison to the Ansi S12.60 Classroom Acoustics Standard. *Noise Control Eng J*. 2008; 56(5):365-373. ISSN: 0736-2501.

Muehleisen RT. Why we have two ears-a hands-on experiment comparing monaural and binaural hearing. *J Acoust Soc Am*. 2009; 125(4):2625. ISSN: 1520-8524.

Mueller HG; Weber J, and Hornsby BW. The effects of digital noise reduction on the acceptance of background noise. *Trends Amplif*. 2006; 10(2):83-93. ISSN: 1084-7138.

Muhr P; Mansson B, and Hellstrom PA. A study of hearing changes among military conscripts in the Swedish Army. *Int J Audiol*. 2006; 45(4):247-251. ISSN: 1499-2027.

Muhr P; Rasmussen F, and Rosenhall U. Prevalence of hearing loss among 18-year-old Swedish men during the period 1971-1995. *Scand J Public Health*. 2007; May 4:1-9. ISSN: 1403-4948.

Mukherjee AK; Bhattacharya SK; Ahmed S; Roy SK; Roychowdhury A, and Sen S. Exposure of drivers and conductors to noise, heat, dust and volatile organic compounds in the state transport special buses of Kolkata city. *Transport Res Part D- Transport Environ*. 2003; 8(1):11-19.

Mukherjee B and Shivakumar T. A Case of Sensorineural Deafness Following Ingestion of Sildenafil. *J Laryngol Otol*. 2007; 121(4):395-397. ISSN: 0022-2151.

Mullen S. Life gets louder. *Lansing State Journal*. 2003; Dec. 30.

Muller J and Janssen T. Impact of occupational noise on pure-tone threshold and distortion product otoacoustic emissions after one workday. *Hear Res*. 2008; Sept 25. ISSN: 0378-5955.

Muller J; Janssen T; Heppelmann G, and Wagner W. Evidence for a bipolar change in distortion product otoacoustic emissions during contralateral acoustic stimulation in humans. *J Acoust Soc Am*. 2005; 118(6):3747-3756. ISSN: 0001-4966.

Muller M and Smolders JW. Shift in the cochlear place-frequency map after noise damage in the mouse. *Neuroreport*. 2005; 16(11):1183-1187. ISSN: 0959-4965.

Muller M; von Hunerbein K; Hoidis S, and Smolders JW. A physiological place-frequency map of the cochlea in the CBA/J mouse. *Hear Res*. 2005; 202(1-2):63-73. ISSN: 0378-5955.

Muller-Wenk, R. A method to include in LCA road traffic noise and its health effects. *Int J Life Cycle Assessment*. 2004; 9(2):76-85.

Muluk NB; Basar MM; Oguzturk O, and Dikici O. Does subjective tinnitus cause sexual disturbance? *J Otolaryngol*. 2007; 36(2):77-82. ISSN: 0381-6605.

Muluk NB and Oguzturk O. Occupational noise-induced tinnitus: does it affect workers' quality of life? *J Otolaryngol*. 2008; 37(1):65-71. ISSN: 1708-833X.

Muly SM; Gross JS, and Potashner S. Noise trauma alters D-[H-3]apartate release and AMPA binding in chinchilla cochlear nucleus. 2004; 75, (4): 585-596.

Mun S and Geem ZW. Determination of Individual Sound Power Levels of Noise Sources Using a Harmony Search Algorithm. *Int J Ind Ergon*. 2009; 39(2):366-370. ISSN: 0169-8141.

Munro K and Lutman M. The effect of speech presentation level on measurement of auditory acclimatization to amplified speech. *J Acoust Soc Am*. 2003; 114(1):484-495.

- Munro KJ and Buttfeld LM. Comparison of real-ear to coupler difference values in the right and left ear of adults using three earmold configurations. *Ear Hear.* 2005; 26(3):290-298. ISSN: 0196-0202.
- Munro KJ and Millward KE. The influence of RECD transducer when deriving real-ear sound pressure level. *Ear Hear.* 2006; 27(4):409-423. ISSN: 0196-0202.
- Munro KJ and Toal S. Measuring the real-ear to coupler difference transfer function with an insert earphone and a hearing instrument: are they the same? *Ear Hear.* 2005; 26(1):27-34. ISSN: 0196-0202.
- Murai N; Kirkegaard M; Jarlebark L; Risling M; Suneson A, and Ulfendahl M. Activation of Jnk in the Inner Ear Following Impulse Noise Exposure. *J Neurotrauma.* 2008; 25(1):72-77. ISSN: 0897-7151.
- Murakoshi M; Yoshida N; Kitsunai Y; Iida K; Kumano S; Suzuki T; Kobayashi T, and Wada H. Effects of heat stress on Young's modulus of outer hair cells in mice. *Brain Res.* 2006; 1107(1):121-130. ISSN: 0006-8993.
- Murdin L; Patel S; Walmsley J, and Yeoh LH. Hearing difficulties are common in patients with rheumatoid arthritis. *Clin Rheumatol.* 2008; 27(5):637-640. ISSN: 0770-3198.
- Murdin, L. and Yeoh, L. H. Hearing loss treated with pamidronate. *J R Soc Med.* 2005; 98(6):272-274. ISSN: 0141-0768.
- Murillo IC. [How does noise affect us? In our health, life styles and environs]. *Rev Enferm.* 2007; 30(10):13-16, 18-20. ISSN: 0210-5020.
- Murphy E; King EA, and Rice HJ. Estimating human exposure to transport noise in central Dublin, Ireland. *Environ Int.* 2008; Sep 22. ISSN: 0160-4120.
- Murphy W. Impulse noise reduction for hearing protectors. *J Acoust Soc Am.* 2009; 125(4):2744. ISSN: 1520-8524.
- Murphy WJ; Byrne DC, and Franks JR. Firearms and hearing protection. *Hear Rev.* 2007; March:36, 38.
- Murphy WJ; Byrne DC; Gauger D; Ahroon WA; Berger E; Gerges SN; McKinley R; Witt B, and Krieg EF. Results of the National Institute for Occupational Safety and Health-U.S. Environmental Protection Agency interlaboratory comparison of American National Standards Institute S12.6-1997 Methods A and B. *J Acoust Soc Am.* 2009; 125(5):3262-3277. ISSN: 1520-8524.
- Murphy WJ; Franks JR; Berger EH; Behar A; Casali JG; Dixon-Ernst C; Krieg EF; Mozo BT; Royster JD; Royster LH; Simon SD, and Stephenson C. Development of a new standard laboratory protocol for estimation of the field attenuation of hearing protection devices: Sample size necessary to provide acceptable reproducibility. 2004; 115, (1): 311-323.
- Murphy WJ and Kardous CA. Attenuation measurements of passive linear and nonlinear hearing protectors for impulse noise. *J Acoust Soc Am.* 2003; 113(4 Pt 2):2195-2196.
- Murphy WJ; Khan A, and Shaw PB. Comparison of impulse noise damage risk criteria using the Albuquerque blast overpressure walkup study data. *J Acoust Soc Am.* 2008; 123(5):3526. ISSN: 1520-8524.
- Murphy WJ and Tubbs RL. Assessment of noise exposure for indoor and outdoor firing ranges. *J Occup Environ Hyg.* 2007; 4(9):688-697. ISSN: 1545-9624.
- Murray-Johnson, L.; Witte, K.; Patel, D.; Orrego, V.; Zuckerman, C.; Maxfield, A. M., and Thimons, E. D. Using the extended parallel process model to prevent noise-induced hearing loss among coal miners in Appalachia. *Health Educ Behav.* 2004; 31(6):741-755. ISSN: 1090-1981.

- Murray N; LePage E, and Butler T. Hearing health of New South Wales prison inmates. 2004; 28, (6): 537-541.
- Murugasu, E. Recent advances in the treatment of sensorineural deafness. *Ann Acad Med Singapore*. 2005; 34(4):313-319. ISSN: 0304-4602.
- Muzammil M; Khan AA; Hasan F, and Hasan SN. Effect of noise on human performance under variable load in a die casting industry--a case study. *J Environ Sci Eng*. 2004; 46(1):49-54.
- Muzet A. [The effects of noise on sleep and their possible repercussions on health]. *Med Sci (Paris)*. 2006; 22(11):973-977. ISSN: 0767-0974.
- Muzet A. Environmental noise, sleep and health. *Sleep Med Rev*. 2007; 11(2):135-142. ISSN: 1087-0792.
- Myers B. NRRs for hearing protectors: a change is coming. *Occup Health Saf*. 2008; 77(6):106, 108. ISSN: 0362-4064.
- Nabelek AK. Acceptance of background noise may be key to successful fittings. *Hear J*. 2005; 58(4):10-12.
- Nabi SM; Bryee G; Leiren B; Hannan G; Dharamsi S, and Westerberg B. Evaluation of the Hearing Foundation of Canada Sound Sense Noise-Induced Hearing Loss Prevention Program. *J Investigative Med*. 2007; 55(1):S111. ISSN: 1081-5589.
- Nabuco M; Fiorini AC, and Fuchs G. An experimental investigation of the measurement uncertainties in the assessment of exposure to noise in a working environment according to ISO 9612. *J Acoust Soc Am*. 2008; 123(5):3527. ISSN: 1520-8524.
- Nadeau, J. H. Listening to genetic background noise. *N Engl J Med*. 2005; 352(15):1598-1599. ISSN: 1533-4406.
- Naff KA; Riva CM; Craig SL, and Gray KN. Noise produced by vacuuming exceeds the hearing thresholds of C57Bl/6 and CD1 mice. *J Am Assoc Lab Anim Sci*. 2007; 46(1):52-57. ISSN: 1559-6109.
- Nagatani Y; Sakaguchi T, and Hosoi H. Evaluation of acoustic environments using deteriorated speech sound. *J Acoust Soc Am*. 2008; 123(5):3176. ISSN: 1520-8524.
- Nageris BI; Attias J, and Shemesh R. Otologic and audiologic lesions due to blast injury. *J Basic Clin Physiol Pharmacol*. 2008; 19(3-4):185-191. ISSN: 0792-6855.
- Nageris BI; Raveh E; Zilberberg M, and Attias J. Asymmetry in noise-induced hearing loss: relevance of acoustic reflex and left or right handedness. *Otol Neurotol*. 2007; 28(4):434-437. ISSN: 1531-7129.
- Nagy I; Bodmer M; Brors D, and Bodmer D. Early gene expression in the organ of Corti exposed to gentamicin. *Hear Res*. 2004; 195(1-2):1-8. ISSN: 0378-5955.
- Nakagawa T and Ito J. Drug delivery systems for the treatment of sensorineural hearing loss. *Acta Otolaryngol Suppl*. 2007(557):30-35. ISSN: 0365-5237.
- Nakamoto, Y.; Iino, Y., and Kodera, K. [Temporal bone histopathology of noise-induced hearing loss]. *Nippon Jibiinkoka Gakkai Kaiho*. 2005; 108(2):172-181. ISSN: 0030-6622.
- Nakamura N. Development of "MobileAudiometer" for Screening using Mobile Phones. *Conf Proc IEEE Eng Med Biol Soc*. 2004; 5(1):3369-3372. ISSN: 1557-170X.

- Nakao T; Horie S; Tsutsui T; Kawanami S; Sasaki N, and Inoue J. Earplug-type earphone with built-in microphone improves monosyllable intelligibility in noisy environments. *J Occup Health*. 2008; 50(2):194-196. ISSN: 1348-9585.
- Nakashima A; Abel SM; Duncan M, and Smith D. Hearing, communication and cognition in low-frequency noise from armoured vehicles. *Noise Health*. 2007; 9(35):35-41. ISSN: 1463-1741.
- Nakashima AM; Borland MJ, and Abel SM. Measurement of noise and vibration in Canadian forces armoured vehicles. *Ind Health*. 2007; 45(2):318-327. ISSN: 0019-8366.
- Nam, E. C. and Won, J. Y. Extratympanic electrocochleographic changes on noise-induced temporary threshold shift. *Otolaryngol Head Neck Surg*. 2004; 130(4):437-342. ISSN: 0194-5998.
- Narlawar UW; Surjuse BG, and Thakre SS. Hypertension and hearing impairment in workers of iron and steel industry. *Indian J Physiol Pharmacol*. 2006; 50(1):60-66. ISSN: 0019-5499.
- Narozny W. [The influence of glucocorticoids on the view of chicken's inner ear damage after exposure to wide-band-noise]. *Otolaryngol Pol*. 2006; 60(4):587-592. ISSN: 0030-6657.
- Narozny W; Kuczkowski J; Kot J; Stankiewicz C; Sicko Z, and Mikaszewski B. Prognostic factors in sudden sensorineural hearing loss: our experience and a review of the literature. *Ann Otol Rhinol Laryngol*. 2006; 115(7):553-558. ISSN: 0003-4894.
- Nash JL. Construction safety: best practices in training hispanic workers. *Occup Haz*. 2004; February:35.
- Nash JL. Hearing Conservation in Construction. *Occup Haz*. 2004; 66(9):73. ISSN: 00297909.
- Nash JL. The hidden risks of OSHA's noise standard. *Occup Haz*. 2003; Aug:27-33.
- Nash JL. Recordkeeping: Employers must check for hearing loss. *Occup Haz*. 2003; 65(2):8.
- Nash JL. Union, Hispanic caucus demand OSHA issue PPE rule. *Occup Haz*. 2003; 65(6):12.
- Nataletti P; Sisto R; Pieroni A; Sanjust F, and Annesi D. [Pilot study of professional exposure and hearing functionality of orchestra musicians of a national lyric theatre]. *G Ital Med Lav Ergon*. 2007; 29(Suppl 3):496-498. ISSN: 1592-7830.
- Natarajan A; Hansen JHL; Arehart KH, and Rossi-Katz J. An Auditory-Masking-Threshold-Based Noise Suppression Algorithm Gmmse-Amt[Erb] for Listeners With Sensorineural Hearing Loss. *Eurasip J Appl Signal Process*. 2005; 18(18):2938-2953.
- Nayak GD; Ratnayaka HS; Goodyear RJ, and Richardson GP. Development of the hair bundle and mechanotransduction. *Int J Dev Biol*. 2007; 51(6-7):597-608. ISSN: 0214-6282.
- Necsulescu D; Zhang W; Weiss W, and Sasiadek J. Room Acoustics Measurement System Design Using Simulation and Experimental Studies. *Ieee Trans Instrument Measurement*. 2009; 58(1):167-172.
- Neelon, M. F.; Brungart, D. S., and Simpson, B. D. The isoazimuthal perception of sounds across distance: a preliminary investigation into the location of the audio egocenter. *J Neurosci*. 2004; 24(35):7640-7647. ISSN: 1529-2401.
- Neely, ST; Johnson, TA, and Gorga, MP. Distortion-product otoacoustic emission measured with continuously varying stimulus level. *J Acoust Soc Am*. 2005; 117(3):1248-1259.

- Neghab M; Maddahi M, and Rajaeefard AR. Hearing Impairment and Hypertension Associated With Long Term Occupational Exposure to Noise. *Iranian Red Crescent Med J.* 2009; 11(2):160-165. ISSN: 1561-4395.
- Negley C; Katbamna B; Crumpton T, and Lawson GD. Effects of Cigarette Smoking on Distortion Product Otoacoustic Emissions. *J Am Acad Aud.* 2007; 18(8):665-674. ISSN: 1050-0545.
- Neisz JJ. Method and apparatus for minimally invasive placement of sensing and driver assemblies to improve hearing loss. *J Acoust Soc Am.* 2008; 123(5):2471. ISSN: 1520-8524.
- Neitzel R; Daniell W; Sheppard L; Davies H, and Seixas N. Comparison of Perceived and Quantitative Measures of Occupational Noise Exposure. *Ann Occup Hyg.* 2008; Nov 4. ISSN: 1475-3162.
- Neitzel R; Meischke H; Daniell WE; Trabeau M; Somers S, and Seixas NS. Development and pilot test of hearing conservation training for construction workers. *Am J Ind Med.* 2007; Dec 7.
- Neitzel, R. and Seixas, N. The effectiveness of hearing protection among construction workers. *J Occup Environ Hyg.* 2005; 2(4):227-238. ISSN: 1545-9624.
- Neitzel, R.; Seixas, N.; Goldman, B., and Daniell, W. Contributions of non-occupational activities to total noise exposure of construction workers. *Ann Occup Hyg.* 2004; 48(5):463-473. ISSN: 0003-4878.
- Neitzel R; Seixas N; Olson J; Daniell W, and Goldman B. Non-occupational noise in construction workers: Should we care? *Spectrum.* 2003; 20(Suppl 1):14.
- Neitzel R; Seixas N; Olson J; Daniell W, and Goldman B. Nonoccupational noise: exposures associated with routine activities. 2004; 115, (1): 237-245.
- Neitzel R; Somers S, and Seixas N. Variability of real-world hearing protector attenuation measurements. *Ann Occup Hyg.* 2006; 50(7):679-691. ISSN: 0003-4878.
- Neitzel RL; Berna BE, and Seixas NS. Noise exposures aboard catcher/processor fishing vessels. *Am J Ind Med.* 2006; May 26. ISSN: 0271-3586.
- Nelisse H; Gaudreau MA; Voix J; Boutin JM, and Laville F. Variability of hearing protection devices attenuation as a function of source location. *J Acoust Soc Am.* 2008; 123(5):3565. ISSN: 1520-8524.
- Nelson DI; Concha-Barrientos M; Driscoll T; Steenland K; Fingerhut M; Punnett L; Pruss-Ustun A; Leigh J, and Corvalan C. The global burden of selected occupational diseases and injury risks: Methodology and summary. *Am J Ind Med.* 2005; 48(6):400-418. ISSN: 0271-3586.
- Nelson DI; Nelson R. Y; Concha-Barrientos M, and Fingerhut M. The global burden of occupational noise-induced hearing loss. *Am J Ind Med.* 2005; 48(6):446-458. ISSN: 0271-3586.
- Nelson, E. G. and Hinojosa, R. Questioning the relationship between cochlear otosclerosis and sensorineural hearing loss: a quantitative evaluation of cochlear structures in cases of otosclerosis and review of the literature. *Laryngoscope.* 2004; 114(7):1214-1230. ISSN: 0023-852X.
- Nelson EG and Hinojosa R. Presbycusis: a human temporal bone study of individuals with downward sloping audiometric patterns of hearing loss and review of the literature. *Laryngoscope.* 2006; 116(9 Pt 3 Suppl 112):1-12. ISSN: 0023-852X.
- Nelson, JP. Meta-analysis of airport noise and hedonic- property values- problems and prospects. *J Trans Econ Pol.* 2004; 38(Part 1):1-28.

- Nelson P; Rutledge J, and Tejero-Calado JC. Signal processing algorithms for speech in fluctuating noise. *J Acoust Soc Am*. 2008; 123(5):3166. ISSN: 1520-8524.
- Nemes J. Amplification in the classroom: New technologies, new challenges. *Hear J*. 2008; 61(2):17-21.
- Nemr K; Amar A; Abrahao M; Leite GC; Kohle J; Santos Ade O, and Correa LA. Comparative analysis of perceptual evaluation, acoustic analysis and indirect laryngoscopy for vocal assessment of a population with vocal complaint. *Rev Bras Otorrinolaringol*. 2005; 71(1):13-17. ISSN: 1808-8694.
- Neuburger J; Kinkel M; Lenarz T, and Lesinski-Schiedat A. [Asymmetrical hearing loss following symmetrical acute acoustic trauma]. *Laryngorhinootologie*. 2007; 86(12):875-878. ISSN: 0935-8943.
- Newman, C. W. and Sandridge, S. A. Hearing loss is often undiscovered, but screening is easy. *Cleve Clin J Med*. 2004; 71(3):225-232. ISSN: 0891-1150.
- Newsham KR. Accommodations for Athletic Training Students With Hearing Loss. *Athletic Therapy Today*. 2008; 13(1):24-28. ISSN: 1078-7895.
- Ni CH; Chen ZY; Zhou Y; Zhou JW; Pan JJ; Liu N; Wang J; Liang CK; Zhang ZZ, and Zhang YJ. Associations of blood pressure and arterial compliance with occupational noise exposure in female workers of textile mill. *Chin Med J*. 2007; 120(15):1309-1313. ISSN: 0366-6999.
- Nicolas-Puel C; Akbaraly T; Lloyd R; Berr C; Uziel A; Rebillard G, and Puel JL. Characteristics of tinnitus in a population of 555 patients: specificities of tinnitus induced by noise trauma. *Int Tinnitus J*. 2006; 12(1):64-70. ISSN: 0946-5448.
- Nicotera G; Nobile CG; Bianco A, and Pavia M. Environmental history-taking in clinical practice: knowledge, attitudes, and practice of primary care physicians in Italy. *J Occup Environ Med*. 2006; 48(3):294-302. ISSN: 1076-2752.
- Nicotera TM; Hu BH, and Henderson D. The caspase pathway in noise-induced apoptosis of the Chinchilla cochlea. 2003; 4, (4): 466-477.
- Niebuhr DW; Completo JD; Helfer TM, and Chandler DW. A comparison of the military entrance processing station screening audiogram with the Defense Occupational and Environmental Health Readiness System reference audiogram at Fort Sill, Oklahoma, in 2000. *Mil Med*. 2006; 171(2):117-121. ISSN: 0026-4075.
- Niebuhr DW; Li Y; Powers TE; Krauss MR; Chandler D, and Helfer T. Attrition of U.S. military enlistees with waivers for hearing deficiency, 1995-2004. *Mil Med*. 2007; 172(1):63-69. ISSN: 0026-4075.
- Nijland HA; Hartemink S; van Kamp I, and van Wee B. The influence of sensitivity for road traffic noise on residential location: Does it trigger a process of spatial selection? *J Acoust Soc Am*. 2007; 122(3):1595. ISSN: 1520-8524.
- Nijland HA and Van Wee GP. Traffic noise in Europe: A comparison of calculation methods, noise indices and noise standards for road and railroad traffic in Europe. *Transport Rev*. 2005; 25(5):591-612.
- Niland J. No easy NRR determination for dual hearing protection. *Safety & Health*. 2003; 168(1):58.
- Nilsson ME and Berglund B. Noise annoyance and activity disturbance before and after the erection of a roadside noise barrier. *J Acoust Soc Am*. 2006; 119(4):2178-2188. ISSN: 0001-4966.
- Nilsson ME and Berglund B. Soundscape Quality in Suburban Green Areas and City Parks. *Acta Acustica United With Acustica*. 2006; 92(6):903-911. ISSN: 1610-1928.

- Niquette PA. Uniform attenuation hearing protection devices. *Hear Rev.* 2007; March:42-45.
- Niu X; Shao R, and Canlon B. Suppression of apoptosis occurs in the cochlea by sound conditioning. *Neuroreport.* 2003; 14(7):1025-1029.
- Niu X; Tahera Y, and Canlon B. Environmental enrichment to sound activates dopaminergic pathways in the auditory system. *Physiol Behav.* 2007; 92(1-2):34-39. ISSN: 0031-9384.
- Niu, XZ; Tahera, Y, and Canlon, B. Protection against acoustic trauma by forward and backward sound conditioning. *Audiol Neuro-Otol.* 2004; 9(5):265-273.
- Nobile M. Noise levels in computer data centers: Potential occupational noise hazard. *J Acoust Soc Am.* 2008; 124(4):2589. ISSN: 1520-8524.
- Noble W. Auditory reality and self-assessment of hearing. *Trends Amplif.* 2008; 12(2):113-120. ISSN: 1084-7138.
- Noble W and Tyler R. Physiology and phenomenology of tinnitus: implications for treatment. *J Audiol.* 2007; 46(10):569-574. ISSN:- 10.
- Nomura K; Nakao M, and Morimoto T. Effect of smoking on hearing loss: quality assessment and meta-analysis. 2005; 40, (2): 138-144.
- Nomura, K.; Nakao, M., and Yano, E. Hearing loss associated with smoking and occupational noise exposure in a Japanese metal working company. *Int Arch Occup Environ Health.* 2005; 78(3):178-184. ISSN: 0340-0131.
- Nondahl, D. M.; Cruickshanks, K. J.; Dalton, D. S.; Schubert, C. R.; Klein, B. E.; Klein, R., and Tweed, T. S. Serum cotinine level and incident hearing loss: a case-control study. *Arch Otolaryngol Head Neck Surg.* 2004; 130(11):1260-1264. ISSN: 0886-4470.
- Nondahl, D. M.; Cruickshanks, K. J., and Schubert, C. R. A questionnaire for assessing environmental tobacco smoke exposure. *Environ Res.* 2005; 97(1):76-82. ISSN: 0013-9351.
- Nondahl DM; Cruickshanks KJ; Dalton DS; Klein BE; Klein R; Tweed TS, and Wiley TL. The use of hearing protection devices by older adults during recreational noise exposure. *Noise Health.* 2006; 8(33):147-153. ISSN: 1463-1741.
- Nondahl DM; Cruickshanks KJ; Dalton DS; Wiley TL, and Tweed TS. The Use of Hearing Protection During Recreational Noise Exposure. *Am J Epidemiol.* 2006; 163(11):S135.
- Nondahl DM; Cruickshanks KJ; Wiley TL; Klein R; Klein BEK, and Tweed TS. Comment on tinnitus on older adults from the Blue Mountains Study in Sindhusake et al and comparison with tinnitus data from the epidemiology of hearing loss study. 2004; 43, (1): 60.
- Nondahl DM; Klein BE; Klein R; Cruickshanks KJ; Tweed TS, and Wiley TL. Factors predicting severity of tinnitus: a population-based assessment. *J Am Acad Audiol.* 2005; 16(3):196; author reply 197. ISSN: 1050-0545.
- Noonan D. A little bit louder, please [Web Page]. 2005 Jun 6; Accessed 2005 Jun 6. Available at: www.msnbc.msn.com/id/8017906/site/newsweek.
- Noppen M; Verbanck S; Harvey J; Van Herreweghe R; Meysman M; Vinckin W, and Paiva M. Music: a new cause of primary spontaneous pneumothorax. *Thorax.* 2004; 59:722-724.

- Nor Saleha IT and Noor Hassim I. A Study on Compliance to Hearing Conservation Programme among Industries in Negeri Sembilan, Malaysia. *Ind Health*. 2006; 44(4):584-591. ISSN: 0019-8366.
- Nordang L and Anniko M. Nitro-L-arginine methyl ester: a potential protector against gentamicin ototoxicity. *Acta Otolaryngol*. 2005; 125(10):1033-1038. ISSN: 0001-6489.
- Nordin S; Millqvist E; Lowhagen O, and Bende M. The Chemical Sensitivity Scale: Psychometric properties and comparison with the noise sensitivity scale. *J Environ Psychol*. 2003; 23(4):359-367.
- Nordstrom CH. Re: "Exposure to loud noise and risk of acoustic neuroma". *Am J Epidemiol*. 2006; 164(7):706; author reply 706-7. ISSN: 0002-9262.
- Norena AJ and Chery-Croze S. Enriched acoustic environment rescales auditory sensitivity. *Neuroreport*. 2007; 18(12):1251-1255. ISSN: 0959-4965.
- Norena AJ and Eggermont JJ. Enriched acoustic environment after noise trauma abolishes neural signs of tinnitus. *Neuroreport*. 2006; 17(6):559-563. ISSN: 0959-4965.
- Norena AJ and Eggermont JJ. Enriched acoustic environment after noise trauma reduces hearing loss and prevents cortical map reorganization. *J Neurosci*. 2005; 25(3):699-705. ISSN: 1529-2401.
- Norena AJ; Gourevich B; Aizawa N, and Eggermont JJ. Spectrally enhanced acoustic environment disrupts frequency representation in cat auditory cortex. *Nat Neurosci*. 2006; 9(7):932-? ISSN: 1097-6256.
- Nosrati-Zarenoe R; Arlinger S, and Hulcrantz E. Idiopathic sudden sensorineural hearing loss: results drawn from the Swedish national database. *Acta Oto-Laryngol*. 2007; 127(11):1168-1175. ISSN:- 11.
- Nott MR and West PDB. Orthopaedic theatre noise: a potential hazard to patients. *Anaesthesia*. 2003; 58(8):784-787.
- Nottet JB; Moulin A; Brossard N; Suc B, and Job A. Otoacoustic emissions and persistent tinnitus after acute acoustic trauma. *Laryngoscope*. 2006; 116(6):970-975. ISSN: 0023-852X.
- Nourski, K. V.; Miller, C. A.; Hu, N., and Abbas, P. J. Co-administration of kanamycin and ethacrynic acid as a deafening method for acute animal experiments. *Hear Res*. 2004; 187(1-2):131-133. ISSN: 0378-5955.
- Nousak JK and Stapells DR. Auditory brainstem and middle latency responses to 1 khz tones in noise-masked normally-hearing and sensorineurally hearing-impaired adults. *Int J Audiol*. 2005; 44(6):331-344. ISSN: 1499-2027.
- Noweir MH and Jamil AT. Noise pollution in textile, printing, and publishing industries in Saudi Arabia. *Environ Monitoring Assessment*. 2003; 83(1):103-111.
- Nussinovitch, M.; Rimon, A.; Volovitz, B.; Raveh, E.; Prais, D., and Amir, J. Cotton-tip applicators as a leading cause of otitis externa. *Int J Pediatr Otorhinolaryngol*. 2004; 68(4):433-435. ISSN: 0165-5876.
- O'Brien I; Wilson W, and Bradley A. Nature of orchestral noise. *J Acoust Soc Am*. 2008; 124(2):926-939. ISSN: 1520-8524.
- O'Brien J. NYC code provides the sound of things to come. *Occup Haz*. 2008; May:48-49.
- O'Brien W. Simulation of bone-conducted sound pathways to the inner ear. *J Acoust Soc Am*. 2008; 124(4):2456. ISSN: 1520-8524.

O'halloran R; Hickson L, and Worrall L. Environmental Factors That Influence Communication Between People With Communication Disability and Their Healthcare Providers in Hospital: a Review of the Literature Within the International Classification of Functioning, Disability and Health (Icf) Framework. *Int J Lang Commun Disorders*. 2008; 43(6):601-632. ISSN: 1368-2822.

O'Mard LP; Sayles M, and Winter IM. Modelling the temporal response of the auditory nerve to the pitch of complex tones in reverberation. *J Acoust Soc Am*. 2008; 123(5):3302. ISSN: 1520-8524.

Obelenis V and Malinauskiene V. [The influence of occupational environment and professional factors on the risk of cardiovascular disease]. *Medicina (Kaunas)*. 2007; 43(2):96-102. ISSN: 1648-9144.

Ochi K; Kinoshita H; Kenmochi M; Nishino H, and Ohashi T. Zinc deficiency and tinnitus. *Auris Nasus Larynx*. 2003; 30:S25-S28.

Odame KM; Anderson DV, and Hasler P. A Bandpass Filter With Inherent Gain Adaptation for Hearing Applications. *Ieee Transactions on Circuits and Systems I-Regular Papers*. 2008; 55(3):786-795. ISSN: 1549-8328.

Oertli J. Overview of railway noise control in europe. *J Acoust Soc Am*. 2008; 123(5):3258. ISSN: 1520-8524.

Oestenstad RK; Norman MW, and Borton TE. Efficacy of the Us Army Policy on Hearing Conservation Programs. *Mil Med*. 2008; 173(10):992-998. ISSN: 0026-4075.

Ogido R; Costa EA, and Machado Hda C. [Prevalence of auditory and vestibular symptoms among workers exposed to occupational noise]. *Rev Saude Publica*. 2009; 43(2):377-380. ISSN: 1518-8787.

Ogren, M and Forssen, J. Modelling of a city canyon problem in a turbulent atmosphere using an equivalent sources approach. *Appl Acoust*. 2004; 65(6):629-642.

Ohinata Y; Miller JM, and Schacht J. Protection from noise-induced lipid peroxidation and hair cell loss in the cochlea. *Brain Res*. 2003; 966(2):265-273.

Ohlemiller KK. Contributions of mouse models to understanding of age- and noise-related hearing loss. *Brain Res*. 2006; Apr 20. ISSN: 0006-8993.

Ohlemiller KK. Recent findings and emerging questions in cochlear noise injury. *Hear Res*. 2008; 245(1-2):5-17. ISSN: 0378-5955.

Ohlemiller KK and Gagnon PM. Genetic dependence of cochlear cells and structures injured by noise. *Hear Res*. 2006; Dec 15. ISSN: 0378-5955.

Ohlin D. Strategic and tactical thinking in the hearing conservation mindset: A military perspective. *Noise Health*. 2009; 11(42):22-25. ISSN: 1463-1741.

Ohrstrom E. Longitudinal surveys on effects of changes in road traffic noise- annoyance, activity disturbances, and psycho-social well-being. 2004; 115, (2): 719-729.

Ohrstrom E; Barregard L; Andersson E; Skanberg A; Svensson H, and Angerheim P. Annoyance Due to Single and Combined Sound Exposure From Railway and Road Traffic. *JASA*. 2007; 122(5):2642-2652. ISSN: 0001-4966.

Ohrstrom E; Hadzibajramovic E; Holmes M, and Svensson H. Effects of Road Traffic Noise on Sleep: Studies on Children and Adults. *J Environ Psychol*. 2006; 26(2):116-126.

Ohrstrom E; Skanberg A; Svensson H, and Gidlof-Gunnarsson A. Effects of Road Traffic Noise and the Benefit of Access to Quietness. *J Sound Vib.* 2006; 295(1-2):40-59.

Okamoto, H.; Ross, B.; Kakigi, R.; Kubo, T., and Pantev, C. N1m recovery from decline after exposure to noise with strong spectral contrasts. *Hear Res.* 2004; 196(1-2):77-86. ISSN: 0378-5955.

Okamoto, M.; Nakanishi, N., and Tataru, K. The relationship between self-reported difficulty with hearing in the worse ear and the better ear. *Clin Otolaryngol.* 2005; 30(1):16-20. ISSN: 0307-7772.

Okamoto M; Nakanishi N, and Tataru K. Self-reported hearing difficulty and hearing impairment in Japanese people living in a community. *Int J Audiol.* 2004; 43(1):54-59. ISSN: 1499-2027.

Okpala NC. Knowledge and attitude of infantry soldiers to hearing conservation. *Mil Med.* 2007; 172(5):520-522. ISSN: 0026-4075.

Oktay MF and Dasdag S. Effects of intensive and moderate cellular phone use on hearing function. *Electromagn Biol Med.* 2006; 25(1):13-21. ISSN: 1536-8378.

Oktay MF; Dasdag S; Akdere M; Cureoglu S; Cebe M; Yazicioglu M; Topcu I, and Meric F. Occupational safety: Effects of workplace radiofrequencies on hearing function. *Arch Med Res.* 2004; 35(6):517-521.

Olayinka OS and Abdullahi SA. An overview of industrial employees' exposure to noise in sundry processing and manufacturing industries in Ilorin metropolis, Nigeria. *Ind Health.* 2009; 47(2):123-133. ISSN: 1880-8026.

Olivares OJ. Selecting for safety. *Occup Health Safety.* 2003; 72(9):46-47.

Ologe FE; Akande TM, and Olajide TG. Noise exposure, awareness, attitudes and use of hearing protection in a steel rolling mill in Nigeria. *Occup Med.* 2005; 55(6):487-489. ISSN: 0962-7480.

Ologe FE; Akande TM, and Olajide TG. Occupational noise exposure and sensorineural hearing loss among workers of a steel rolling mill. *Eur Arch Otolaryngol.* 2006.

Ologe FE; Okoro E, and Oyejola BA. Environmental noise levels in Nigeria: a report. *J Occup Environ Hyg.* 2006; 3(2):D19-D21. ISSN: 1545-9624.

Ologe FE; Olajide TG; Nwawolo CC, and Oyejola BA. Deterioration of noise-induced hearing loss among bottling factory workers. *J Laryngol Otol.* 2008; 122(8):786-794. ISSN: 1748-5460.

Olsen HL; Olofsson A, and Hagerman B. The effect of presentation level and compression characteristics on sentence recognition in modulated noise. *Int J Audiol.* 2004; 43(5):283-294. ISSN: 1499-2027.

Olszewski J; Kowalska S, and Kusmierczyk K. [Tinnitus diagnosis and treatment on the basis of our experiences]. *Otolaryngol Pol.* 2008; 62(1):76-81. ISSN: 0030-6657.

Olszewski J; Miloniski J, and Olszewski S. [Analysis of hearing threshold shift measured by otoacoustic emissions in soldiers after shooting with use hearing protectors]. *Med Pr.* 2006; 57(2):109-114. ISSN: 0465-5893.

Olszewski J; Milonski J; Olszewski S, and Majak J. Hearing threshold shift measured by otoacoustic emissions after shooting noise exposure in soldiers using hearing protectors. *Otolaryngol Head Neck Surg.* 2007; 136(1):78-81. ISSN: 0194-5998.

Olszewski J; Milonski J; Sulkowski WJ; Majak J, and Olszewski S. Temporary hearing threshold shift measured by otoacoustic emissions in subjects exposed to short-term impulse noise. *Int J Occup Med Environ Health*. 2005; 18(4):375-379. ISSN: 1232-1087.

Olszewski K; Parks C, and Chikotas NE. Occupational safety and health objectives of Healthy People 2010: a systematic approach for occupational health nurses--Part II. *AAOHN J*. 2007; 55(3):115-123; quiz 124-125. ISSN: 0891-0162.

Omokhodion FO; Adeosun AA, and Fajola AA. Hearing impairment among mill workers in small scale enterprises in southwest Nigeria. *Noise Health*. 2007; 9(36):75-77. ISSN: 1463-1741.

Omokhodion FO and Kolude OO. Health problems of mill operators in a tropical African population. *West Afr J Med*. 2005; 24(3):256-258. ISSN: 0189-160X.

Omoto A; Suzuki H, and Kakiuchi A. Active sound field equalization. *J Acoust Soc Am*. 2008; 123(5):3091. ISSN: 1520-8524.

Onusic H and Hage MM. Parameters used for acoustic qualification/quantification of automotive vehicles. *Int J Veh Design*. 2005; 37(1):81-98.

Opperman DA; Reifman W; Schlauch R, and Levine S. Incidence of spontaneous hearing threshold shifts during modern concert performances. *Otolaryngol Head Neck Surg*. 2006; 134(4):667-673. ISSN: 0194-5998.

Ordonez C; Saavedra A; Taboada J, and Alejano L. Analysis of Dust Pollution in Slate and Granite Transformation Plants. *Environ Progress*. 2007; 26(2):178-187. ISSN: 0278-4491.

Orji FT and Agu CC. Determinants of Spontaneous Healing in Traumatic Perforations of the Tympanic Membrane. *Clin Otolaryngol*. 2008; 33(5):420-426. ISSN: 1749-4478.

Oshkai P; Yan T; Velikorodny A, and Vancaeselee S. Acoustic Power Calculation in Deep Cavity Flows: a Semiempirical Approach. *J Fluids Eng-Trans ASME*. 2008; 130(5). ISSN: 0098-2202.

Ostroff JM; McDonald KL; Schneider BA, and Alain C. Aging and the processing of sound duration in human auditory cortex. *Hear Res*. 2003; 181(1-2):1-7.

Oswald JA and Janssen T. Weighted DPOAE input/output functions: A tool for automatic assessment of hearing loss in clinical application. *Z Med Phys*. 2003; 13(2):93-98.

Oswald JA; Rosner T, and Janssen T. Hybrid measurement of auditory steady-state responses and distortion product otoacoustic emissions using an amplitude-modulated primary tone. *J Acoust Soc Am*. 2006; 119(6):3886-3895. ISSN: 0001-4966.

Otenio MH; Cremer E, and Claro EM. Noise level in a 222 bed hospital in the 18th health region-PR. *Rev Bras Otorrinolaringol (Engl Ed)*. 2007; 73(2):245-250. ISSN: 1808-8694.

Otto G; Ingo H; Malte KC; Georg K, and Jurgen S. A Quantitative Analysis of Psychometric Functions for Different Auditory Tasks in Gerbils. *Hearing Research*. 2006; 220(1-2):27-37.

Ou KY and Bai MR. A Perceptual Approach for Interaural Transfer Function Calculations Based on Wiener Filtering. *J Audio Eng Soc*. 2007; 55(9):752-761. ISSN: 1549-4950.

Owens DT. Hearing Loss a Primer for the Performing Arts. *Med Probl Perform Art*. 2008; 23(4):147-154. ISSN: 0885-1158.

- Owens, DT. Sound pressure levels experienced by the high school band director. *Med Probl Perform Art.* 2004; 19(3):109-115.
- Oyedepo OS and Saadu AA. Assessment of noise level in sundry processing and manufacturing industries in Ilorin metropolis, Nigeria. *Environ Monit Assess.* 2009; Mar 10. ISSN: 1573-2959.
- Ozimek E; Kutzner D, and Warzybok A. Speech intelligibility determined with various tests presented against noise. *J Acoust Soc Am.* 2008; 123(5):3323. ISSN: 1520-8524.
- Ozimek E; Wicher A; Szyfter W, and Szymiec E. Distortion product otoacoustic emission (DPOAE) in tinnitus patients. *J Acoust Soc Am.* 2006; 119(1):527-538. ISSN: 0001-4966.
- Paakkonen R. Environmental noise reduction means of weapons. *J Acoust Soc Am.* 2008; 123(5):3822. ISSN: 1520-8524.
- Paakkonen R; Jokitulppo J; Heinijoki VM, and Kuronen P. Noise exposure of spectators at Finnish air shows. *Appl Acoust.* 2003; 64(2):121-127.
- Paakkonen R and Lehtomaki K. Protection efficiency of hearing protectors against military noise from handheld weapons and vehicles. *Noise Health.* 2005; 7(26):11-20. ISSN: 1463-1741.
- Pachpande BG; Wagh ND, and Attarde SB. Noise exposure and hearing loss among the traffic policemen working at busy streets of Jalgaon urban centre. 2005; 10, (1): 69-75.
- Pai JY. A study in hospital noise- a case from Taiwan. *Int J Occup Saf Ergon.* 2007; 13(1):83-90. ISSN: 1080-3548.
- Paini MC; Morata TC; Corteletti LJ; Albizu E; Marques JM, and Santos L. Audiological Findings Among Workers from Brazilian Small-Scale Fisheries. *Ear Hear.* 2008; Nov 27. ISSN: 1538-4667.
- Paje SE; Bueno M; Vinuela U, and Teran F. Influence of sound absorption on close proximity noise of porous pavement. *J Acoust Soc Am.* 2008; 123(5):3282. ISSN: 1520-8524.
- Paje SE; Bueno M; Vinuela U, and Teran F. Toward the acoustical characterization of asphalt pavements: analysis of the tire/road sound from a porous surface. *J Acoust Soc Am.* 2009; 125(1):5-7. ISSN: 1520-8524.
- Palchun VT; Kunelskaia NL; Poliakova EP; Malchenko OV, and Levina IuV. [Acoustic and vestibular analysers in patients with mine explosion trauma]. *Vestn Otorinolaringol.* 2006; 4 :24-26. ISSN: 0042-4668.
- Pall ML and Bedient SA. The NO/ONOO- cycle as the etiological mechanism of tinnitus. *Int Tinnitus J.* 2007; 13(2):99-104. ISSN: 0946-5448.
- Palma A; Mattos UA; Almeida MN, and Oliveira GE. [Level of noise at the workplace environment among physical education teachers in indoor bike classes]. *Rev Saude Publica.* 2009; 43(2):345-351. ISSN: 1518-8787.
- Palmer, C. V. and Ortmann, A. Hearing loss and hearing AIDS. *Neurol Clin.* 2005; 23(3):901-918. ISSN: 0733-8619.
- Palmer, K. T.; Griffin, M. J.; Syddall, H. E., and Coggon, D. Cigarette smoking, occupational exposure to noise, and self reported hearing difficulties. *Occup Environ Med.* 2004; 61(4):340-344. ISSN: 1470-7926.
- Pan F; Lu CY; Song J; Jing H; Li Q; Yu HL, and Chen XY. Short Communication: Different Duration of Crowding and Noise Exposure Effects on Exploratory Behavior, Cellular Immunity and Hsp70 Expression in Rats. *Stress Health.* 2006; 22(4):257-262.

Pan FL; Uzun A, and Lyrintzis AS. Surface Integral Methods in Jet Aeroacoustics: Refraction Corrections. *J Aircraft*. 2008; 45(2):381-387. ISSN: 0021-8669.

Pan X; Tso Y, and Juniper R. Active Control of Low-Frequency Hull-Radiated Noise. *J Sound Vib*. 2008; 313(1-2):29-45. ISSN: 0022-460X.

Pang LJ; Chen LZ, and Fu BY. [Prevalence and influence factors of hypertension among mechanic factory workers]. *Zhong Nan Da Xue Xue Bao Yi Xue Ban*. 2005; 30(3):276-279. ISSN: 1672-7347.

Pankova VB. [Occupational hypoacusis in transport workers.]. *Vestn Otorinolaringol*. 2008(3):11-14. ISSN: 0042-4668.

Pankova VB; Tavartkiladze GA, and Mukhamedova GR. [New potentials in assessment of the acoustic analyzer in occupational selection and certification of drivers.]. *Vestn Otorhinolaringol*. 2007; 6:21-24. ISSN:- 6.

Papoff F; D'alessandro G, and Oppo GL. State Dependent Pseudoresonances and Excess Noise. *Physical Rev Lett*. 2008; 100(12). ISSN: 0031-9007.

Paraskevas I; Rangoussi M; Potirakis SM, and Savvaidis S. Phase spectral processing for improved time-domain soft microphone based noise estimation. *J Acoust Soc Am*. 2008; 123(5):3139. ISSN: 1520-8524.

Parazzini, M.; Hall, A. J.; Lutman, M. E., and Kapadia, S. Effect of aspirin on phase gradient of 2F1-F2 distortion product otoacoustic emissions. *Hear Res*. 2005; 205(1-2):44-52. ISSN: 0378-5955.

Parish, C. Top flight health. Occupational health at the Heathrow Terminal five construction site is second to none. *Nurs Stand*. 2007; 21(25):18-19. ISSN: 0029-6570.

Parizet E; Guyader E, and Nosulenko V. Analysis of Car Door Closing Sound Quality. *Appl Acoust*. 2008; 69(1):12-22. ISSN: 0003-682X.

Park J and Wang S. Noise Reduction for Compressors by Modes Control Using Topology Optimization of Eigenvalue. *J Sound Vib*. 2008; 315(4-5):836-848. ISSN: 0022-460X.

Park JS; Oh SH; Kang PS; Kim CY; Lee KS; Hwang TY, and Sakong J. [Effects of the personal stereo system on hearing in adolescents]. *J Prev Med Pub Health*. 2006; 39(2):159-164.

Park MY. Assessment of potential noise-induced hearing loss with commercial "Karaoke" noise. *Int J Ind Ergon*. 2003; 31(6):375-385.

Park S; Johnson MA; Shea Miller K, and De Chicchis AR. Hearing loss and cardiovascular disease risk factors in older adults. *J Nutr Health Aging*. 2007; 11(6):515-518. ISSN: 1279-7707.

Park SA. Consumer Health Crisis Management: Apple's Crisis Responsibility for Ipod-Related Hearing Loss. *Pub Rel Rev*. 2008; 34(4):396-398. ISSN: 0363-8111.

Parker MA; Corliss DA; Gray B; Anderson JK; Bobbin RP; Snyder EY, and Cotanche DA. Neural stem cells injected into the sound-damaged cochlea migrate throughout the cochlea and express markers of hair cells, supporting cells, and spiral ganglion cells. *Hear Res*. 2007; 232(1-2):29-43. ISSN: 0378-5955.

Parmet S; Lynn C, and Glass RM. JAMA patient page. Adult hearing loss. *JAMA*. 2007; 298(1):130. ISSN: 1538-3598.

Parsons EC; Dolman SJ; Wright AJ; Rose NA, and Burns WC. Navy sonar and cetaceans: Just how much does the gun need to smoke before we act? *Mar Pollut Bull*. 2008; 56(7):1248-1257. ISSN: 0025-326X.

- Partsch C. Loss of Hearing. *Acoustics and Violence in the 20th Century*. *German Studies Review*. 2007; 30(1):228-230. ISSN: 0149-7952.
- Parving, A. and Christensen, B. Clinical trial of a low-cost, solar-powered hearing aid. *Acta Otolaryngol*. 2004; 124(4):416-420. ISSN: 0001-6489.
- Pascal F; Forster P; Ovarlez JP, and Larzabal P. Performance Analysis of Covariance Matrix Estimates in Impulsive Noise. *Ieee Trans Sign Process*. 2008; 56(6):2206-2217. ISSN: 1053-587X.
- Patel, N. P.; Mhatre, A. N., and Lalwani, A. K. Biological therapy for the inner ear. *Expert Opin Biol Ther*. 2004; 4(11):1811-1819. ISSN: 1744-7682.
- Patterson-Kane EG and Farnworth MJ. Noise Exposure, Music, and Animals in the Laboratory: A Commentary Based on Laboratory Animal Refinement and Enrichment Forum (LAREF) Discussions. *J Appl Anim Welf Sci*. 2006; 9(4):327-332. ISSN: 1088-8705.
- Paul S. Problems in sound quality evaluation in Brazil: general or cultural ones. *J Acoust Soc Am*. 2008; 123(5):3723. ISSN: 1520-8524.
- Pauley S; Kopecky B; Beisel K; Soukup G, and Fritzsich B. Stem Cells and Molecular Strategies to Restore Hearing. *Panminerva Medica*. 2008; 50(1):41-53. ISSN: 0031-0808.
- Pauli-Magnus D; Hoch G; Strenzke N; Anderson S; Jentsch TJ, and Moser T. Detection and differentiation of sensorineural hearing loss in mice using auditory steady-state responses and transient auditory brainstem responses. *Neurosci*. 2007; 149(3):673-684. ISSN:- 3.
- Paulo JP and Bento Coelho JL. Swept Sine against MLS in room acoustics with music signals as background noise. *J Acoust Soc Am*. 2008; 123(5):3617. ISSN: 1520-8524.
- Paulsen R. New findings on noise exposure in the construction trades. *J Acoust Soc Am*. 2008; 123(5):3678. ISSN: 1520-8524.
- Pawelczyk M. Active Noise Control- a Review of Control-Related Problems. *Arch Acoust*. 2008; 33(4):509-520.
- Pawelczyk M. Analog Active Control of Acoustic Noise at a Virtual Location. *Ieee Trans Control Systems Tech*. 2009; 17(2):465-472. ISSN: 1063-6536.
- Pawlaczyk-Luszczynska M; Dudarewicz A; Waszkowska M; Szymczak W, and Sliwinska-Kowalska M. The impact of low-frequency noise on human mental performance. *Int J Occup Med Environ Health*. 2005; 18(2):185-198. ISSN: 1232-1087.
- Pawlaczyk-Luszczynska M; Dudarewicz A, and Sliwinska-Kowalska M. Proposals of Exposure Criteria for the Assessment of Low Frequency Noise at Workplaces in Industrial Control Rooms and Office-Like Areas. *Arch Acoust*. 2007; 32(2):303-312. ISSN: 0137-5075.
- Pawlaczyk-Luszczynska M; Dudarewicz A, and Sliwinska-Kowalska M. Theoretical predictions and actual hearing threshold levels in workers exposed to ultrasonic noise of impulsive character--a pilot study. *Int J Occup Saf Ergon*. 2007; 13(4):409-418. ISSN:- 4.
- Pawlaczyk-Luszczynska M; Dudarewicz A; Waszkowska M, and Sliwinska-Kowalska M. Annoyance Related to Low Frequency Noise in Subjective Assessment of Workers. *J Low Freq Noise Vibration Active Contr*. 2009; 28(1):1-17. ISSN: 0263-0923.

- Pawlaczyk-Luszczynska M; Dudarewicz A; Waszkowska M; Szymczak W; Kamedula M, and Sliwinska-Kowalska M. Does low frequency noise at moderate levels influence human mental performance? *J Low Freq Noise Vib Active Contr.* 2005; 24(1):25-42.
- Pawlaczyk-Luszczynska M; Szymczak W; Dudarewicz A, and Sliwinska-Kowalska M. Proposed criteria for assessing low frequency noise annoyance in occupational settings. *Int J Occup Med Environ Health.* 2006; 19(3):185-197. ISSN: 1232-1087.
- Paz, E. C.; Ferreira, A. M., and Zannin, P. H. [Comparative study of the perception of urban noise.]. *Rev Saude Publica.* 2005; 39(3):467-472. ISSN: 0034-8910.
- Paz, Z.; Freeman, S.; Horowitz, M., and Sohmer, H. Prior heat acclimation confers protection against noise-induced hearing loss. *Audiol Neurootol.* 2004; 9(6):363-369. ISSN: 1420-3030.
- Pedersen CS; Moller H, and Waye KP. A Detailed Study of Low-Frequency Noise Complaints. *J Low Freq Noise Vib Active Contr.* 2008; 27(1):1-33. ISSN: 0263-0923.
- Pedersen E and Persson Waye K. Wind turbine noise, annoyance and self-reported health and well-being in different living environments. *Occup Environ Med.* 2007; 64(7):480-486. ISSN: 1470-7926.
- Pedersen E and Waye KP. Perception and annoyance due to wind turbine noise- a dose-response relationship. 2004; 116, (6): 3460-3470.
- Pedrielli F; Carletti E, and Casazza C. Just noticeable differences of loudness and sharpness for earth moving machines. *J Acoust Soc Am.* 2008; 123(5):3164. ISSN: 1520-8524.
- Peeters H; Kuk F; Lau CC, and Keenan D. Subjective and Objective Evaluation of Noise Management Algorithms. *J Am Acad Audiol.* 2009; 20(2):89-98. ISSN: 1050-0545.
- Peleg U; Perez R; Freeman S, and Sohmer H. Salicylate ototoxicity and its implications for cochlear microphonic potential generation. *J Basic Clin Physiol Pharmacol.* 2007; 18(3):173-188. ISSN: 0792-6855.
- Pellicer, M.; Giraldez, F.; Pumarola, F., and Barquinero, J. [Stem cells for the treatment of hearing loss]. *Acta Otorrinolaringol Esp.* 2005; 56(6):227-232. ISSN: 0001-6519.
- Pena RSS; Cuguero MA; Masip A; Quevedo J, and Puig V. Robust Identification and Feedback Design: an Active Noise Control Case Study. *Contr Eng Pract.* 2008; 16(11):1265-1274. ISSN: 0967-0661.
- Peng JH; Tao ZZ, and Huang ZW. Long-term sound conditioning increases distortion product otoacoustic emission amplitudes and decreases olivocochlear efferent reflex strength. *Neuroreport.* 2007; 18(11):1167-1170. ISSN: 0959-4965.
- Peng JH; Tao ZZ, and Huang ZW. Risk of damage to hearing from personal listening devices in young adults. *J Otolaryngol.* 2007; 36(3):181-185. ISSN: 1708-833X.
- Peng W and Mayorga RV. Assessing Traffic Noise Impact Based on Probabilistic and Fuzzy Approaches Under Uncertainty. *Stochastic Environmental Research and Risk Assessment.* 2008; 22(4):541-550. ISSN: 1436-3240.
- Penna M; Pottstock H, and Velasquez N. Effect of natural and synthetic noise on evoked vocal responses in a frog of the temperate austral forest. *Animal Behav.* 2005; 70(45):639-651.
- Pepin H and Hass A. Noise Prediction for a Pumping Loop using the Noise Synthesis Technology Approach. *J Acoust Soc Am.* 2008; 123 (5):3314. ISSN: 1520-8524.

Pepper CB; Nascarella MA, and Kendall RJ. A review of the effects of aircraft noise on wildlife and humans, current control mechanisms, and the need for further study. *Environ Manag.* 2003; 32(4):418-432.

Percaccio CR; Pruette AL; Mistry ST; Chen YH, and Kilgard MP. Sensory experience determines enrichment-induced plasticity in rat auditory cortex. *Brain Res.* 2007; 1174:76-91.

Perez, R.; Freeman, S., and Sohmer, H. Effect of an initial noise induced hearing loss on subsequent noise induced hearing loss. *Hear Res.* 2004; 192(1-2):101-106. ISSN: 0378-5955.

Perez R; Gatt N, and Cohen D. Long-Term Follow-up of Sensorineural Hearing Loss in Patients Exposed to Explosions. *Mediterranean J Otol.* 2007; 3(1):1-5. ISSN: 1305-5267.

Perrot C; Chevillotte F, and Panneton R. Bottom-up approach for microstructure optimization of sound absorbing materials. *J Acoust Soc Am.* 2008; 124(2):940-948. ISSN: 1520-8524.

Perry MJ and May JJ. Noise and chemical induced hearing loss: special considerations for farm youth. *J Agromedicine.* 2005; 10(2):49-55. ISSN: 1059-924X.

Persaud R; Hajioff D; Wareing M, and Chevretton E. Otolological trauma resulting from the Soho Nail Bomb in London, April 1999. *Clin Otolaryngol.* 2003; 28(3):203-206.

Persson R; Bjork J; Ardo J; Albin M, and Jakobsson K. Trait anxiety and modeled exposure as determinants of self-reported annoyance to sound, air pollution and other environmental factors in the home. *Int Arch Occup Environ Health.* 2007; 81(2):179-191. ISSN: 0340-0131.

Peshkovsky SL and Peshkovsky AS. Shock-wave model of acoustic cavitation. *Ultrason Sonochem.* 2008; 15(4):618-628. ISSN: 1350-4177.

Peters RJ. The role of hearing protectors in leisure noise. *Noise Health.* 2003; 5(18):47-55.

Petrescu N. Loud music listening. *McGill J Med.* 2008; 11(2):169-176. ISSN: 1201-026X.

Pfannenstiel S and Praetorius M. [Protection and regeneration of sensory epithelia of the inner ear]. *HNO.* 2008; 56(1):13-20. ISSN: 1433-0458.

Philibert, B.; Collet, L.; Vesson, J. F., and Veuillet, E. The auditory acclimatization effect in sensorineural hearing-impaired listeners: evidence for functional plasticity. *Hear Res.* 2005; 205(1-2):131-142. ISSN: 0378-5955.

Phillips JI; Heyns PS, and Nelson G. Rock drills used in South African mines: a comparative study of noise and vibration levels. *Ann Occup Hyg.* 2007; 51(3):305-310. ISSN: 0003-4878.

Phillips SL; Shoemaker J; Mace ST, and Hodges DA. Environmental Factors in Susceptibility to Noise-Induced Hearing Loss in Student Musicians. *Med Probl Performing Art.* 2008; 23(1):20-28. ISSN: 0885-1158.

Philp C. Occupational Noise, the Silent Terminator. *Weld J.* 2007; 86(3):71-72. ISSN: 0043-2296.

Piacek A. Investigating musical sound as a model for the scientific process. *J Acoust Soc Am.* 2008; 123(5):3519. ISSN: 1520-8524.

Picard M; Girard SA; Courteau M; Leroux T; Larocque R; Turcotte F; Lavoie M, and Simard M. Could driving safety be compromised by noise exposure at work and noise-induced hearing loss? *Traffic Inj Prev.* 2008; 9(5):489-499. ISSN: 1538-957X.

Picard M; Girard SA; Simard M; Larocque R; Leroux T, and Turcotte F. Association of work-related accidents with noise exposure in the workplace and noise-induced hearing loss based on the experience of some 240,000 person-years of observation. *Accid Anal Prev.* 2008; 40(5):1644-1652. ISSN: 0001-4575.

Picciotti PM; Fetoni AR; Paludetti G; Wolf FI; Torsello A; Troiani D; Ferraresi A; Pola R, and Sergi B. Vascular endothelial growth factor (VEGF) expression in noise-induced hearing loss. *Hear Res.* 2006; 214(1-2):76-83. ISSN: 0378-5955.

Picton TW; Dimitrijevic A; Perez-Abalo MC, and Van Roon P. Estimating audiometric thresholds using auditory steady-state responses. *J Am Acad Audiol.* 2005; 16(3):140-156. ISSN: 1050-0545.

Pietrzko SJ and Mao Q. New Results in Active and Passive Control of Sound Transmission Through Double Wall Structures. *Aerospace Sci Tech.* 2008; 12(1):42-53. ISSN: 1270-9638.

Pingle S and Shanbhag S. CASH--an innovative approach to sustainable OSH improvement at workplace. *Med Lav.* 2006; 97(2):358-367. ISSN: 0025-7818.

Pinte G; Boonen R; Desmet W, and Sas P. Active Structural Acoustic Control of Repetitive Impact Noise. *J Sound Vib.* 2009; 319(3-5):768-794. ISSN: 0022-460X.

Pinte G; Desmet W, and Sas P. Active Control of Repetitive Transient Noise. *J Sound Vibration.* 2007; 307(3-5):513-526. ISSN: 0022-460X.

Pirodda A; Esposti DD; Brandolini C; Modugno GC; Cosentino E, and Borghi C. Could echocardiography yield a cardiovascular profile of the tinnitus prone subject? *Med Hypotheses.* 2008; 70(2):252-254. ISSN: 0306-9877.

Plack CJ and O'Hanlon CG. Forward masking additivity and auditory compression at low and high frequencies. *J Assoc Res Otolaryngol.* 2003; 4(3):405-415. ISSN: 1525-3961.

Plack CJ; Oxenham AJ; Simonson AM; O'hanlon CG; Drga V, and Arifianto D. Estimates of Compression at Low and High Frequencies Using Masking Additivity in Normal and Impaired Ears. *J Acoust Soc Am.* 2008; 123 (6):4321-4330. ISSN: 0001-4966.

Plack CJ and Skeels V. Temporal integration and compression near absolute threshold in normal and impaired ears. *J Acoust Soc Am.* 2007; 122(4):2236-2244. ISSN: 1520-8524.

Pleban D. Acoustic Modelling of Machines Using the Inversion Method for the Purposes of the Acoustic Assessment of Machines. *Arch Acoust.* 2007; 32(2):321-327. ISSN: 0137-5075.

Plontke S and Zenner HP. [Current viewpoints on hearing loss caused by occupational and leisure noise]. *Laryngorhinootologie.* 2004; 83(Suppl 1):S122-S164. ISSN: 0935-8943.

Plontke SK; Bauer M, and Meisner C. Comparison of Pure-Tone Audiometry Analysis in Sudden Hearing Loss Studies: Lack of Agreement for Different Outcome Measures. *Otol Neurotol.* 2007; Publish Ahead of Print. ISSN: 1531-7129.

Plyler PN and Klumpp ML. Communication in noise with acoustic and electronic hearing protection devices. *J Am Acad Audiol.* 2003; 14(5):260-268.

Plyler PN; Madix SG; Thelin JW, and Johnston KW. Contribution of high-frequency information to the acceptance of background noise in listeners with normal and impaired hearing. *Am J Audiol.* 2007; 16(2):149-156. ISSN: 1059-0889.

- Poncelet, L.; Deltenre, P.; Coppens, A.; Michaux, C., and Coussart, E. Brain stem auditory potentials evoked by clicks in the presence of high-pass filtered noise in dogs. *Res Vet Sci.* 2005. ISSN: 0034-5288.
- Poncelet L; Deltenre P; Coppens A; Michaux C, and Coussart E. Brain stem auditory potentials evoked by clicks in the presence of high-pass filtered noise in dogs. *Res Vet Sci.* 2006; 80(2):167-174. ISSN: 0034-5288.
- Popelar J; Grecova J; Rybalko N, and Syka J. Comparison of noise-induced changes of auditory brainstem and middle latency response amplitudes in rats. *Hear Res.* 2008; 245(1-2):82-91. ISSN: 0378-5955.
- Popper AN; Smith ME; Cott PA; Hanna BW; MacGillivray AO; Austin ME, and Mann DA. Effects of exposure to seismic airgun use on hearing of three fish species. *J Acoust Soc Am.* 2005; 117(6):3958-3971.
- Porter CA; Martin GK; Stagner BB, and Lonsbury-Martin BL. Distortion-product otoacoustic emission suppression growth in normal and noise-exposed rabbits. *J Acoust Soc Am.* 2006; 120(2):884-900. ISSN: 0001-4966.
- Porter CA; Stagner BB, and Martin GK. Effects of damaging noise exposure on the suppression response growth of distortion-product otoacoustic emissions. 2004; 52, (1): S155.
- Porto, M. A.; Gahyva, D. L.; Lauris, J. R., and Lopes, A. C. [Audiometric evaluation in extended high frequencies of individuals exposed to occupational noise]. *Pro Fono.* 2004; 16(3):237-250. ISSN: 0104-5687.
- Potier M; Hoquet C; Lloyd R; Nicolas-Puel C; Uziel A, and Puel JL. The Risks of Amplified Music for Disc-Jockeys Working in Nightclubs. *Ear Hear.* 2009; Feb 3. ISSN: 1538-4667.
- Potirakis SM; Rangoussi M; Savvaidis S, and Zafeiropoulos N. Real time evaluation of soft microphones on a local active noise control system. *J Acoust Soc Am.* 2008; 123(5):3818. ISSN: 1520-8524.
- Pourbakht A and Yamasoba T. Cochlear damage caused by continuous and intermittent noise exposure. *Hear Res.* 2003; 178(1-2):70-78.
- Pouyatos, B; Campo, P, and Lataye, R. Influence of age on noise- and styrene-induced hearing loss in the Long-Evans rat. *Environ Toxicol Pharmacol.* 2005; 19(3):561-570.
- Pouyatos B; Gearhart C; Nelson-Miller A; Fulton S, and Fechter L. Oxidative stress pathways in the potentiation of noise-induced hearing loss by acrylonitrile. *Hear Res.* 2007; 224(1-2):61-74. ISSN: 0378-5955.
- Pouyatos, B.; Gearhart, C. A., and Fechter, L. D. Acrylonitrile potentiates hearing loss and cochlear damage induced by moderate noise exposure in rats. *Toxicol Appl Pharmacol.* 2005; 204(1):46-56. ISSN: 0041-008X.
- Pouyatos B; Morel G; Lambert-Xolin AM; Maguin K, and Campo P. Consequences of noise- or styrene-induced cochlear damages on glutamate decarboxylase levels in the rat inferior colliculus. 2004; 189, (1-2): 83-91.
- Powazka EE. A cross-sectional study of occupational noise exposure and blood pressure in steelworkers. *Noise Health.* 2003; 5(17):15-22.
- Powell JA; Kimball KA; Mozo BT, and Murphy BA. Improved communications and hearing protection in helmet systems: The communications earplug. 2003; 168, (6): 431-436.
- Praamsma M; Carnahan H; Backstein D; Veillette CJH; Gonzalez D, and Dubrowski A. Drilling Sounds Are Used by Surgeons and Intermediate Residents, but Not Novice Orthopedic Trainees, to Guide Drilling Motions. *Can J Surg.* 2008; 51(6):442-446. ISSN: 0008-428X.

Praetorius M; Brunner C; Lehnert B; Klingmann C; Schmidt H; Staecker H, and Schick B. Transsynaptic delivery of nanoparticles to the central auditory nervous system. *Acta Otolaryngol.* 2007; 127(5):486-490. ISSN: 0001-6489.

Prasad J and Cousins VC. Asymmetrical hearing loss. *Aust Fam Physician.* 2008; 37(5):312-230. ISSN: 0300-8495.

Prasad KRS and Reddy KTV. Live recordings of sound levels during the use of powered instruments in ENT surgery. *J Laryngol Otol.* 2003; 117(7):532-535.

Prasanna Kumar GV; Dewangan KN; Sarkar A; Kumari A, and Kar B. Occupational noise in rice mills. *Noise Health.* 2008; 10(39):55-67. ISSN: 1463-1741.

Prasher D; Al-Hajjaj H; Aylott S, and Aksentijevic A. Effect of exposure to a mixture of solvents and noise on hearing and balance in aircraft maintenance workers. *Noise Health.* 2005; 7(29):31-39. ISSN: 1463-1741.

Preis, A and Golebiewski, R. Noise annoyance perception as a function of distance from a moving source. *Noise Contr Eng J.* 2004; 52(1):20-25.

Preis A; Hafke H, and Kaczmarek T. Influence of Sound Source Recognition on Annoyance Judgment. *Noise Contr Eng J.* 2008; 56(4):288-299. ISSN: 0736-2501.

Price GR. Predicting mechanical damage to the organ of Corti. *Hear Res.* 2007; 226(1-2):5-13. ISSN: 0378-5955.

Price GR. Validation of the Auditory Hazard Assessment Algorithm for the Human With Impulse Noise Data. *JASA.* 2007; 122(5):2786-2802. ISSN: 0001-4966.

Pride JA and Cunningham DR. Early evidence of cochlear damage in a large sample of percussionists. *Med Prob Perform Art.* 2005; 20(3):135-139.

Pridmore S; Oberoi G; Marcolin M, and George M. Transcranial magnetic stimulation and chronic pain: current status. *Australas Psychiatry.* 2005; 13(3):258-265. ISSN: 1039-8562.

Prince MM. Evaluation of hearing conservation program effectiveness. *Spectrum.* 2003; 20(Suppl 1):23.

Prince MM; Colligan MJ; Stephenson CM, and Bischoff BJ. The contribution of focus groups in the evaluation of hearing conservation program (HCP) effectiveness. 2004; 35, (1): 91-106.

Prince MM; Gilbert SJ; Smith RJ, and Stayner LT. Evaluation of the risk of noise-induced hearing loss among unscreened male industrial workers. *J Acoust Soc Am.* 2003; 113(2):871-880.

Prior S and Zimmern J. Law and science. *Med Sci Law.* 2008; 48(3):271-274. ISSN: 0025-8024.

Probst W and Huber B. The sound power level of cities. *Sound Vib.* 2003; May:14-17.

Probst W and Huber B. *Sound Vib.* 2003; May:14.

Probst W, Huber B. *Sound and Vibration.* 2003; May:14.

Prodi N; Farnetani A; Fausti P, and Pompoli R. An Ambiphonics system for the study of intelligibility in the virtual classrooms. *J Acoust Soc Am.* 2008; 123(5):3918. ISSN: 1520-8524.

Provatidis CG; Mouzakis ST, and Charalampopoulos GN. Simulation of Active Noise Control in Enclosures Using Direct Sound Field Prediction. *J Computat Acoust.* 2009; 17(1):83-107. ISSN: 0218-396X.

Provenzano MJ and Domann FE. A role for epigenetics in hearing: Establishment and maintenance of auditory specific gene expression patterns. *Hear Res.* 2007; 233(1-2):1-13. ISSN:- 1-2.

Psillas G; Constantinidis J; Triaridis S, and Vital V. [Acute unilateral total deafness and vestibular findings after gunshot noise]. *Laryngorhinootologie.* 2007; 86(12):879-882. ISSN: 0935-8943.

Pulcrano SM. King-sized effort. *Occup Health Saf.* 2005; 74(9):50, 52. ISSN: 0362-4064.

Pulthasthan S and Pota HR. The Optimal Placement of Actuator and Sensor for Active Noise Control of Sound-Structure Interaction Systems. *Smart Materials & Structures.* 2008; 17(3). ISSN: 0964-1726.

Punch, R. Career decision-making of adolescents with hearing loss. *Int J Psychol.* 2004; 39(5-6):574.

Purcell, D. W.; John, M. S., and Picton, T. W. Concurrent measurement of distortion product otoacoustic emissions and auditory steady state evoked potentials. *Hear Res.* 2003; 176(1-2):128-141. ISSN: 0378-5955.

Putnam R and Hetzel R. Acoustical design margins: Uncertainty in prediction and measurement of community noise. *J Acoust Soc Am.* 2008; 123(5):3029. ISSN: 1520-8524.

Qiang Y; Rebok GW; Baker SP, and Li G. Hearing deficit in a birth cohort of U.S. male commuter air carrier and air taxi pilots. *Aviat Space Environ Med.* 2008; 79(11):1051-1055. ISSN: 0095-6562.

Qin YS and Zhang SC. Empirical Likelihood Confidence Intervals for Differences Between Two Datasets With Missing Data. *Pattern Recognition Letters.* 2008; 29(6):803-812. ISSN: 0167-8655.

Qiu JH; Hongli J; Matsuta K, and Shen X. Active Noise Isolation of a Plate Structure Without Using Acoustic Sensors. *J Intelligent Material Systems Structures.* 2008; 19(3):325-332. ISSN: 1045-389X.

Qiu JX; Fang XZ; Tong BS; Laurell G, and Duan ML. [Study of sensitivity to impulse noise in guinea pig, rat and mouse]. *Zhonghua Er Bi Yan Hou Ke Za Zhi.* 2004; 39(8):472-475. ISSN: 0412-3948.

Qiu W; Davis B, and Hamernik RP. Hearing loss from interrupted, intermittent, and time varying gaussian noise exposures: the applicability of the equal energy hypothesis. *J Acoust Soc Am.* 2007; 121(3):1613-1620. ISSN: 0001-4966.

Qiu W; Davis B, and Hamernik RP. Laboratory synthesis of industrial noise environments with predetermined statistical properties. *J Acoust Soc Am.* 2008; 123(5):3716. ISSN: 1520-8524.

Qiu W; Hamernik RP, and Davis B. The kurtosis metric as an adjunct to energy in the prediction of trauma from continuous, nonGaussian noise exposures. *J Acoust Soc Am.* 2006; 120(6):3901-3906. ISSN: 0001-4966.

Quaranta, A.; Scaringi, A.; Bartoli, R.; Margarito, M. A., and Quaranta, N. The effects of 'supra-physiological' vitamin B12 administration on temporary threshold shift. *Int J Audiol.* 2004; 43(3):162-165. ISSN: 1499-2027.

Quaranta A; Scaringi A; Fernandez-Vega S, and Quaranta N. Effect of ipsilateral and contralateral low-frequency narrow-band noise on temporary threshold shift in humans. *Acta Otolaryngol.* 2003; 123(2):164-167.

Quehl J and Basner M. Annoyance From Nocturnal Aircraft Noise Exposure: Laboratory and Field-Specific Dose-Response Curves. *J Environ Psychol.* 2006; 26(2):127-140.

Quick BL; Stephenson MT; Witte K; Vaught C; Booth-Butterfield S, and Patel D. An examination of antecedents to coal miners' hearing protection behaviors: A test of the theory of planned behavior. *J Safety Res.* 2008; 39(3):329-38. ISSN: 0022-4375.

Quinlivan DS; Neuschatz JS; Jimenez A; Cling AD; Douglass AB, and Goodsell CA. Do Prophylactics Prevent Inflation? Post-identification Feedback and the Effectiveness of Procedures to Protect Against Confidence-inflation in Earwitnesses. *Law Hum Behav.* 2008; June 17. ISSN: 0147-7307.

Quinn S and Rance G. The extent of hearing impairment amongst Australian Indigenous prisoners in Victoria, and implications for the correctional system. *Int J Audiol.* 2009; 48(3):123-134. ISSN: 1708-8186.

Quintana S; Fernandez MD; Chavarria N; Ballesteros JA, and Gonzalez I. Measurement method for noise exposure of jobs of the construction sector. *J Acoust Soc Am.* 2008; 123(5):3678. ISSN: 1520-8524.

Quirt JD and Nightingale TR. Fire resistance and noise control in multifamily buildings. *J Acoust Soc Am.* 2008; 124(4):2512. ISSN: 1520-8524.

Rabat A. Extra-auditory Effects of Noise in Laboratory Animals: The Relationship Between Noise and Sleep. *J Am Assoc Lab Anim Sci.* 2007; 46(1):35-41. ISSN: 1559-6109.

Rabat A; Bouyer JJ; Aran JM; Courtiere A; Mayo W , and Le Moal M. Deleterious effects of an environmental noise on sleep and contribution of its physical components in a rat model. *Brain Res.* 2004; 1009(1-2):88-97. ISSN: 0006-8993.

Rabat A; Bouyer JJ; Aran JM; Le Moal M, and Mayo W. Chronic exposure to an environmental noise permanently disturbs sleep in rats: inter-individual vulnerability. *Brain Res.* 2005; 1059(1):72-82. ISSN: 0006-8993.

Rabat A; Bouyer JJ; George O; Le Moal M, and Mayo W. Chronic exposure of rats to noise: relationship between long-term memory deficits and slow wave sleep disturbances. *Behav Brain Res.* 2006; 171(2):303-312. ISSN: 0166-4328.

Rabinowitz P; Taiwo O; Sircar K; Aliyu O, and Slade M. Physician hearing loss. *Am J Otolaryngol.* 2006; 27(1):18-23. ISSN: 0196-0709.

Rabinowitz PM and Dobie RA. Use of audiometric configuration to determine whether hearing loss is noise-induced: Can "notch" criteria help? *Spectrum.* 2003; 20(1):8-11.

Rabinowitz PM; Galusha D; Dixon-Ernst C; Slade MD, and Cullen MR. Do Ambient Noise Exposure Levels Predict Hearing Loss In A Modern Industrial Cohort? *Occup Environ Med.* 2006; Sep 14. ISSN: 1470-7926.

Rabinowitz PM; Galusha D; Ernst CD, and Slade MD. Audiometric "early flags" for occupational hearing loss. *J Occup Environ Med.* 2007; 49(12):1310-1316. ISSN: 1076-2752.

Rabinowitz PM; Galusha D; Slade MD; Dixon-Ernst C; O'Neill A; Fiellin M, and Cullen MR. Organic Solvent Exposure and Hearing Loss in a Cohort of Aluminum Workers. *Occup Environ Med.* 2007; Jun 13. ISSN: 1470-7926.

Rabinowitz PM; Galusha D; Slade MD; Dixon-Ernst C; Sircar KD, and Dobie RA. Audiogram notches in noise-exposed workers. *Ear Hear.* 2006; 27(6):742-750. ISSN: 0196-0202.

Rabinowitz PM; Sircar KD; Tarabar S; Galusha D, and Slade MD. Hearing loss in migrant agricultural workers. *J Agromedicine.* 2006; 10(4):9-17. ISSN: 1059-924X.

Rabinowitz PM; Slade M; Dixon-Ernst C; Sircar K, and Cullen M. Impact of OSHA final rule- Recording hearing loss: An analysis of an industrial audiometric dataset. *J Occup Environ Med.* 2003; 45(12):1274-1280.

Rabinowitz PM; Slade MD; Galusha D; Dixon-Ernst C, and Cullen MR. Trends in the prevalence of hearing loss among young adults entering an industrial workforce 1985 to 2004. *Ear Hear.* 2006; 27(4):369-375. ISSN: 0196-0202.

Rachiotis G; Alexopoulos C, and Drivas S. Occupational exposure to noise, and hearing function among electro production workers. *Auris Nasus Larynx.* 2006; May 14. ISSN: 0385-8146.

Rafaely B. Analysis of enclosed sound fields using spherical microphone array processing. *J Acoust Soc Am.* 2008; 123(5):3308. ISSN: 1520-8524.

Rafferty J; Tsikoudas A, and Davis BC. Ear candling: should general practitioners recommend it? *Can Fam Physician.* 2007; 53(12):2121-2122. ISSN: 1715-5258.

Raggam RB; Cik M; Holdrich RR; Fallast K; Gallasch E; Fend M; Lackner A, and Marth E. Personal noise ranking of road traffic: Subjective estimation versus physiological parameters under laboratory conditions. *Int J Hyg Environ Health.* 2006; Nov 2. ISSN: 1438-4639.

Raj-Koziak D; Bartnik G; Skarzynski H; Pilka A; Fabijanska A, and Borawska B. [Tinnitus in young patients up to 35-years old]. *Otolaryngol Pol.* 2008; 62(4):476-479. ISSN: 0030-6657.

Rajan R. Bandwidth determines modulatory effects of centrifugal pathways on cochlear hearing desensitization caused by loud sound. *Eur J Neurosci.* 2006; 24(12):3589-3600. ISSN: 0953-816X.

Rajan R. Contextual modulation of cochlear hearing desensitization depends on the type of loud sound trauma. *Hear Res.* 2006; 213(1-2):58-63. ISSN: 0378-5955.

Ramazan, M; Allameh, A; Mortazavi, B; Akbary, M; Khavanin, A, and Kazemnejad, A. Alternation in antioxidant power and hearing loss caused by noise and welding pollutants in rabbit. *Toxicol Appl Pharmacol.* 2004; 197 (3):327.

Ramirez-Camacho, R.; Garcia-Berrocal, J. R.; Bujan, J.; Martin-Marero, A., and Trinidad, A. Supporting cells as a target of cisplatin-induced inner ear damage: therapeutic implications. *Laryngoscope.* 2004; 114(3):533-537. ISSN: 0023-852X.

Ramis Soriano J; Alba Fernandez J; Frances Monllor J, and Arenas Bermudez JP. Influence of material properties on sound radiation for flat loudspeakers. *J Acoust Soc Am.* 2008; 123(5):3174. ISSN: 1520-8524.

Rammal H and Lavrentjev J. Sound Reflection at an Open End of a Circular Duct Exhausting Hot Gas. *Noise Contr Eng J.* 2008; 56(2):107-114. ISSN: 0736-2501.

Randolph MM; Hill WA, and Randolph AB. Noise monitoring and establishment of a comprehensive hearing conservation program. *J Am Assoc Lab Anim Sci.* 2007; 46(1):42-44. ISSN: 1559-6109.

Rao MD and Letowski T. Callsign Acquisition Test (CAT): speech intelligibility in noise. *Ear Hear.* 2006; 27(2):120-128. ISSN: 0196-0202.

Rao S; Basu S; Mathews J; Rao GKB; Bliss P; Ang YS, and Kumar BN. Sensori-neural hearing loss (SNHL) an under recognised extra intestinal manifestation of Ulcerative colitis. 2005; 21, (2): 199.

Rasines LM; Anderez II, and Olazaguirre CS. Evaluation and Noise Control in the Labor Environment. *Dyna.* 2007; 82(6):315-318. ISSN: 0012-7361.

Rask-Andersen, H.; Bostrom, M.; Gerdin, B.; Kinnefors, A.; Nyberg, G.; Engstrand, T.; Miller, J. M., and Lindholm, D. Regeneration of human auditory nerve. In vitro/in video demonstration of neural progenitor cells in adult human and guinea pig spiral ganglion. *Hear Res.* 2005; 203(1-2):180-191. ISSN: 0378-5955.

Rasmussen P. Transducers for acoustical impulse measurements. *J Acoust Soc Am.* 2008; 123(5):3822. ISSN: 1520-8524.

Rasmussen P and Nielsen KM. Airbag Noise Measurements. *Sound Vib.* 2007; 41(4):31-35.

Rathsam J. Geometric and boundary element method simulations of acoustic reflections from rough, finite, or nonplanar surfaces. *J Acoust Soc Am.* 2008; 124(5):2664. ISSN: 1520-8524.

Rauch, S. D. Intratympanic steroids for sensorineural hearing loss. *Otolaryngol Clin North Am.* 2004; 37(5):1061-1074. ISSN: 0030-6665.

Rauch SD; Chen CY, and Halpin CR. Our experience in diagnostics and treatment of sudden sensorineural hearing loss- REPLY. *Otol Neurotol.* 2005; 26(2):317-318. ISSN: 1531-7129.

Ravicz ME; Rosowski JJ, and Merchant SN. Mechanisms of hearing loss resulting from middle-ear fluid. *Hear Res.* 2004; 195(1-2):103-130. ISSN: 0378-5955.

Rawool VW. The effects of hearing loss on temporal processing. Part 2 Looking beyond "simple audition". *Hear Rev.* 2006; June.

Rawool VW and Colligon-Wayne LA. Auditory lifestyles and beliefs related to hearing loss among college students in the USA. *Noise Health.* 2008; 10(38):1-10. ISSN: 1463-1741.

Rawool VW and Harrington BT. Middle ear admittance and hearing abnormalities in individuals with osteoarthritis. *Audiol Neurotol.* 2007; 12(2):127-136. ISSN: 1421-9700.

Rawool VW and Keihl JM. Perception of hearing status, communication, and hearing aids among socially active older individuals. *J Otolaryngol Head Neck Surg.* 2008; 37(1):27-42. ISSN: 1916-0216.

Ray LR; Solbeck JA; Streeter AD, and Collier RD. Hybrid feedforward-feedback active noise reduction for hearing protection and communication. *J Acoust Soc Am.* 2006; 120(4):2026-2036. ISSN: 0001-4966.

Raymond DM, 3rd and Lusk SL. Testing decisional balance and self-efficacy applied to workers' use of hearing protection. *Nurs Res.* 2006; 55(5):328-335. ISSN: 0029-6562.

Raymond DM III; Hong O; Lusk SL, and Ronis DL. Predictors of hearing protection use for Hispanic and non-Hispanic White factory workers. *Res Theory Nurs Pract.* 2006; 20(2):127-140. ISSN: 1541-6577.

Raymond DM, III and Lusk SL. Staging workers' use of hearing protection devices: application of the transtheoretical model. *AAOHN J.* 2006; 54(4):165-172. ISSN: 0891-0162.

Raymond LW; Barringer TA; Blackwell TH, and Konen JC. Hearing loss was not associated with arterial blood pressure in firefighters or other candidates for hazardous duty. *J Invest Med.* 2005; 53(1):S103.

Raymond LW; Blackwell TH; Barringer TA, and Konen JC. Hearing loss develops early in firefighters and is greater in the left ear. *J Invest Med.* 2005; 53(1):S103.

Raynal M; Kossowski M, and Job A. Hearing in military pilots: one-time audiometry in pilots of fighters, transports, and helicopters. *Aviat Space Environ Med.* 2006; 77 (1):57-61. ISSN: 0095-6562.

Raynor LA; Pankow JS; Miller MB; Huang GH; Dalton D; Klein R; Klein BE, and Cruickshanks KJ. Familial Aggregation of Age-Related Hearing Loss in an Epidemiological Study of Older Adults. *Am J Audiol*. 2009; May 27. ISSN: 1059-0889.

Rdzanek WP and Szemela K. Reduction of the Sound Power Radiated by a Two Pistons System Located Near the Three-Wall Corner. *Arch Acoust*. 2007; 32(2):339-350. ISSN: 0137-5075.

Read N. Carbon monoxide, noise tied to hearing loss [Web Page]. 2005 May 18; Accessed 2005 May 19. Available at: www.canada.com/components/printstory/printstory4.aspx?id=e13b3116-cb88-4696-a7ea-5c919004.

Reavis KM; Phillips DS; Fausti SA; Gordon JS; Helt WJ; Wilmington D; Bratt GW, and Konrad-Martin D. Factors Affecting Sensitivity of Distortion-Product Otoacoustic Emissions to Ototoxic Hearing Loss. *Ear Hear*. 2008; 29:1-. ISSN: 1538-4667.

Recanzone GH and Beckerman NS. Effects of intensity and location on sound location discrimination in macaque monkeys. *Hear Res*. 2004; 198(1-2):116-124. ISSN: 0378-5955.

Reeb-Whitaker CK; Seixas NS; Sheppard L, and Neitzel R. Accuracy of task recall for epidemiological exposure assessment to construction noise. 2004; 61, (2): 135-142.

Reed CM and Delhorne LA. The reception of environmental sounds through wearable tactual Aids. *Ear Hear*. 2003; 24(6):528-538. ISSN: 0196-0202.

Reed DB; Browning SR; Westneat SC, and Kidd PS. Personal protective equipment use and safety behaviors among farm adolescents: gender differences and predictors of work practices. *J Rural Health*. 2006; 22(4):314-320. ISSN: 0890-765X.

Rehdanz K and Maddison D. Local Environmental Quality and Life-Satisfaction in Germany. *Ecological Economics*. 2008; 64(4):787-797. ISSN: 0921-8009.

Rehm HL. Genetics and the Genome Project. *Ear Hear*. 2003; 24(4):270-274.

Reid, A.; Dick, F., and Semple, S. Dog noise as a risk factor for hearing loss among police dog handlers. *Occup Med (Lond)*. 2004; 54(8):535-539. ISSN: 0962-7480.

Reilly J; Troiani V; Grossman M, and Wingfield A. An introduction to hearing loss and screening procedures for behavioral research. *Behav Res Methods*. 2007; 39(3):667-672. ISSN: 1554-351X.

Reinfeldt S; Stenfelt S; Good T, and Hakansson B. Examination of bone-conducted transmission from sound field excitation measured by thresholds, ear-canal sound pressure, and skull vibrations. *J Acoust Soc Am*. 2007; 121(3):1576-1587. ISSN: 0001-4966.

Reiss JD; Djurek I; Petosic A, and Djurek D. Verification of chaotic behavior in an experimental loudspeaker. *J Acoust Soc Am*. 2008; 124(4):2031-2041. ISSN: 1520-8524.

Reiter LA. "The kiss of deaf": a case study. *Hear J*. 2008; 61(8):32-37.

Rejali, D.; Sivakumar, A., and Balaji, N. Ginkgo biloba does not benefit patients with tinnitus: a randomized placebo-controlled double-blind trial and meta-analysis of randomized trials. *Clin Otolaryngol Allied Sci*. 2004; 29(3):226-231. ISSN: 0307-7772.

Remington PJ; Curtis AR; Coleman RB, and Knight JS. Reduction of turbulent boundary layer induced interior noise through active impedance control. *J Acoust Soc Am*. 2008; 123(3):1427. ISSN: 1520-8524.

- Rene PJ and Lissek H. Active modal control in rooms- practical approach. *J Acoust Soc Am*. 2008; 123(5):3063. ISSN: 1520-8524.
- Renick KM; Crawford JM, and Wilkins JR 3rd. Hearing loss among Ohio farm youth: a comparison to a national sample. *Am J Ind Med*. 2009; 52(3):233-239. ISSN: 1097-0274.
- Reuter K and Hammershoi D. Distortion product otoacoustic emission of symphony orchestra musicians before and after rehearsal. *J Acoust Soc Am*. 2007; 121(1):327-336. ISSN: 0001-4966.
- Reuter K; Ordonez R, and Hammershoi D. Overexposure effects of a 1-kHz tone on the distortion product otoacoustic emission in humans. *J Acoust Soc Am*. 2007; 122(1):378-386. ISSN: 1520-8524.
- Rey-Martinez J; Rama-Lopez J; Soledad Boleas M; Perez N, and Artieda J. A report of two cases of unilateral vestibulopathy after systemic ototoxic treatment. *Rev Laryngol Otol Rhinol (Bord)*. 2005; 126(3):159-163. ISSN: 0035-1334.
- Rhee MY; Na SH; Kim YK, and Lee MM. Effects of Chronic Exposure to Aircraft Noise on the Prevalence of Hypertension. *J Hypertension*. 2006; 24(Suppl 6):125. ISSN: 0263-6352.
- Ribeiro AM and Camara Vde M. [Hearing loss by continuous exposure to high sound pressure among maintenance workers at a Brazilian Air Force helicopters unit]. *Cad Saude Publica*. 2006; 22(6):1217-1224. ISSN: 0102-311X.
- Ribeiro SB; Jacob LC; Alvarenga KF; Marques JM; Campelo RM, and Tschoeke SN. Auditory assessment of alcoholics in abstinence. *Rev Bras Otorrinolaringol*. 2007; 73(4):452-462. ISSN: 1808-8694.
- Ribeiro Valle Macedo M. The noise control in laboratories and health areas: A keyword in order to practice biosafety. *J Acoust Soc Am*. 2008; 123(5):3611. ISSN: 1520-8524.
- Ribera JE. Functional hearing in noise: insert earphones vs. supra-aural headphones. *Aviat Space Environ Med*. 2007; 78(12):1159-1161. ISSN:- 12.
- Ribera JE; Mozo BT, and Murphy BA. Speech intelligibility with helicopter noise: Tests of three helmet-mounted communication systems. 2004; 75, (2): 132-137.
- Ricci AJ; Kennedy HJ; Crawford AC, and Fettilplace R. The transduction channel filter in auditory hair cells. *J Neurosci*. 2005; 25(34):7831-7839. ISSN: 1529-2401.
- Richardson A; Allsop M; Coghill E, and Turnock C. Earplugs and eye masks: do they improve critical care patients' sleep? *Nurs Crit Care*. 2007; 12(6):278-286. ISSN:- 6.
- Richardson K and Davis B. Lowering the effect of low-frequency noise generated from boiler exhaust stacks. *J Acoust Soc Am*. 2008; 124(4):2589. ISSN: 1520-8524.
- Richie C; Kewley-Port D, and Coughlin M. Vowel perception by noise masked normal-hearing young adults. *J Acoust Soc Am*. 2005; 118(2):1101-1110. ISSN: 0001-4966.
- Richter U and Fedtke T. Reference zero for the calibration of audiometric equipment using 'clicks' as test signals. *Int J Audiol*. 2005; 44(8):478-487. ISSN: 1499-2027.
- Ricketts TA; Henry PP, and Hornsby BW. Application of frequency importance functions to directivity for prediction of benefit in uniform fields. *Ear Hear*. 2005; 26(5):473-486. ISSN: 0196-0202.

- Ricketts TA and Hornsby BW. Distance and reverberation effects on directional benefit. *Ear Hear.* 2003; 24(6):472-484. ISSN: 0196-0202.
- Riecke L; Van Opstal AJ, and Formisano E. The Auditory Continuity Illusion: a Parametric Investigation and Filter Model. *Perception & Psychophysics.* 2008; 70(1):1-12. ISSN: 0031-5117.
- Rief, W; Sander, E; Gunther, M, and Nanke, A. Steering selective attention in tinnitus: an experimental psychophysiological study. *Z Kl Psych Psychother.* 2004; 36(2):285-288.
- Rigby MH and Parnes LS. Profound hearing loss associated with oxycodone-acetaminophen abuse. *J Otolaryngol Head Neck Surg.* 2008; 37 (6):E161-E162. ISSN: 1916-0216.
- Rihacek T. Noise Annoyance: Conceptualisation and Predictors of Psycho-Social Nature. *Ceskoslovenska Psychologie.* 2007; 51(2):117-128. ISSN: 0009-062X.
- Rios AL and da Silva GA. Sleep quality in noise exposed Brazilian workers. *Noise Health.* 2005; 7(29):1-6. ISSN: 1463-1741.
- Ristovska, G.; Gjorgjev, D., and Pop Jordanova, N. Psychosocial effects of community noise: cross sectional study of school children in urban center of Skopje, Macedonia. *Croat Med J.* 2004; 45(4):473-476. ISSN: 0353-9504.
- Rita M and de Azevedo MF. [Otoacoustic emissions and medial olivocochlear system: patients with tinnitus and no hearing loss]. *Pro Fono.* 2005; 17(3):283-292. ISSN: 0104-5687.
- Ritenour AE; Wickley A; Ritenour JS; Kriete BR; Blackburne LH; Holcomb JB, and Wade CE. Tympanic Membrane Perforation and Hearing Loss From Blast Overpressure in Operation Enduring Freedom and Operation Iraqi Freedom Wounded. *J Trauma-Injury Infection Crit Care.* 2008; 64(2 Suppl S):S174-S178. ISSN: 0022-5282.
- Riva MM; Pavesi G; Bartolozzi F; Bancone C, and Mosconi G. [Differences in the prevalence of work related disorders among construction workers between the end of 90s and 2006]. *G Ital Med Lav Ergon.* 2007; 29(3 Suppl):311-313. ISSN: 1592-7830.
- Rivera J. Leading safety and the Hispanic workforce. *Occup Health Saf.* 2008; 77(8):50, 52. ISSN: 0362-4064.
- Riviere S; Schwoebel V; Lapierre-Duval K; Warret G; Saturnin M; Avan P; Job A, and Lang T. Hearing status after an industrial explosion: experience of the AZF explosion, 21 September 2001, France. *Int Arch Occup Environ Health.* 2007; Aug 1. ISSN: 0340-0131.
- Rivolta MN; Li H, and Heller S. Generation of inner ear cell types from embryonic stem cells. *Methods Mol Biol.* 2006; 330:71-92. ISSN: 1064-3745.
- Robbins M. Custom earplugs- made to measure. *Occup Health Safety Canada.* 2003; 19(1):54-55.
- Roberts LE; Moffat G; Baumann M; Ward LM, and Bosnyak DJ. Residual Inhibition Functions Overlap Tinnitus Spectra and the Region of Auditory Threshold Shift. *J Assoc Res Otolaryngol.* 2008; 9(4):417-435. ISSN: 1525-3961.
- Roberts LE; Moffat G, and Bosnyak DJ. Residual inhibition functions in relation to tinnitus spectra and auditory threshold shift. *Acta Otolaryngol Suppl.* 2006; 126(556):27-33. ISSN: 0365-5237.
- Roberts RA; Koehnke J, and Besing J. Effects of reverberation on fusion of lead and lag noise burst stimuli. *Hear Res.* 2004; 187(1-2):73-84. ISSN: 0378-5955.

Roberts RA and Lister JJ. Effects of age and hearing loss on gap detection and the precedence effect: broadband stimuli. *J Speech Lang Hear Res.* 2004; 47(5):965-978. ISSN: 1092-4388.

Robertson C; Kerr M; Garcia C, and Halterman E. Noise and hearing protection: Latino construction workers' experiences. *AAOHN J.* 2007; 55(4):153-160. ISSN: 0891-0162.

Robertson S; Loughran S, and MacKenzie K. Ear protection as a treatment for disruptive snoring: do ear plugs really work? *J Laryngol Otol.* 2006; 120(5):381-384. ISSN: 0022-2151.

Robinson P and MacDonell M. Priorities for mixtures health effects research. 2004; 18, (3): 201-213.

Rocha EB; Frasson de Azevedo M, and Ximenes Filho JA. Study of the hearing in children born from pregnant women exposed to occupational noise: assessment by distortion product otoacoustic emissions. *Rev Bras Otorrinolaringol.* 2007; 73(3):359-369. ISSN: 1808-8694.

Rodrigues de Faria CA and Suzuki FA. [Pure tone audiometry with and without specific ear protectors]. *Rev Bras Otorrinolaringol (Engl Ed).* 2008; 74(3):417-422. ISSN: 1808-8694.

Roeser RJ and Lai L. To scope or not to scope. *Spectrum.* 2003; 20(Suppl 1): 23.

Roeser RJ; Lai L, and Clark JL. Effect of ear canal occlusion on pure-tone threshold sensitivity. *J Am Acad Audiol.* 2005; 16(9):740-746. ISSN: 1050-0545.

Rohra DK; Memon A, and Khan K. Ototoxicity--the hidden menace of beta-blockers. *J Coll Physicians Surg Pak.* 2008; 18(9):597-598. ISSN: 1022-386X.

Rohwer D. Health and Wellness Issues for Adult Band Musicians. *Med Probl Perform Art.* 2008; 23(2):54-58. ISSN: 0885-1158.

Roller CA and Clark JB. Short-duration space flight and hearing loss. *Otolaryngol Head Neck Surg.* 2003; 129(1):98-106.

Roman N and Wang D. Pitch-based monaural segregation of reverberant speech. *J Acoust Soc Am.* 2006; 120(1):458-469. ISSN: 0001-4966.

Romeu J; Jimenez S; Genesca M; Pamies T, and Capdevila R. Spatial sampling for night levels estimation in urban environments. *J Acoust Soc Am.* 2006; 120(2):791-800. ISSN: 0001-4966.

Ronco C. Noise pollution in hemodialysis centers. *Nat Clin Pract Nephrol.* 2008; 4(6):289. ISSN: 1745-8331.

Ronge R. Acute Hearing Loss- Corticoid-Massive-Dose Therapy Brings No Advantage- Comment. *Laryngo-Rhino-Otologie.* 2007; 86(11):766. ISSN: 0935-8943.

Rongo LMB; Barten F; Msamanga GI; Heederik D, and Dolmans WMV. Occupational exposure and health problems in small-scale industry workers in Dar es Salaam, Tanzania: a situation analysis. 2004; 54, (1): 42-46.

Ronis DL; Hong O, and Lusk SL. Comparison of the original and revised structures of the health promotion model in predicting construction workers' use of hearing protection. *Res Nurs Health.* 2006; 29(1):3-17. ISSN: 0160-6891.

Rosanowski F; Eysholdt U, and Hoppe U. Influence of leisure-time noise on outer hair cell activity in medical students. *Int Arch Occup Environ Health.* 2006; Feb 28. ISSN: 0340-0131.

Rose AS; Ebert CS Jr; Prazma J, and Pillsbury HC 3rd. Noise exposure levels in stock car auto racing. *Ear Nose Throat J.* 2008; 87(12):689-692. ISSN: 0145-5613.

Rose, M. M. and Moore, B. C. The relationship between stream segregation and frequency discrimination in normally hearing and hearing-impaired subjects. *Hear Res.* 2005; 204(1-2):16-28. ISSN: 0378-5955.

Rosengard, P. S.; Oxenham, A. J., and Braida, L. D. Comparing different estimates of cochlear compression in listeners with normal and impaired hearing. *J Acoust Soc Am.* 2005; 117(5):3028-3041. ISSN: 0001-4966.

Rosenhall U. The influence of ageing on noise-induced hearing loss. *Noise Health.* 2003; 5(20):47-53.

Rosenhall U; Pyykko I; Rasmussen F, and Muhr P. Hearing loss in young men: possible aetiological factors. *Noise Health.* 2006; 8(30):40-44. ISSN: 1463-1741.

Rosowski JJ; Brinsko KM; Tempel BI, and Kujawa SG. The aging of the middle ear in 129S6/SvEvTac and CBA/CaJ mice: measurements of umbo velocity, hearing function, and the incidence of pathology. *J Assoc Res Otolaryngol.* 2003; 4(3):371-383. ISSN: 1525-3961.

Rosowski JJ; Mehta RP, and Merchant SN. Diagnostic utility of laser-Doppler vibrometry in conductive hearing loss with normal tympanic membrane. *Otol Neurotol.* 2003; 24(2):165-175.

Rosowski JJ; Nakajima HH, and Merchant SN. Clinical utility of laser-Doppler vibrometer measurements in live normal and pathologic human ears. *Ear Hear.* 2008; 29(1):3-19. ISSN: 0196-0202.

Ross B; Herdman AT, and Pantev C. Stimulus induced desynchronization of human auditory 40-Hz steady-state responses. *J Neurophysiol.* 2005; 94(6):4082-4093. ISSN: 0022-3077.

Ross JA; Macdiarmid JJ; Osman LM; Watt SJ; Godden DJ, and Lawson A. Health status of professional divers and offshore oil industry workers. *Occup Med.* 2007; 57(4):254-261. ISSN: 0962-7480.

Rossi-Katz JA and Arehart KH. Effects of cochlear hearing loss on perceptual grouping cues in competing-vowel perception. *J Acoust Soc Am.* 2005; 118(4):2588-2598. ISSN: 0001-4966.

Rossiter S; Stevens C, and Walker G. Tinnitus and its effect on working memory and attention. *J Speech Lang Hear Res.* 2006; 49(1):150-160. ISSN: 1092-4388.

Rothwell JA and Boyd PJ. Amalgam dental fillings and hearing loss. *Int J Audiol.* 2008; 47(12):770-776. ISSN: 1708-8186.

Rourke T. Aminoglycoside ototoxicity: How practical is this genetic screening test? *BMJ.* 2007; 335(7627):952. ISSN:- 7627.

Rovig GW; Bohnker BK, and Page JC. Hearing health risk in a population of aircraft carrier flight deck personnel. *Mil Med.* 2004; 169(6):429-432. ISSN: 0026-4075.

Roy N and Lapi M. Efficient computation of the radiated sound power of vibrating structures using a modal approach. *J Acoust Soc Am.* 2008; 123(5):3062. ISSN: 1520-8524.

Royar J and Schmelzer M. The Influence of Plenum Absorption on Flanking Transmission Through Suspended Ceilings. *Noise Contr Eng J.* 2008; 56(6):484-496. ISSN: 0736-2501.

Rubak T; Kock S; Koefoed-Nielsen B; Lund SP; Bonde JP, and Kolstad HA. The risk of tinnitus following occupational noise exposure in workers with hearing loss or normal hearing. *Int J Audiol.* 2008; 47(3):109-114. ISSN: 1708-8186.

Rubak T; Kock SA; Koefoed-Nielsen B; Bonde JP, and Kolstad HA. The risk of noise-induced hearing loss in the Danish workforce. *Noise Health*. 2006; 8(31):80-87. ISSN: 1463-1741.

Rubens DD; Vohr BR; Tucker R; O'neil CA, and Chung W. Newborn Oto-Acoustic Emission Hearing Screening Tests- Preliminary Evidence for a Marker of Susceptibility to Sids. *Early Human Development*. 2008; 84(4):225-229. ISSN: 0378-3782.

Rubinstein JT. An introduction to the biophysics of the electrically evoked compound action potential. *Int J Audiol*. 2004; 43(Suppl 1):S3-S. ISSN: 1499-2027.

Rubinstein JT; Tyler RS; Johnson A, and Brown CJ. Electrical suppression of tinnitus with high-rate pulse trains. *Otol Neurotol*. 2003; 24(3):478-285.

Rubio EM and Teti R. Cutting Parameters Analysis for the Development of a Milling Process Monitoring System Based on Audible Energy Sound. *J Intell Manufact*. 2009; 20(1):43-54. ISSN: 0956-5515.

Rudner M; Foo C; Ronnberg J, and Lunner T. Phonological mismatch makes aided speech recognition in noise cognitively taxing. *Ear Hear*. 2007; 28(6):879-892. ISSN: 0196-0202.

Rudnick SA. More about hearing. *J Am Dent Assoc*. 2003; 134(3):274.

Rudno-Rudzinski K. Noise Exposure of Orchestra Members Measurement Uncertainty Related to Sampling. *Arch Acoust*. 2007; 32(2):361-366. ISSN: 0137-5075.

Ruel J; Wang J; Pujol R; Hameg A; Dib M, and Puel JL. Neuroprotective effect of riluzole in acute noise-induced hearing loss. *Neuroreport*. 2005; 16(10):1087-1090. ISSN: 0959-4965.

Ruel, J. R.; Wang, J.; Pujol, R. M.; Hameg, A.; Dib, M., and Puel, J. L. Neuroprotective effect of riluzole in acute noise-induced hearing loss. *Neuroreport*. 2005; 16(10):1087-1090. ISSN: 0959-4965.

Ruffoli R; Carpi A; Giambelluca MA; Grasso L; Scavuzzo MC, and Giannessi FF. Diazepam administration prevents testosterone decrease and lipofuscin accumulation in testis of mouse exposed to chronic noise stress. *Andrologia*. 2006; 38(5):159-165. ISSN: 0303-4569.

Rumsey F; Zielinski S; Kassier R, and Bech S. On the relative importance of spatial and timbral fidelities in judgments of degraded multichannel audio quality. *J Acoust Soc Am*. 2005; 118(2):968-976. ISSN: 0001-4966.

Runyan CW; Dal Santo J; Schulman M; Lipscomb HJ, and Harris TA. Work hazards and workplace safety violations experienced by adolescent construction workers. *Arch Pediatr Adolesc Med*. 2006; 160(7):721-727. ISSN: 1072-4710.

Runyan CW; Vladutiu CJ; Rauscher KJ, and Schulman M. Teen workers' exposures to occupational hazards and use of personal protective equipment. *Am J Ind Med*. 2008; 51(10):735-740. ISSN: 1097-0274.

Rusina EV. Method of Determination of Acoustic Power. *Fibre Chem*. 2008; 40(6):537-539. ISSN: 0015-0541.

Ryaben'kii VS; Utyuzhnikov SV, and Turan A. On the Application of Difference Potential Theory to Active Noise Control. *Adv Appl Math*. 2008; 40(2):194-211. ISSN: 0196-8858.

Ryals BM and Svirsky MA. Regarding sufficiency of authors' disclosures: Hearing levels of firefighters: risk of occupational noise-induced hearing loss assessed by cross-sectional and longitudinal data. *Ear Hear*. 2008; 29(5):815-6; author reply 816-817; discussion 817-818. ISSN: 1538-4667.

Ryan C. Band plug in ton protect hearing. *BBC NEWS*. 2006; 08/17.

Rybak LP. Mechanisms of cisplatin ototoxicity and progress in otoprotection. *Curr Opin Otolaryngol Head Neck Surg.* 2007; 15(5):364-369. ISSN:- 5.

Rybak LP. Neurochemistry of the peripheral and central auditory system after ototoxic drug exposure: implications for tinnitus. *Int Tinnitus J.* 2005; 11(1):23-30. ISSN: 0946-5448.

Rybak LP and Ramkumar V. Ototoxicity. *Kidney Int.* 2007; 72(8):931-935. ISSN: 0085-2538.

Rybak LP and Whitworth CA. Ototoxicity: therapeutic opportunities. *Drug Discov Today.* 2005; 10(19):1313-1321. ISSN: 1359-6446.

Rybak LP; Whitworth CA; Mukherjea D, and Ramkumar V. Mechanisms of cisplatin-induced ototoxicity and prevention. *Hear Res.* 2007; 226 (1-2):157-167. ISSN: 0378-5955.

Rybalko N and Syka J. Effect of noise exposure on gap detection in rats. *Hear Res.* 2005; 200(1-2):63-72. ISSN: 0378-5955.

Ryherd EE and Wang LM. Effects of Exposure Duration and Type of Task on Subjective Performance and Perception in Noise. *Noise Control Eng J.* 2007; 55(3):334-347. ISSN: 0736-2501.

Ryherd EE and Wang LM. Implications of Human Performance and Perception Under Tonal Noise Conditions on Indoor Noise Criteria. *J Acoust Soc Am.* 2008; 124(1):218-226. ISSN: 0001-4966.

Ryherd EE; Wayne KP, and Ljungkvist L. Characterizing noise and perceived work environment in a neurological intensive care unit. *J Acoust Soc Am.* 2008; 123(2):747-756. ISSN: 1520-8524.

Ryherd S; Persson Wayne K; Kleiner M, and Ryherd E. Quantifying the noise environment: effects of the wearer's voice on body-mounted noise dosimeter measurements. *J Acoust Soc Am.* 2008; 123(5):3193. ISSN: 1520-8524.

Rylander, R. Physiological aspects of noise-induced stress and annoyance. *J Sound Vib.* 2004; 277(3):471-478.

Saarkoppel', L. M.; Rushkevich, O. P.; Kir'iakov, V. A.; Sineva, E. L., and Kazantsev, D. P. [Occupational hazards in metal mining industry]. *Vestn Ross Akad Med Nauk.* 2005(3):39-42. ISSN: 0869-6047.

Sabah Y; Okuma M, and Okubo M. Implementation of Single and Multiple Adaptive Step-Size Algorithm to Anc. *J Vibr Acoust-Trans Asme.* 2008; 130(1). ISSN: 1048-9002.

Sabatier JM and Ekimov AE. Orthogonal acoustic sensor package for human detection in quiet and noisy environments. *J Acoust Soc Am.* 2008; 124(4):2508. ISSN: 1520-8524.

Sabin AT; Macpherson EA, and Middlebrooks JC. Human sound localization at near-threshold levels. 2005; 199, (1-2): 124-134.

Sabra KG; Winkel ES; Bourgoyne DA; Elbing BR; Ceccio SL; Perlin M, and Dowling DR. Using cross correlations of turbulent flow-induced ambient vibrations to estimate the structural impulse response. Application to structural health monitoring. *J Acoust Soc Am.* 2007; 121(4):1987-1995. ISSN: 0001-4966.

Saccone PA and Steiger JR. Hearing handicap among adult residents of an urban homeless shelter. *J Health Care Poor Underserved.* 2007; 18(1):161-172. ISSN: 1049-2089.

Sagowski, C.; Samuel, P.; Wenzel, S., and Leuwer, R. [Hearing loss following tympanic membrane injury]. *HNO.* 2004; 52(8):720-723. ISSN: 0017-6192.

Sakata T; Esaki Y; Yamano T; Sueta N, and Nakagawa T. A comparison between the feeling of ear fullness and tinnitus in acute sensorineural hearing loss. *Int J Audiol*. 2008; 47(3):134-140. ISSN: 1708-8186.

Sakata T and Kato T. Feeling of ear fullness in acute sensorineural hearing loss. *Acta Otolaryngol*. 2006; 126(8):828-833. ISSN: 0001-6489.

Sakuta H; Suzuki T; Yasuda H, and Ito T. Type 2 diabetes and hearing loss in personnel of the Self-Defense Forces. *Diabetes Res Clin Pract*. 2007; 75(2):229-234. ISSN: 0168-8227.

Salatin G; Mattia CF; Morganti M, and Motta L. [Medical legal aspects of the requirement to report noise-induced hearing loss notified to INAIL to the judicial authorities]. *Med Lav*. 2006; 97(4):613-620. ISSN: 0025-7818.

Saljo A; Arrhen F; Bolouri H; Mayorga M, and Hamberger A. Neuropathology and Pressure in the Pig Brain Resulting from Low-Impulse Noise Exposure. *J Neurotrauma*. 2009; Jan 15. ISSN: 0897-7151.

Saljo A; Huang YL, and Hansson HA. Impulse noise transiently increased the permeability of nerve and glial cell membranes, an effect accentuated by a recent brain injury. *J Neurotrauma*. 2003; 20(8):787-794.

Salt AN and Plontke SK. Local inner-ear drug delivery and pharmacokinetics. *Drug Discov Today*. 2005; 10(19):1299-1306. ISSN: 1359-6446.

Sam B. Noise Level on Safe Exposure Limit of Power Tiller Operator. *Indian Journal of Agricultural Sciences*. 2006; 76(12):760-761. ISSN: 0019-5022.

Samant Y; Parker D; Wergeland E, and Wannag A. The Norwegian Labour Inspectorate's Registry for Work-Related Diseases: Data From 2006. *Int J Occup Environ Health*. 2008; 14(4):272-279. ISSN: 1077-3525.

Samelli AG and Schochat E. The gaps-in-noise test: gap detection thresholds in normal-hearing young adults. *Int J Audiol*. 2008; 47(5):238-245. ISSN: 1708-8186.

Sampaio Fernandes JC; Carvalho AP; Gallas M; Vaz P, and Matos PA. Noise levels in dental schools. *Eur J Dent Educ*. 2006; 10(1):32-37. ISSN: 1396-5883.

Sampath K; Kapoor SG, and Devor RE. Modeling and Analysis of Aerodynamic Noise in Milling Cutters. *J Manufacturing Sci Eng Trans ASME*. 2007; 129(1):5-11. ISSN: 1087-1357.

Samson J; Sheeladevi R, and Ravindran R. Oxidative stress in brain and antioxidant activity of *Ocimum sanctum* in noise exposure. *Neurotoxicology*. 2007; Feb 25. ISSN: 0161-813X.

Samson J; Sheeladevi R; Ravindran R, and Senthilvelan M. Stress response in rat brain after different durations of noise exposure. *Neurosci Res*. 2006; Nov 6. ISSN: 0168-0102.

Sanchez TG; Medeiros IR; Levy CP; Ramalho Jda R, and Bento RF. Tinnitus in normally hearing patients: clinical aspects and repercussions. *Rev Bras Otorrinolaringol (Engl Ed)*. 2005; 71(4):427-431. ISSN: 1808-8694.

Sanchidrian, CD and Gonzalez, AP. A comparison of two global methods of measuring the in situ airborne sound insulation of facades, using loudspeakers and air traffic noise. *Acta Acust United Acust*. 2004; 90(4):777-780.

Sandell J; Berntson A; Sjosten P; Blomgren G, and Kahari K. Acoustic Intervention in a Live Music Club. *Acta Acustica United With Acustica*. 2007; 93(5):843-849. ISSN: 1610-1928.

Sandor, P. M.; Pellieux, L.; Godfroy, M.; Ossard, G., and Dancer, A. Hearing thresholds during Gz acceleration with masking noise. *Aviat Space Environ Med.* 2004 Nov; 75(11):952-955. ISSN: 0095-6562.

Sandrock S; Griefahn B; Kaczmarek T; Hafke H; Preis A, and Gjestland T. Experimental Studies on Annoyance Caused by Noises From Trams and Buses. *J Sound Vib.* 2008; 313(3-5):908-919. ISSN: 0022-460X.

Sandrock S; Schutte M, and Griefahn B. Impairing effects of noise in high and low noise sensitive persons working on different mental tasks. *Int Arch Occup Environ Health.* 2009; 82(6):779-785. ISSN: 1432-1246.

Sandrock S; Schutte M, and Griefahn B. The reliability of the noise sensitivity questionnaire in a cross-national analysis. *Noise Health.* 2007; 9(34):8-14. ISSN: 1463-1741.

Sanjuan Juaristi J. [Conventional audiometry versus cochlear microphone audiometry]. *Acta Otorrinolaringol Esp.* 2007; 58(4):143-150. ISSN: 0001-6519.

Santos L; Morata TC; Jacob LC; Albizu E; Marques JM, and Paini M. Music exposure and audiological findings in Brazilian disc jockeys (DJs). *Int J Audiol.* 2007; 46(5):223-231. ISSN: 1499-2027.

Santurette S and Dau T. Binaural pitch perception in normal-hearing and hearing-impaired listeners. *Hear Res.* 2007; 223(1-2):29-47. ISSN: 0378-5955.

Sardesai MG; Tan AKW, and Fitzpatrick M. Noise-induced hearing loss in snorers and their bed partners. *J Otolaryngol.* 2003; 32(3):141-145.

Saremi M; Rohmer O; Burgmeier A; Bonnefond A; Muzet A, and Tassi P. Combined effects of noise and shift work on fatigue as a function of age. *Int J Occup Saf Ergon.* 2008; 14(4):387-394. ISSN: 1080-3548.

Sataloff RT. The council for accreditation in occupational hearing conservation: a good model for training allied health personnel. *Ear Nose Throat J.* 2006; 85(5):294-295. ISSN: 0145-5613.

Sataloff RT and Sataloff J. Differential diagnosis of occupational hearing loss. *Occup Health Safety.* 2003; July:<http://www.stevenspublishing.com/stevens/OHSpub.nsf/PubArchive?openview>.

Satar B; Kapkin O, and Ozkaptan Y. Evaluation of cochlear function in patients with normal hearing and tinnitus: a distortion product otoacoustic emission study. *Kulak Burun Bogaz Ihtis Derg.* 2003; 10(5):177-182.

Sato H and Bradley JS. Evaluation of acoustical conditions for speech communication in working elementary school classrooms. *J Acoust Soc Am.* 2008; 123(4):2064-2077. ISSN: 1520-8524.

Sato H; Morimoto M; Sato H, and Wada M. Relationship between listening difficulty and acoustical objective measures in reverberant sound fields. *J Acoust Soc Am.* 2008; 123(4):2087-2093. ISSN: 1520-8524.

Sato H; Sato H; Morimoto M, and Ota R. Acceptable range of speech level for both young and aged listeners in reverberant and quiet sound fields. *J Acoust Soc Am.* 2007; 122(3):1616. ISSN: 1520-8524.

Sato H; Takaoka T, and Morimoto M. Effects of spatial factors of speech, noise, and reverberation sounds on listening difficulty. *J Acoust Soc Am.* 2008; 123(5):3608. ISSN: 1520-8524.

Saunders G; Forsline A, and Jacobs P. The Attitudes towards Loss of Hearing Questionnaire (ALHQ): a comparison of paper and electronic formats. *J Am Acad Audiol.* 2007; 18(1):66-77. ISSN: 1050-0545.

Saunders GH and Echt KV. An overview of dual sensory impairment in older adults: perspectives for rehabilitation. *Trends Amplif.* 2007; 11(4):243-258. ISSN: 1084-7138.

Saunders GH and Griest SE. Hearing loss in veterans and the need for hearing loss prevention programs. *Noise Health*. 2009; 11(42):14-21. ISSN: 1463-1741.

Saunders JC. The role of central nervous system plasticity in tinnitus. *J Commun Disord*. 2007; 40(4):313-334. ISSN: 0021-9924.

Sautter NB; Shick EH; Ransohoff RM; Charo IF, and Hirose K. CC chemokine receptor 2 is protective against noise-induced hair cell death: studies in CX3CR1(+GFP) mice. *J Assoc Res Otolaryngol*. 2006; 7(4):361-372. ISSN: 1525-3961.

Savage I; Dillon H; Byrne D, and Bachler H. Experimental evaluation of different methods of limiting the maximum output of hearing AIDS. *Ear Hear*. 2006; 27(5):550-562. ISSN: 0196-0202.

Savastano M. Characteristics of tinnitus: Investigation of over 1400 patients. 2004; 33, (4): 248-253.

Savastano M. Tinnitus with or without hearing loss: are its characteristics different? *Eur Arch Otorhinolaryngol*. 2008; Mar 4. ISSN: 0937-4477.

Sbihi H; Davies HW, and Demers PA. Hypertension in noise-exposed sawmill workers: a cohort study. *Occup Environ Med*. 2008; Jan 4. ISSN: 1470-7926.

Scanlon PM; Perry J, and Cerami VJ. Education vs cost- Difficulties in implementing acoustical design standards in classrooms. *J Acoust Soc Am*. 2008; 123(5):3919. ISSN: 1520-8524.

Scanlon ST. The changing face of hearing protection. *Comp Mag*. 2003; 10(1):14-16.

Scarinci N; Worrall L, and Hickson L. The effect of hearing impairment in older people on the spouse. *Int J Audiol*. 2008; 47(3):141-151. ISSN: 1708-8186.

Schacht J and Hawkins JE. Sketches of Otohistory. Part 11: ototoxicity: drug-induced hearing loss. *Audiol Neurootol*. 2006; 11(1):1-6. ISSN: 1420-3030.

Schacks S; Rohn K, and Hauschild G. Frequency-specific electric response audiometry (ERA) and its clinical application in the diagnosis of hearing defects in the dog. *Vet Q*. 2006; 28(1):14-22. ISSN: 0165-2176.

Schade W. Transport noise: a challenge for sustainable mobility. *Int Soc Sci J*. 2003; 55(2):279-296.

Schaette R and Kempster R. Development of tinnitus-related neuronal hyperactivity through homeostatic plasticity after hearing loss: a computational model. *Eur J Neurosci*. 2006; 23(11):3124-3138. ISSN: 0953-816X.

Schaette R and Kempster R. Predicting Tinnitus Pitch from Patients' Audiograms with a Computational Model for the Development of Neuronal Hyperactivity. *J Neurophysiol*. 2009; Apr 8. ISSN: 0022-3077.

Schairer K; Fitzpatrick D, and Keefe D. Input-output functions for stimulus-frequency otoacoustic emission in normal-hearing adult ears. *J Acoust Soc Am*. 2003; 114(2):944-966.

Schairer KS and Keefe DH. Simultaneous recording of stimulus-frequency and distortion-product otoacoustic emission input-output functions in human ears. *J Acoust Soc Am*. 2005; 117(2):818-832.

Schaper M; Demes P; Zupanic M; Blaszkewicz M, and Seeber A. Occupational toluene exposure and auditory function: results from a follow-up study. *Ann Occup Hyg*. 2003; 47(6):493-502.

- Schaper M; Seeber A, and van Thriel C. The effects of toluene plus noise on hearing thresholds: an evaluation based on repeated measurements in the german printing industry. *Int J Occup Med Environ Health*. 2008; 21(3):191-200. ISSN: 1232-1087.
- Schapkin SA; Falkenstein M; Marks A, and Griefahn B. Executive brain functions after exposure to nocturnal traffic noise: effects of task difficulty and sleep quality. *Eur J Appl Physiol*. 2006; Jan 19:1-10. ISSN: 1439-6319.
- Schell LM. Effects of noise contribute to physicians' challenges. *South Med J*. 2007; 100(3):241. ISSN: 0038-4348.
- Schell LM and Denham M. Environmental pollution in urban environments and human biology. 2003; 32, 111-126.
- Scheperle RA; Neely ST; Kopun JG, and Gorga MP. Influence of in Situ, Sound-Level Calibration on Distortion-Product Otoacoustic Emission Variability. *J Acoust Soc Am*. 2008; 124(1):288-300. ISSN: 0001-4966.
- Scherer M; Burrows H; Pinto R, and Somrack E. Characterizing self-reported dizziness and otovestibular impairment among blast-injured traumatic amputees: a pilot study. *Mil Med*. 2007; 172(7):731-737. ISSN: 0026-4075.
- Scherf F; Brokx J; Wuyts FL, and Van de Heyning PH. The ASSR: clinical application in normal-hearing and hearing-impaired infants and adults, comparison with the click-evoked ABR and pure-tone audiometry. *Int J Audiol*. 2006; 45(5):281-286. ISSN: 1499-2027.
- Schiavi A; Belli AP; Corallo M, and Russo F. Acoustical Performance Characterization of Resilient Materials Used Under Floating Floors in Dwellings. *Acta Acustica United With Acustica*. 2007; 93(3):477-485. ISSN: 1610-1928.
- Schlauch RS and Carney E. A multinomial model for identifying significant pure-tone threshold shifts. *J Speech Lang Hear Res*. 2007; 50(6):1391-1403. ISSN: 1092-4388.
- Schlee W; Weisz N; Bertrand O; Hartmann T, and Elbert T. Using auditory steady state responses to outline the functional connectivity in the tinnitus brain. *PLoS ONE*. 2008; 3(11):e3720. ISSN: 1932-6203.
- Schmuziger N; Allum J; Buitrago-Tellez C, and Probst R. Incapacitating hypersensitivity to one's own body sounds due to a dehiscence of bone overlying the superior semicircular canal. A case report. *Eur Arch Otorhinolaryngol*. 2006; 263(1):69-74. ISSN: 0937-4477.
- Schmuziger N; Fostirooulos K, and Probst R. Long-term assessment of auditory changes resulting from a single noise exposure associated with non-occupational activities. *Int J Audiol*. 2006; 45(1):46-54. ISSN: 1499-2027.
- Schmuziger N; Ludwig A, and Probst R. Influence of artifacts and pass/refer criteria on otoacoustic emission hearing screening. *Int J Audiol*. 2006; 45(2):67-73. ISSN: 1499-2027.
- Schmuziger N; Patscheke J, and Probst R. An assessment of threshold shifts in nonprofessional pop/rock musicians using conventional and extended high-frequency audiometry. *Ear Hear*. 2007; 28(5):643-648. ISSN: 0196-0202.
- Schmuziger N; Patscheke J, and Probst R. Automated pure-tone threshold estimations from extrapolated distortion product otoacoustic emission (DPOAE) input/output functions. *J Acoust Soc Am*. 2006; 119(4):1937-1939. ISSN: 0001-4966.

Schmuziger N; Patscheke J, and Probst R. Hearing in nonprofessional pop/rock musicians. *Ear Hear.* 2006; 27(4):321-330. ISSN: 0196-0202.

Schmuziger N; Probst R, and Smurzynski J. Otoacoustic emissions and extended high-frequency hearing sensitivity in young adults. *Int J Audiol.* 2005; 44(1):24-30. ISSN: 1499-2027.

Schmuziger, N.; Probst, R., and Smurzynski, J. Test-retest reliability of pure-tone thresholds from 0.5 to 16 kHz using Sennheiser HDA 200 and Etymotic Research ER-2 earphones. *Ear Hear.* 2004; 25(2):127-132. ISSN: 0196-0202.

Schnee ME; Lawton DM; Furness DN; Benke TA, and Ricci AJ. Auditory hair cell-afferent fiber synapses are specialized to operate at their best frequencies. *Neuron.* 2005; 47(2):243-254. ISSN: 0896-6273.

Schneider BA; Daneman M, and Murphy DR. Speech comprehension difficulties in older adults: cognitive slowing or age-related changes in hearing? *Psychol Aging.* 2005; 20(2):261-271. ISSN: 0882-7974.

Schneider BA; Li L, and Daneman M. How competing speech interferes with speech comprehension in everyday listening situations. *J Am Acad Audiol.* 2007; 18(7):559-572. ISSN: 1050-0545.

Schneider, G.; Kochs, E. F.; Arenbeck, H.; Gallinat, M., and Stockmanns, G. Signal verification of middle latency auditory evoked potentials by automated detection of the brainstem response. *Anesthesiology.* 2004; 101(2):321-326. ISSN: 0003-3022.

Scholl W and Wittstock V. Uncertainty in building acoustics. *J Acoust Soc Am.* 2008; 123(5):3503. ISSN: 1520-8524.

Schomer P. Dr. Henning von Gierke-My mentor, everyone's mentor. *J Acoust Soc Am.* 2008; 123(5):3132. ISSN: 1520-8524.

Schomer P and Attenborough K. Basic results from full-scale tests at Fort Drum. *Noise Contr Eng J.* 2005; 53(3):94-109.

Schomer PD. Criteria for assessment of noise annoyance. *Noise Contr Eng J.* 2005; 53(4):125-137.

Schomer, PD. The importance of proper integration of and emphasis on the low-frequency sound energies for environmental noise assessment. *Noise Contr Eng J.* 2004; 52(1):26-39.

Schonweiler R and Raap M. [Notched-noise-BERA: methods and diagnostic use]. *Laryngorhinootologie.* 2007; 86(5):336-344. ISSN: 0935-8943.

Schrock A; Jakob M; Wirz S, and Bootz F. Sudden sensorineural hearing loss after heroin injection. *Eur Arch Otorhinolaryngol.* 2008; 265(5):603-606. ISSN: 0937-4477.

Schulz C; Conrad A; Becker K; Kolossa-Gehring M; Seiwert M, and Seifert B. Twenty years of the German Environmental Survey (GerES): human biomonitoring--temporal and spatial (West Germany/East Germany) differences in population exposure. *Int J Hyg Environ Health.* 2007; 210:271-297. ISSN:- 3-4.

Schulz C; Wolf U; Becker K; Conrad A; Hunken A; Ludecke A; Mussig-Zufika M; Riedel S; Seiffert I; Seiwert M, and Kolossa-Gehring M. German Environmental Survey for Children (Geres Iv) in the German Health Interview and Examination Survey for Children and Adolescents (Kiggs). First Results. *Bundesgesundheitsblatt-Gesundheitsforschung-Gesundheitsschutz.* 2007; 50(5-6):889-894. ISSN: 1436-9990.

Schulz TY. Coping with the NRR change. *Occup Health Saf.* 2009; 78(3):56-58. ISSN: 0362-4064.

Schulz TY. PPE management: what trainers need to know about fitting earplugs. EHS Today. 2008.

Schum DJ. Noise-reduction circuitry in hearing aids: (2) Goals and current strategies. Hear J. 2003(56):6.

Schum DJ. Noise reduction via signal processing (1) Strategies used in other industries. Hear J. 2003; 56(5):27, 30-32.

Schutte M; Sandrock S, and Griefahn B. Factorial validity of the noise sensitivity questionnaire. Noise Health. 2007; 9(37):96-100. ISSN: 1463-1741.

Schwaber MK. Medical evaluation of tinnitus. Otolaryngol Clin North Am. 2003; 36(2):287-295.

Schweinfurth J and Pribitkin E. Sudden hearing loss associated with ephedra use. Am J Health System Pharm. 2003; 60(4):375-377.

Schwela D; Kephelopoulos S, and Prasher D. Confounding or aggravating factors in noise-induced health effects: air pollutants and other stressors. Noise Health. 2005; 7(28):41-50. ISSN: 1463-1741.

Scott, D. F.; Grayson, R. L., and Metz, E. A. Disease and illness in U.S. mining, 1983-2001. J Occup Environ Med. 2004; 46(12):1272-1277. ISSN: 1076-2752.

Scott JJ and Gray R. A comparison of tactile, visual, and auditory warnings for rear-end collision prevention in simulated driving. Hum Factors. 2008; 50(2):264-275. ISSN: 0018-7208.

Seelman KD; Palmer CV; Ortmann A; Mormer E; Guthrie O; Miele J, and Brabyn J. Quality-of-life technology for vision and hearing loss. IEEE Eng Med Biol Mag. 2008; 27(2):40-55. ISSN: 0739-5175.

Seemungal BM and Bronstein AM. Aminoglycoside ototoxicity: Vestibular function is also vulnerable. BMJ. 2007; 3335(7627):952. ISSN:- 7627.

Segal N; Shkolnik M; Kochba A; Segal A, and Kraus M. Asymmetric hearing loss in a random population of patients with mild to moderate sensorineural hearing loss. Ann Otol Rhinol Laryngol. 2007; 116(1):7-10. ISSN: 0003-4894.

Segal NT; Puterman M; Shkolnik M; Niv A; Kaplan D; Kochva A, and Kraus M. The role of tinnitus evaluation tests in differentiating functional versus organic tinnitus. 2007; 137(5):772-775. ISSN:- 5.

Segal S; Eviatar E; Lapinsky J; Shlamkovitch N, and Kessler A. Inner ear damage in children due to noise exposure from toy cap pistols and firecrackers: A retrospective review of 53 cases. Noise Health. 2003; 5(18):13-18.

Seidman, M. D. and Vivek, P. Intratympanic treatment of hearing loss with novel and traditional agents. Otolaryngol Clin North Am. 2004; 37(5):973-990. ISSN: 0030-6665.

Seidman MD and Babu S. Alternative medications and other treatments for tinnitus: facts from fiction. Otolaryngol Clin North Am. 2003; 36(2):359-383.

Seiler JR and Pon M. Engineering and Administrative Noise Controls for the Mining Industry. Sound Vib. 2008; 42(12):8-10. ISSN: 1541-0161.

Seixas, N.; Neitzel, R.; Sheppard, L., and Goldman, B. Alternative Metrics for Noise Exposure Among Construction Workers. Ann Occup Hyg. 2005; 49(6):493-502. ISSN: 0003-4878.

Seixas, N. S.; Goldman, B.; Sheppard, L.; Neitzel, R.; Norton, S., and Kujawa, S. G. Prospective noise induced changes to hearing among construction industry apprentices. *Occup Environ Med.* 2005; 62(5):309-317. ISSN: 1470-7926.

Seixas, N. S.; Kujawa, S. G.; Norton, S.; Sheppard, L.; Neitzel, R., and Slee, A. Predictors of hearing threshold levels and distortion product otoacoustic emissions among noise exposed young adults. *Occup Environ Med.* 2004; 61(11):899-907. ISSN: 1470-7926.

Seixas NS; Sheppard L, and Neitzel R. Comparison of task-based estimates with full-shift measurements of noise exposure. 2003; 64(6):823-829.

Sek A and Moore BC. Perception of amplitude modulation by hearing-impaired listeners: the audibility of component modulation and detection of phase change in three-component modulators. *J Acoust Soc Am.* 2006; 119(1):507-514. ISSN: 0001-4966.

Seki, K; Kaneko, T; Goto, K, and Yano, T. Choice of Japanese modifiers in noise annoyance scale during exposures to white noise. *J Sound Vib.* 2004; 277(3):603-608.

Sekiya T; Kojima K; Matsumoto M; Holley MC, and Ito J. Rebuilding lost hearing using cell transplantation. *Neurosurgery.* 2007; 60(3):417-433; discussion 433. ISSN: 1524-4040.

Selimoglu E. Aminoglycoside-induced ototoxicity. *Curr Pharm Des.* 2007; 13(1):119-126. ISSN: 1873-4286.

Selimoglu E. Nitric oxide in health and disease from the point of view of the otorhinolaryngologist. *Curr Pharm Des.* 2005; 11(23):3051-3060. ISSN: 1381-6128.

Sen RN and Yeow PH. Ergonomic study on the manual component insertion lines for occupational health and safety improvements. *Int J Occup Saf Ergon.* 2003; 9(1):57-74.

Sendowski I; Abamrane L; Raffin F; Cros A, and Clarencon D. Therapeutic efficacy of intra-cochlear administration of methylprednisolone after acoustic trauma caused by gunshot noise in guinea pigs. *Hear Res.* 2006; 221(1-2):119-127. ISSN: 0378-5955.

Sendowski I; Braillon-Cros A, and Delaunay C. CAP amplitude after impulse noise exposure in guinea pigs. *Eur Arch OtoRhinoLaryngol.* 2003.

Sendowski I; Braillon-Cros A, and Delaunay C. CAP amplitude after impulse noise exposure in guinea pigs. 2004; 261, (2): 77-81.

Sendowski I; Raffin F, and Braillon-Cros A. Therapeutic efficacy of magnesium after acoustic trauma caused by gunshot noise in guinea pigs. *Acta Otolaryngol.* 2006; 126(2):122-129. ISSN: 0001-6489.

Sendowski, I. and Viret, J. The survival attractor in the sensory functions: the example of hearing. *Acta Biotheor.* 2004; 52(4):401-414. ISSN: 0001-5342.

Seneviratne M and Phoon WO. Exposure assessment in SMES: a low-cost approach to bring OHS services to small-scale enterprises. *Ind Health.* 2006; 44(1):27-30. ISSN: 0019-8366.

Sensogut C. Occupational Noise in Mines and Its Control- a Case Study. *Pol J Environ Studies.* 2007; 16(6):939-942. ISSN: 1230-1485.

Sequeira SD; Specht K; Hamalainen H, and Hugdahl K. The Effects of Background Noise on Dichotic Listening to Consonant-Vowel Syllables. *Brain Lang.* 2008; 107(1):11-15. ISSN: 0093-934X.

Sergi, B.; Fetoni, A. R.; Ferraresi, A.; Troiani, D.; Azzena, G. B.; Paludetti, G., and Maurizi, M. The role of antioxidants in protection from ototoxic drugs. *Acta Otolaryngol Suppl.* 2004(552):42-45. ISSN: 0365-5237.

Sergi B; Fetoni AR; Paludetti G; Ferraresi A; Navarra P; Mordente A, and Troiani D. Protective properties of idebenone in noise-induced hearing loss in the guinea pig. *Neuroreport.* 2006; 17(9):857-861. ISSN: 0959-4965.

Serra MR; Biassoni EC; Hinalaf M; Pavlik M; Perez Villalobo J; Curet C; Minoldo G; Abraham S; Moreno Barral J; Reynoso R; Barteik ME; Joekes S, and Yacci MR. Program for the conservation and promotion of hearing among adolescents. *Am J Audiol.* 2007; 16(2):S158-S164. ISSN:- 2.

Serra MR; Biassoni EC; Richter U; Minoldo G; Franco G; Abraham S; Carignani JA; Joekes S, and Yacci MR. Recreational noise exposure and its effects on the hearing of adolescents. Part I: an interdisciplinary long-term study. *Int J Audiol.* 2005; 44(2):65-73. ISSN: 1499-2027.

Serra MR; Biassoni EC; Skarp AHO; Serra M, and Joekes S. Sound Immission During Leisure Activities and Auditory Behaviour. *Appl Acoust.* 2007; 68(4):403-420.

Seshagiri B. Exposure to noise on board locomotives. *AIHAJ.* 2003; 64(5):699-707.

Seto EY; Holt A; Rivard T, and Bhatia R. Spatial distribution of traffic induced noise exposures in a US city: an analytic tool for assessing the health impacts of urban planning decisions. *Int J Health Geogr.* 2007; 6:24. ISSN: 1476-072X.

Sewell RK and Moore GF. Medical Malpractice and Hearing Loss. *Laryngoscope.* 2009; 119(S1):127. ISSN: 1531-4995.

Sewell RK; Song C; Bauman NM; Smith RJH, and Blanck P. Hearing loss in union army veterans from 1862 to 1920. 2004; 114, (12): 2147-2153.

Sha SH. Physiological and molecular pathology of aminoglycoside ototoxicity. *Volta Rev.* 2005; 105(3):325-334.

Shaffer LA; Withnell RH; Dhar S; Lilly DJ; Goodman SS, and Harmon KM. Sources and mechanisms of DPOAE generation: Implications for the prediction of auditory sensitivity. *Ear Hear.* 2003; 24(5):367-379.

Shah S; Gopal B; Reis J, and Novak M. Hear today, gone tomorrow: an assessment of portable entertainment player use and hearing acuity in a community sample. *J Am Board Fam Med.* 2009; 22(1):17-23. ISSN: 1557-2625.

Shahin AJ; Roberts LE; Chau W; Trainor LJ, and Miller LM. Music training leads to the development of timbre-specific gamma band activity. *Neuroimage.* 2008; 41(1):113-122. ISSN: 1053-8119.

Shahnaz N. Transient evoked otoacoustic emissions (TEOAEs) in Caucasian and Chinese young adults. *Int J Audiol.* 2008; 47(2):76-83. ISSN: 1708-8186.

Shapiro M. Hearing protection warning device. *J Acoust Soc Am.* 2008; 123(2):592. ISSN: 1520-8524.

Sharashenidze N; Schacht J, and Kevanishvili Z. Age-related hearing loss: gender differences. *Georgian Med News.* 2007(144):14-18. ISSN: 1512-0112.

Sharma L. Lifestyles, flying and associated health problems in flight attendants. *J R Soc Health.* 2007; 127(6):268-275. ISSN: 0264-0325.

Sharpe, J. Should patients with asymmetrical noise induced-hearing loss be screened for vestibular schwannomas? *Clin Otolaryngol Allied Sci.* 2004; 29(3):291; author reply 292. ISSN: 0307-7772.

Shatz LF. The effect of hair bundle shape on hair bundle hydrodynamics of non-mammalian inner ear hair cells for the full frequency range. *Hear Res.* 2004; 195(1-2):41-53. ISSN: 0378-5955.

Shatz LF and Christensen CW. The frequency response of rat vibrissae to sound. *J Acoust Soc Am.* 2008; 123(5):2918-2927. ISSN: 1520-8524.

Sheen SC and Hsiao YH. On using multiple-jet nozzles to suppress industrial jet noise. *J Occup Environ Hyg.* 2007; 4(9):669-677. ISSN: 1545-9624.

Shen H; Zhang B; Shin JH; Lei D; Du Y; Gao X; Wang Q; Ohlemiller KK; Piccirillo J, and Bao J. Prophylactic and therapeutic functions of T-type calcium blockers against noise-induced hearing loss. *Hear Res.* 2006; Dec 31. ISSN: 0378-5955.

Sherbecoe RL and Studebaker GA. Audibility-index predictions of normal-hearing and hearing-impaired listeners' performance on the connected speech test. *Ear Hear.* 2003; 24(1):71-88.

Sherlock L. An 'invisible' disability. *FDA Consum.* 2005; 39(3):40. ISSN: 0362-1332.

Sherrard LJ. The sounds of safety. *Occup Health Saf.* 2007; 76(7):46-47. ISSN: 0362-4064.

Sherry CJ; Cook MC; Jauchem JR; Brown GC; Whitmore HB, and Edrids RW. The Effects of Infrasound on Rhesus Monkey Performance of a Continuous Compensatory Tracking Task. *J Low Freq Noise Vib Active Contr.* 2008; 27(1):53-64. ISSN: 0263-0923.

Shi K; Ma, XL, and Zhou GT. An Efficient Acoustic Echo Cancellation Design for Systems With Long Room Impulses and Nonlinear Loudspeakers. *Sig Proc.* 2009; 89(2):121-132. ISSN: 0165-1684.

Shi LF and Doherty KA. Subjective and Objective Effects of Fast and Slow Compression on the Perception of Reverberant Speech in Listeners With Hearing Loss. *J Speech Lang Hear Res.* 2008; 51(5):1328-1340. ISSN: 1092-4388.

Shi X; Cruickshanks KJ; Nondahl DM; Dalton DS; Wiley TL, and Tweed TS. Comparing Algorithms for Classifying Noise-Induced Hearing Loss (Nihl) From Audiograms. *Am J Epidemiol.* 2006; 163(11):S212.

Shi X; Han W; Yamamoto H; Omelchenko I, and Nuttall A. Nitric oxide and mitochondrial status in noise-induced hearing loss. *Free Radic Res.* 2007; 41(12):1313-1325. ISSN: 1071-5762.

Shibata SB; Osumi Y; Yagi M; Kanda S; Kawamoto K; Kuriyama H; Nishiyama T, and Yamashita T. Administration of amitriptyline attenuates noise-induced hearing loss via glial cell line-derived neurotrophic factor (GDNF) induction. *Brain Res.* 2007; 1144:74-81. ISSN: 0006-8993.

Shield BM and Dockrell JE. The effects of environmental and classroom noise on the academic attainments of primary school children. *J Acoust Soc Am.* 2008; 123(1):133-144. ISSN: 1520-8524.

Shigematsu T and Kurosawa MK. Friction drive of an SAW Motor. Part I: measurements. *IEEE Trans Ultrason Ferroelectr Freq Control.* 2008; 55(9):2005-2015. ISSN: 1525-8955.

Shigematsu T and Kurosawa MK. Friction drive of an SAW motor. Part II: analyses. *IEEE Trans Ultrason Ferroelectr Freq Control.* 2008; 55(9):2016-2024. ISSN: 1525-8955.

- Shigematsu T and Kurosawa MK. Friction drive of an SAW motor. Part III: modeling. *IEEE Trans Ultrason Ferroelectr Freq Control*. 2008; 55(10):2266-2276. ISSN: 1525-8955.
- Shigematsu T and Kurosawa MK. Friction drive of an SAW motor. Part IV: physics of contact. *IEEE Trans Ultrason Ferroelectr Freq Control*. 2008; 55(10):2277-2287. ISSN: 1525-8955.
- Shigematsu T and Kurosawa MK. Friction drive of an SAW motor. Part V: design criteria. *IEEE Trans Ultrason Ferroelectr Freq Control*. 2008; 55(10):2288-2297. ISSN: 1525-8955.
- Shim K. The auditory sensory epithelium: the instrument of sound perception. *Int J Biochem Cell Biol*. 2006; 38(11):1827-1833. ISSN: 1357-2725.
- Shin KR; Kang Y; Park HJ; Cho MO, and Heitkemper M. Testing and Developing the Health Promotion Model in Low-Income, Korean Elderly Women. *Nursing Science Quarterly*. 2008; 21(2):173-178. ISSN: 0894-3184.
- Shine NP and Coates H. Systemic ototoxicity: a review. *East Afr Med J*. 2005; 82(10):536-539. ISSN: 0012-835X.
- Shinn-Cunningham BG and Best V. Selective Attention in Normal and Impaired Hearing. *Trends Amplif*. 2008; 12(4):283-299. ISSN: 1084-7138.
- Shore SE; Koehler S; Oldakowski M; Hughes LF, and Syed S. Dorsal cochlear nucleus responses to somatosensory stimulation are enhanced after noise-induced hearing loss. *Eur J Neurosci*. 2008; 27(1):155-168. ISSN: 1460-9568.
- Shukla V; Abusaria S; Dhankhar M, and Sastry KV. Epidemiological Studies on Bicycle Manufacturing Industrial Workers. *Journal of Environmental Biology*. 2007; 28(3):597-600. ISSN: 0254-8704.
- Shupak A. Recurrent Diving-Related Inner Ear Barotrauma. *Otol Neurotol*. 2006; Sep 14. ISSN: 1531-7129.
- Shupak A; Gil A; Nachum Z; Miller S; Gordon CR , and Tal D. Inner ear decompression sickness and inner ear barotrauma in recreational divers: a long-term follow-up. *Laryngoscope*. 2003; 113(12):2141-2147. ISSN: 0023-852X.
- Shupak A; Tal D; Sharoni Z; Oren M; Ravid A, and Pratt H. Otoacoustic Emissions in Early Noise-Induced Hearing Loss. *Otol Neurotol*. 2007; 28(6):745-752. ISSN: 1531-7129.
- Siddiqui IA and Siddiquiz RA. The Effect of Excessive Noise Exposure on the Hearing Thresholds of Aviation Workers in Karachi. *Pakistan Jf Med Sci*. 2008; 24(3):525-530. ISSN: 1682-024X.
- Siebein GW. Understanding classroom acoustic solutions. *Sem Hearing*. 2004; 25(2):141-154.
- Sienkiewicz Z. Rapporteur report: Roundup, discussion and recommendations. *Prog Biophys Mol Biol*. 2007; 93(1-3):414-420. ISSN: 0079-6107.
- Silva F and Pavanello R. An Evolutionary Optimization Method applied to Absorbing Poroelastic Systems. *J Acoust Soc Am*. 2008; 123(5):3571. ISSN: 1520-8524.
- Silva, L. F. and Mendes, R. [Combined exposure to noise and vibration and its effects on worker's hearing.]. *Rev Saude Publica*. 2005; 39(1):9-17. ISSN: 0034-8910.
- Silverman CA; Silman S; Emmer MB; Schoepflin JR, and Lutolf JJ. Auditory deprivation in adults with asymmetric, sensorineural hearing impairment. *J Am Acad Audiol*. 2006; 17(10):747-762. ISSN: 1050-0545.

Silverstein M. Meeting the challenges of an aging workforce. *Am J Ind Med.* 2008; 51(4):269-280. ISSN: 0271-3586.

Simeonov R. [Audiometric and dynamometric parameters of functional brain asymmetry]. *Vestn Otorinolaringol.* 2005(4):12-14. ISSN: 0042-4668.

Simon HJ and Levitt H. Effect of dual sensory loss on auditory localization: implications for intervention. *Trends Amplif.* 2007; 11(4):259-272. ISSN: 1084-7138.

Simpson A; McDermott HJ, and Dowell RC. Benefits of audibility for listeners with severe high-frequency hearing loss. *Hear Res.* 2005; 210(1-2):42-52. ISSN: 0378-5955.

Simpson, BD; Bolia, RS; McKinley, RL, and Brungart, DS. The impact of hearing protection on sound localization and orienting behavior. *Human Factors.* 2005; 47(1):188-198.

Sindhusake D; Golding M; Newall P; Rubin G; Jakobsen K, and Mitchell P. Risk factors for tinnitus in a population of older adults: The Blue Mountains Hearing Study. *Ear Hear.* 2003; 24(6):501-507.

Sindhusake D; Mitchell P; Newall P; Golding M; Rochtchina E, and Rubin G. Prevalence and characteristics of tinnitus in older adults: the Blue Mountains Hearing Study. *Int J Audiol.* 2003; 42(5):289-294.

Singbartl F; Basta D; Seidl RO; Ernst A, and Todt I. Perioperative Recordings of Vestibular-Evoked Myogenic Potentials in Otosclerosis. *Otol Neurotol.* 2006; Oct 18. ISSN: 1531-7129.

Singh SA and Trikha A. Noise levels in the operation theatre environment. *Natl Med J India.* 2006; 19(2):112-113. ISSN: 0970-258X.

Sinyova EL, Fedina IN and Preobrazhenskaia EA. [Topical problems of occupational deafness]. *Med Tr Prom Ekol.* 2007(12):34-39. ISSN: 1026-9428.

Sisto, R. and Moleti, A. Modeling the growth rate of distortion product otoacoustic emissions by active nonlinear oscillators. *J Acoust Soc Am.* 2004; 116(3):1632-1638. ISSN: 0001-4966.

Sisto, R and Moleti, A. On the large-scale spectral structure of otoacoustic emissions. *J Acoust Soc Am.* 2005; 117(3):1234-1240.

Siu M and Chan A. A Robust Viterbi Algorithm Against Impulsive Noise With Application to Speech Recognition. *Ieee Transactions on Audio Speech and Language Processing.* 2006; 14(6):2122-2133. ISSN: HAVE-ELECTRONICALLY.

Siverdeen Z; Ali A; Lakdawala AS, and McKay C. Exposure to noise in orthopaedic theatres- do we need protection? *Int J Clin Pract.* 2008; May 28. ISSN: 1742-1241.

Skanberg, A. Road traffic noise-induced sleep disturbances: a comparison between laboratory and field settings. *J Sound Vib.* 2004; 277(3):465-467.

Skanberg A and Ohrstrom E. Sleep disturbances from road traffic noise: A comparison between laboratory and field settings. *J Sound Vib.* 2006; 290(1-2):3-16.

Skinner CJ and Grimwood CJ. The UK noise climate 1990-2001: population exposure and attitudes to environmental noise. 2005; 66, (2): 231-243.

Skinner HA and Sriharan A. Building cooperation through health initiatives: an Arab and Israeli case study. *Confl Health.* 2007; 1:8. ISSN: 1752-1505.

- Skjonsberg A; Bucinskaite V; Laurell G, and Ulfendahl M. Augmented ototoxic effect of cisplatin in heterozygotes of the German waltzing guinea pig. *Audiol Neurotol.* 2008; 13(2):97-104. ISSN: 1421-9700.
- Skjonsberg A; Herrlin P; Duan M; Johnson AC, and Ulfendahl M. A guinea pig strain with recessive heredity of deafness, producing normal-hearing heterozygotes with resistance to noise trauma. *Audiol Neurotol.* 2005; 10(6):323-330. ISSN: 1420-3030.
- Skogstad M; Eriksen T, and Skare O. A Twelve-Year Longitudinal Study of Hearing Thresholds Among Professional Divers. *Undersea & Hyperbaric Medicine.* 2009; 36(1):25-31. ISSN: 1066-2936.
- Skogstad, M.; Haldorsen, T.; Arnesen, A. R., and Kjuus, H. Hearing thresholds among young professional divers: a 6-year longitudinal study. *Aviat Space Environ Med.* 2005; 76(4):366-369. ISSN: 0095-6562.
- Skrzypczak W; Galecka K, and Skorek A. [Sensorineural hearing loss as a consequence of carbon monoxide intoxication]. *Otolaryngol Pol.* 2007; 61(4):479-483. ISSN: 0030-6657.
- Slabbekoorn H and Peet M. Birds sing at a higher pitch in urban noise. *Nature.* 2003; 424:267.
- Slagley JM and Guffey S. Effects of cross-sectional dimensions on active noise control in rectangular and round ducts. *J Occup Environ Hyg.* 2007; 4(7):492-501. ISSN: 1545-9624.
- Slagley JM and Guffey S. Effects of cross-sectional partitioning on active noise control in round ducts. *J Occup Environ Hyg.* 2007; 4(10):751-761. ISSN: 1545-9624.
- Sliwinska-Kowalska M; Pawelczyk M, and Kowalski TJ. [Genetic factors in susceptibility to age- and noise-related hearing loss]. *Pol Merkur Lekarski.* 2006; 21(124):384-388. ISSN: 1426-9686.
- Sliwinska-Kowalska, M. Exposure to organic solvent mixture and hearing loss: literature overview. *Int J Occup Med Environ Health.* 2007; 20(4):309-314. ISSN: 1232-1087.
- Sliwinska-Kowalska M. Organic solvent exposure and hearing loss. *Occup Environ Med.* 2008; 65(4):222-223. ISSN: 1470-7926.
- Sliwinska-Kowalska M; Dudarewicz A; Kotylo P; Zamyslowska-Szmytko E; Pawlaczyk-luszczynska M, and Gajda-Szadkowska A. Individual susceptibility to noise-induced hearing loss: choosing an optimal method of retrospective classification of workers into noise-susceptible and noise-resistant groups. *Int J Occup Med Environ Health.* 2006; 19(4):235-245. ISSN: 1232-1087.
- Sliwinska-Kowalska M; Prasher D; Rodrigues CA; Zamyslowska-Szmytko E; Campo P; Henderson D; Lund SP; Johnson AC; Schaper M; Odkvist L; Starck J; Toppila E; Schneider E; Moller C; Fuente A, and Gopal KV. Ototoxicity of organic solvents- from scientific evidence to health policy. *Int J Occup Med Environ Health.* 2007; 20(2):215-222. ISSN: 1232-1087.
- Sliwinska-Kowalska M; Zamyslowska-Smytko E; Szymczak W; Kotylo P; Fiszer M; Wesolowski W, and Pawlaczyk-Luszczynska M. Ototoxic effects of occupational exposure to styrene and co-exposure to styrene and noise. *J Occup Environ Med.* 2003; 45(1):15-24.
- Sliwinska-Kowalska, M; Zamyslowska-Szmytko, E; Szymczak, W; Kotylo, P; Fiszer, M; Wesolowski, W, and Pawlaczyk-Luszczynska, M. Exacerbation of noise-induced hearing loss by co-exposure to work-lace chemicals. *Environ Toxicol Pharmacol.* 2005; 19(3):547-553.
- Sliwinska-Kowalska M; Zamyslowska-Szmytko E; Szymczak W; Kotylo P; Fiszer M; Wesolowski W; Pawlaczyk-Luszczynska M; Bak M, and Gajda-Szadkowska A. Effects of coexposure to noise and mixture of organic solvents on hearing in dockyard workers. 2004; 46, (1): 30-38.

Smaldino JJ; Doggett F, and Thunder T. The complimentary roles of audiologists and acoustic consultants in solving classroom acoustic problems. *Sem Hearing*. 2004; 25(2):179-188.

Smeds K; Keidser G; Zakis J; Dillon H; Leijon A; Grant F; Convery E, and Brew C. Preferred overall loudness. I: Sound field presentation in the laboratory. *Int J Audiol*. 2006; 45(1):2-11. ISSN: 1499-2027.

Smeds K; Keidser G; Zakis J; Dillon H; Leijon A; Grant F; Convery E, and Brew C. Preferred overall loudness. II: Listening through hearing aids in field and laboratory tests. *Int J Audiol*. 2006; 45(1):12-25. ISSN: 1499-2027.

Smerz RW. A Descriptive Epidemiological Analysis of Isolated Inner Ear Decompression Illness in Recreational Divers in Hawaii. *Diving and Hyperbaric Medicine*. 2007; 37(1):2-9. ISSN: 1833-3516.

Smith A. The concept of noise sensitivity: implications for noise control. *Noise Health*. 2003; 5(18):57-59.

Smith, M. E.; Kane, A. S., and Popper, A. N. Acoustical stress and hearing sensitivity in fishes: does the linear threshold shift hypothesis hold water? *J Exp Biol*. 2004; 207(Pt 20):3591-3602. ISSN: 0022-0949.

Smith ME; Coffin AB; Miller DL, and Popper AN. Anatomical and functional recovery of the goldfish (*Carassius auratus*) ear following noise exposure. *J Exp Biol*. 2006; 209(Pt 21):4193-4202. ISSN: 0022-0949.

Smith ME; Kane AS, and Popper AN. Noise-induced stress response and hearing loss in goldfish (*Carassius auratus*). 2004; 207, (3): 427-435.

Smith S. Behavior-based safety: Myth or magic? *Occup Haz*. 2007; October:45-48.

Smith S. Call center noise hazards place operators at risk. *Occup Haz*. 2004; November 11.

Smith S. Do Americans feel immune to workplace injuries? *Occup Haz*. 2003.

Smith S. How to build a proactive safety culture. *Occup Haz*. 2003; Oct.

Smith S. PREACHING OR TEACHING: The Use of Narrative in Safety Training. *Occup Haz*. 2005; 67(4):19. ISSN: 00297909.

Smith S. Protecting Vulnerable Workers. *Occup Haz*. 2004; 66(4):25. ISSN: 00297909.

Smith S. Safety equipment use in construction on the rise. *Occupational Hazards*. 2004; October.

Smith SL and West RL. The application of self-efficacy principles to audiologic rehabilitation: a tutorial. *Am J Audiol*. 2006; 15(1):46-56. ISSN: 1059-0889.

Smith SW; Rosenman KD; Kotowski MR; Glazer E; Mcfeters C; Keesecker NM, and Law A. Using the Eppm to Create and Evaluate the Effectiveness of Brochures to Increase the Use of Hearing Protection in Farmers and Landscape Workers. *J Appl Commun Res*. 2008; 36(2):200-218. ISSN: 0090-9882.

Smith TC; Wingard DL; Ryan MA; Kritz-Silverstein D; Slymen DJ, and Sallis JF. PTSD prevalence, associated exposures, and functional health outcomes in a large, population-based military cohort. *Public Health Rep*. 2009; 124(1):90-102. ISSN: 0033-3549.

Smits C and Houtgast T. Measurements and calculations on the simple up-down adaptive procedure for speech-in-noise tests. *J Acoust Soc Am*. 2006; 120(3):1608-1621. ISSN: 0001-4966.

- Smits C and Houtgast T. Recognition of digits in different types of noise by normal-hearing and hearing-impaired listeners. *Int J Audiol*. 2007; 46(3):134-144. ISSN: 1499-2027.
- Smits C and Houtgast T. Results from the Dutch speech-in-noise screening test by telephone. 2005; 26, (1): 89-95.
- Smits C; Kapteyn TS, and Houtgast T. Development and validation of an automatic speech-in-noise screening test by telephone. *Int J Audiol*. 2004; 43(1):15-28. ISSN: 1499-2027.
- Smits C; Kramer SE, and Houtgast T. Speech reception thresholds in noise and self-reported hearing disability in a general adult population. *Ear Hear*. 2006; 27(5):538-549. ISSN: 0196-0202.
- Smits C; Merkus P, and Houtgast T. How we do it: the Dutch functional hearing-screening tests by telephone and internet. *Clin Otolaryngol*. 2006; 31(5):436-440. ISSN: 1749-4478.
- Snik A. Re: hearing loss in patients with enlarged vestibular aqueduct: air-bone gap and audiological Bing test. *Int J Audiol*. 2007; 46(6):341. ISSN: 1499-2027.
- Snow JB, Jr. Strategies of the tinnitus research consortium. *Acta Otolaryngol Suppl*. 2006(556):89-92. ISSN: 0365-5237.
- Soares JFD; Cezar-Vaz MR; Mendoza-Sassi RA; De Almeida TL; Muccillo-Baisch AL; Soares MCF, and Da Costa VZ. Temporary Workers' Perceptions of Occupational Risks in the Port of Rio Grande, Rio Grande Do Sul State, Brazil. *Cadernos De Saude Publica*. 2008; 24(6):1251-1259. ISSN: 0102-311X.
- Sobotta RR; Campbell HE, and Owens BJ. Aviation Noise and Environmental Justice: the Barrio Barrier. *J Regional Sci*. 2007; 47(1):125-154.
- Sockalingam R; Kei J, and Ho CD. Test-retest reliability of distortion-product otoacoustic emissions in children with normal hearing: a preliminary study. *Int J Audiol*. 2007; 46(7):351-354. ISSN: 1499-2027.
- Sodersten, M.; Ternstrom, S., and Bohman, M. Loud speech in realistic environmental noise: phonetogram data, perceptual voice quality, subjective ratings, and gender differences in healthy speakers. *J Voice*. 2005; 19(1):29-46. ISSN: 0892-1997.
- Sohmer, H. Sound induced fluid pressures directly activate vestibular hair cells: implications for activation of the cochlea. *Clin Neurophysiol*. 2006; 117(5):933-934. ISSN: 1388-2457.
- Sokol B. Ear muffs: A field guide. *Occup Health Saf*. 2005; June.
- Sokol B. Ear plugs: A field guide. *Occup Health Saf*. 2005; 74(3):46, 48-50, 52.
- Sokol B. Hearing Protection Requirements. *Pulp & Paper-Canada*. 2006; 107(12):90.
- Sokolova OI; Kryukov AI, and Pankova VB. [Conditions of work and hearing in traffic policemen in Moscow]. *Vestn Otorinolaringol*. 2006(4):31-33. ISSN: 0042-4668.
- Solecki L. [Analysis of annual exposure to noise among private farmers according to production profile]. *Med Pr*. 2007; 58(2):97-103. ISSN: 0465-5893.
- Solecki L. Characteristics of annual exposure to noise among private farmers on family farms of mixed-production profile. *Ann Agric Environ Med*. 2006; 13(1):113-118. ISSN: 1232-1966.

Solecki L. [Comparative analysis of occupational hearing loss risk among private farmers with reference to decision-making criteria contained in the cabinet ordinances (current and previous)]. *Med Pr.* 2005; 56(6):451-460. ISSN: 0465-5893.

Solecki L. Evaluation of annual exposure to noise among private farmers on selected family farms of animal production profile. *Ann Agric Environ Med.* 2005; 12(1):67-73. ISSN: 1232-1966.

Solecki L. Preliminary evaluation of occupational hearing loss risk among private farmers. *Ann Ag Environ Med.* 2003; 10(2):211-215.

Solecki L. Preliminary Recognition of Whole Body Vibration Risk in Private Farmers' Working Environment. *Annals of Agricultural and Environmental Medicine.* 2007; 14(2):299-304.

Solecki L. [Relationship between the level of total exposure to noise among private farmers and the degree of hearing loss]. *Med Pr.* 2008; 59(2):149-158. ISSN: 0465-5893.

Soli SD. Some thoughts on communication handicap and hearing impairment. *Int J Audiol.* 2008; 47(6):285-286. ISSN: 1708-8186.

Soli SD and Wong LL. Assessment of speech intelligibility in noise with the Hearing in Noise Test. *Int J Audiol.* 2008; 47(6):356-361. ISSN: 1708-8186.

Someya S; Yamasoba T; Weindruch R; Prolla TA, and Tanokura M. Caloric restriction suppresses apoptotic cell death in the mammalian cochlea and leads to prevention of presbycusis. *Neurobiol Aging.* 2007; 28(10):1613-1622. ISSN: 1558-1497.

Somma G; Pietroiusti A; Magrini A; Coppeta L; Ancona C; Gardi S; Messina M, and Bergamaschi A. Extended high-frequency audiometry and noise induced hearing loss in cement workers. *Am J Ind Med.* 2008; Apr 7. ISSN: 0271-3586.

Soneryd L. Hearing as a way of dwelling: the active sense-making of environmental risk and nuisance. *Environ Planning D- Soc & Space.* 2004; 22(5):737-753.

song I; Seeger A, and Santos-Sacchi J. On membrane motor activity and chloride flux in the outer hair cell: lessons learned from the environmental toxin tributyltin. *Biophys J.* 2004; December:21.

Songer JE and Rosowski JJ. The effect of superior-canal opening on middle-ear input admittance and air-conducted stapes velocity in chinchilla. *J Acoust Soc Am.* 2006; 120(1):258-269. ISSN: 0001-4966.

Songer JE and Rosowski JJ. A mechano-acoustic model of the effect of superior canal dehiscence on hearing in chinchilla. *J Acoust Soc Am.* 2007; 122(2):943-951. ISSN: 1520-8524.

Sophia EK; Kapteyn TS, and Houtgast T. Occupational Performance: Comparing Normally-Hearing and Hearing-Impaired Employees Using the Amsterdam Checklist for Hearing and Work. *Int J Audiol.* 2006; 45(9):503-512.

Sorensen AM; Shapiro AU; Lund SP; Brun B; Rosenberg T, and Lykke J. Toxic encephalopathy and noise-induced hearing loss. *Noise Health.* 2006; 8(33):139-146. ISSN: 1463-1741.

Sorguven E; Dogan Y, and Arslan E. Design of a low noise radial fan with computational aeroacoustics. *J Acoust Soc Am.* 2008; 123(5):3024. ISSN: 1520-8524.

Soucy F; Ko R; Denstedt JD, and Razvi H. Occupational Noise Exposure During Endourologic Procedures. *J Endourol.* 2008; 22(8):1609-1611. ISSN: 0892-7790.

Southall K; Gagne JP, and Leroux T. Factors that influence the use of assistance technologies by older adults who have a hearing loss. *Int J Audiol.* 2006; 45(4):252-259. ISSN: 1499-2027.

Souza PE; Boike KT; Witherell K, and Tremblay K. Prediction of speech recognition from audibility in older listeners with hearing loss: effects of age, amplification, and background noise. *J Am Acad Audiol.* 2007; 18(1):54-65. ISSN: 1050-0545.

Soytas U. Physical and ergonomic hazards in the textile, chemical, food, metal products, and woodworking industries in Turkey. *Int J Occup Environ Health.* 2006; 12(1):35-41. ISSN: 1077-3525.

Spah MM and Gibbs BM. Reception Plate Method for Characterisation of Structure-Borne Sound Sources in Buildings: Assumptions and Application. *Appl Acoust.* 2009; 70(2):361-368.

Spangler JG. A piece of my mind. The sounds of silence. *JAMA.* 2007; 297(21):2329-2330. ISSN: 1538-3598.

Sparrow H. Backing the brands. *Occup Health Safety.* 2003; 72(6):34-35.

Speechley WJ; Hogsden JL, and Dringenberg HC. Continuous white noise exposure during and after auditory critical period differentially alters bidirectional thalamocortical plasticity in rat auditory cortex in vivo. 2007; 26(9):2576-2584. ISSN:- 9.

Spehar BP; Tye-Murray N, and Sommers MS. Intra- versus intermodal integration in young and older adults. *J Acoust Soc Am.* 2008; 123(5):2858-2866. ISSN: 1520-8524.

Spencer E and Kovalchik P. Heavy Construction Equipment Noise Study Using Dosimetry and Time-Motion Studies. *Noise Control Eng J.* 2007; 55(4):408-416. ISSN: 0736-2501.

Spreeuwens D; de Boer AG; Verbeek JH; van Beurden MM, and van Dijk FJ. Diagnosing and reporting of occupational diseases: a quality improvement study. *Occup Med.* 2008; 58 (2):115-121. ISSN: 0962-7480.

Spremo S and Stupar Z. Characteristics of Sensorineural Hearing Loss Secondary to Inner Ear Acoustic Trauma. *Srpski Arhiv Za Celokupno Lekarstvo.* 2008; 136(5-6):221-225. ISSN: 0370-8179.

Spruit, M; Rao, M; Holt, J; Boyer, L; Barnard, A, and Dayton, W. Table saw noise control. *Sound Vib.* 2004; 38(6):20-26.

Srinivasan S and Wang D. A model for multitalker speech perception. *J Acoust Soc Am.* 2008; 124(5):3213-3224. ISSN: 1520-8524.

Staab WJ. Measuring the occlusion effect in a deep-fitting hearing device. *The Hearing Review.* 2004; December:44-50.

Staecker H. Broadening the spectrum of treatment options for SNHL. *Arch Otolaryngol Head Neck Surg.* 2005; 131(8):734. ISSN: 0886-4470.

Staecker, H.; Brough, D. E.; Praetorius, M., and Baker, K. Drug delivery to the inner ear using gene therapy. *Otolaryngol Clin North Am.* 2004; 37(5):1091-1108. ISSN: 0030-6665.

Staiano MA. Age-Weighted Sound Levels. *Noise Control Engineering Journal.* 2007; 55(5):446-456. ISSN: 0736-2501.

Staiano MA. Noise-impact estimates per FTA and APTA criteria. *J Sound Vib.* 2003; 267(3):407-418.

Staiano MA. Presenting Highway Noise Exposures- the Downfall of Contourtionists. *Sound Vib.* 2006; 40(8):16-21.

Stainsby TH and Moore BC. The effects of hearing loss on growth-of-masking functions for sinusoidal and complex-tone maskers with differing phase spectra. *Hear Res.* 2007; 225(1-2):38-49. ISSN: 0378-5955.

Stainsby TH and Moore BC. Temporal masking curves for hearing-impaired listeners. *Hear Res.* 2006; 218(1-2):98-111. ISSN: 0378-5955.

Stainsby TH; Moore BC, and Glasberg BR. Auditory streaming based on temporal structure in hearing-impaired listeners. *Hear Res.* 2004; 192(1-2):119-130. ISSN: 0378-5955.

Stanbury M; Rafferty AP, and Rosenman K. Prevalence of hearing loss and work-related noise-induced hearing loss in michigan. *J Occup Environ Med.* 2008; 50(1):72-79. ISSN: 1076-2752.

Stanchina ML; Abu-Hijleh M; Chaudhry BK; Carlisle CC, and Millman RP. The influence of white noise on sleep in subjects exposed to ICU noise. *Sleep Med.* 2005; 6(5):423-428. ISSN: 1389-9457.

Stansfeld and Matheson MP. Noise pollution: non-auditory effects on health. 2003; 68, 243-257.

Stansfeld SA; Berglund B; Clark C; Lopez-Barrio I; Fischer P; Ohrstrom E; Haines MM; Head J; Hygge S; van Kamp I, and Berry BF. Aircraft and road traffic noise and children's cognition and health: a cross-national study. *Lancet.* 2005; 365(9475):1942-1949. ISSN: 1474-547X.

Stanton TK and Chu D. Calibration of broadband active acoustic systems using a single standard spherical target. *J Acoust Soc Am.* 2008; 124(1):128-136. ISSN: 1520-8524.

Starck J; Toppila E, and Laitinen H. Effects of coldness on the protective performance of earmuffs. *Noise Health.* 2005; 7(26):47-53. ISSN: 1463-1741.

Starck J; Toppila E, and Pyykko I. Impulse noise and risk criteria. *Noise Health.* 2003; 5(20):63-73.

Stasiek T. Quiet! Abused ears suffer in silence. *Bellingham Herald.* Bellingham, Washington; 2003 Jul 22; Top Stories: news.bellinghamherald.com/stories/20030722.

Stassen KR; Collier P, and Torfs R. Environmental Burden of Disease Due to Transportation Noise in Flanders (Belgium). *Transport Res Part D-Transport Environ.* 2008; 13(6):355-358. ISSN: 1361-9209.

Stearn N and Swanepoel DW. Identifying Hearing Loss by Means of Iridology. *African J Trad Complementary Alt Med.* 2007; 4(2):205-210. ISSN: 0189-6016.

Steenkamp RJ. Effective Hearing Conservation Demands New Technology and Re-Engineering. *South Afr J Ind Eng.* 2008; 19(1):215-229. ISSN: 1012-277X.

Stefanakis N; Dalianis S; Karatzas T, and Cambourakis G. Power output regularization in the active reproduction of sound fields in rooms. *J Acoust Soc Am.* 2008; 123(5):3092. ISSN: 1520-8524.

Steinmetz LG; Zeigelboim BS; Lacerda AB; Morata TC, and Marques JM. [The characteristics of tinnitus in workers exposed to noise.]. *Braz J Otorhinolaryngol.* 2009; 75(1):7-14. ISSN: 1808-8694.

Steinmetz LG; Zeigelboim BS; Lacerda AB; Morata TC, and Marques JM. Evaluating tinnitus in industrial hearing loss prevention programs. *Int Tinnitus J.* 2008; 14(2):152-158. ISSN: 0946-5448.

- Stenfelt S. Towards Understanding the Specifics of Cochlear Hearing Loss: a Modelling Approach. *Int J Audiol.* 2008; 47(Suppl 2):S10-S15. ISSN: 1499-2027.
- Stenfelt S and Goode RL. Bone-conducted sound: physiological and clinical aspects. *Otol Neurotol.* 2005; 26(6):1245-1261. ISSN: 1531-7129.
- Stenfelt, S.; Hato, N., and Goode, R. L. Round window membrane motion with air conduction and bone conduction stimulation. *Hear Res.* 2004; 198(1-2):10-24. ISSN: 0378-5955.
- Stenfelt S and Reinfeldt S. A model of the occlusion effect with bone-conducted stimulation. *Int J Audiol.* 2007; 46(10):595-608. ISSN: 1499-2027.
- Stephens D and Kerr P. The role of positive experiences in living with acquired hearing loss. *Int J Audiol.* 2003; 42(Suppl 1):S118-S127.
- Stephens D; Zhao F, and Kennedy V. Is there an association between noise exposure and King Kopetzky Syndrome? *Noise Health.* 2003; 5(20):55-62. ISSN: 1463-1741.
- Stephens DB and Morris SC. A Method for Quantifying the Acoustic Transfer Function of a Ducted Rotor. *J Sound Vib.* 2008; 313(1-2):97-112. ISSN: 0022-460X.
- Stephenson, M. T.; Witte, K.; Vaught, C.; Quick, B. L.; Booth-Butterfield, S.; Patel, D., and Zuckerman, C. Using persuasive messages to encourage voluntary hearing protection among coal miners. *J Safety Res.* 2005; 36(1):9-17. ISSN: 0022-4375.
- Stewart M; Borer SE, and Lehman M. Shooting habits of U.S. waterfowl hunters. *Noise Health.* 2009; 11(42):8-13. ISSN: 1463-1741.
- Stewart M; Scherer J, and Lehman ME. Perceived effects of high frequency hearing loss in a farming population. *J Am Acad Audiol.* 2003; 14(2):100-108.
- Stidham KR; Solomon PH, and Roberson JB. Evaluation of botulinum toxin A in treatment of tinnitus. *Otolaryngol Head Neck Surg.* 2005; 132(6):883-889. ISSN: 0194-5998.
- Stocker M; Reuterdahl T; Horn L, and Hurley G. A simple acoustical exposure metric based on biological thresholds and integrating a temporal characteristics exposure axis. *J Acoust Soc Am.* 2008; 123(5):2988. ISSN: 1520-8524.
- Stojiljkovic M and Delic V. Noise metric- environmental noise analysis software. *J Acoust Soc Am.* 2008; 123(5):3655. ISSN: 1520-8524.
- Stollman MH; van Velzen EC; Simkens HM; Snik AF, and van den Broek P. Development of auditory processing in 6-12-year-old children: a longitudinal study. *Int J Audiol.* 2004; 43(1):34-44. ISSN: 1499-2027.
- Stone MA and Moore BC. Quantifying the effects of fast-acting compression on the envelope of speech. *J Acoust Soc Am.* 2007; 121(3):1654-1664. ISSN: 0001-4966.
- Stone MA; Moore BC, and Greenish H. Discrimination of envelope statistics reveals evidence of sub-clinical hearing damage in a noise-exposed population with 'normal' hearing thresholds. *Int J Audiol.* 2008; 47(12):737-750. ISSN: 1708-8186.
- Stormer CC and Stenklev NC. [Rock music and hearing disorders]. *Tidsskr Nor Laegeforen.* 2007; 127(7):874-877. ISSN: 0807-7096.

Strasser H; Irle H, and Legler R. Temporary hearing threshold shifts and restitution after energy-equivalent exposures to industrial noise and classical music. *Noise Health*. 2003; 5(20):75-84.

Stratton A. Hard of Hearing in Sweden: Educating About and for Pathology. *Teachers College Record*. 2007; 109(7):1775-1796. ISSN: 0161-4681.

Strenzke N; Pauli-Magnus D; Meyer A; Brandt A; Maier H, and Moser T. [Update on physiology and pathophysiology of the inner ear: pathomechanisms of sensorineural hearing loss]. *HNO*. 2008; 56(1):27-36. ISSN: 1433-0458.

Stricoff RS. Understanding safety's role in culture and climate. *Occupational Hazards*. 2005; December:25.

Stromme MH. Workplace hazards: a threat to workers' senses. *Occup Health Saf*. 2004; 73(3):40-44. ISSN: 0362-4064.

Sturzebecher E; Cebulla M, and Elberling C. Automated auditory response detection: statistical problems with repeated testing. *Int J Audiol*. 2005; 44(2):110-117. ISSN: 1499-2027.

Su MC; Lee SY; Tan CT; Su CC; Li SY; Lin RH; Hung CC, and Lin MJ. Taicotoxin inhibits the calcium-dependent slow motility of mammalian outer hair cells. *Hear Res*. 2005; 203(1-2):172-179. ISSN: 0378-5955.

Subha ST and Raman R. Role of impacted cerumen in hearing loss. *Ear Nose Throat J*. 2006; 85(10):650, 652-653. ISSN: 0145-5613.

Sugahara, K.; Shimogori, H.; Okuda, T.; Takemoto, T.; Hashimoto, M., and Yamashita, H. Cochlear administration of adenosine triphosphate facilitates recovery from acoustic trauma (temporary threshold shift). *ORL J Otorhinolaryngol Relat Spec*. 2004; 66(2):80-84. ISSN: 0301-1569.

Sumarac Pavlovic D and Mijic M. The influence of absorption on statistical distribution of free path lengths in rooms. *J Acoust Soc Am*. 2008; 123(5):3497. ISSN: 1520-8524.

Sumer SK; Say SM; Ege F, and Sabanci A. Noise exposed of the operators of combine harvesters with and without a cab. *Appl Ergon*. 2006; 37(6):749-756. ISSN: 0003-6870.

Summers V and Cord MT. Intelligibility of speech in noise at high presentation levels: effects of hearing loss and frequency region. *J Acoust Soc Am*. 2007; 122(2):1130-1137. ISSN: 1520-8524.

Summers V and Molis MR. Speech recognition in fluctuating and continuous maskers: effects of hearing loss and presentation level. *J Speech Lang Hear Res*. 2004; 47(2):245-256. ISSN: 1092-4388.

Sun JJ. [Studies of stem cells in otolaryngology-head-neck surgery]. *Zhonghua Yi Xue Za Zhi*. 2005; 85(36):2538-2540. ISSN: 0376-2491.

Sun W; Zhang L; Lu J; Yang G; Landrie E, and Salvi R. Noise Exposure-Induced Enhancement of Auditory Cortex Response and Changes in Gene Expression. *Neurosci*. 2008; 156(2):374-380. ISSN: 0306-4522.

Sun Y and Li K. [Research on the high-frequency domain of transiently evoked otoacoustic emissions]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi*. 2005; 19(10):451-453. ISSN: 1001-1781.

Sung FC; Chang SJ, and Chen CJ. Hearing loss in workers exposed to toluene and noise. *Epidemiol*. 2005; 16(5):S31.

Supin AI. [Discrimination of spectral patterns of sound signals in conditions of interfering noise]. *Russ Fiziol Zh Im I M Sechenova*. 2007; 93(6):576-591. ISSN: 0869-8139.

Surprenant AM. Effects of noise on identification and serial recall of nonsense syllables in older and younger adults. *Neuropsychol Dev Cogn B Aging Neuropsychol Cogn*. 2007; 14(2):126-143. ISSN: 1382-5585.

Sussman E; Wong R; Horvath J; Winkler I, and Wang W. The development of the perceptual organization of sound by frequency separation in 5-11-year-old children. *Hear Res*. 2007; 225(1-2):117-127. ISSN: 0378-5955.

Sutbas A; Yetiser S; Satar B; Akcam T; Karahatay S, and Saglam K. Low-cholesterol diet and antilipid therapy in managing tinnitus and hearing loss in patients with noise-induced hearing loss and hyperlipidemia. *Int Tinnitus J*. 2007; 13(2):143-149. ISSN: 0946-5448.

Suter AH. The hearing conservation amendment: 25 years later. *Noise Health*. 2009; 11(42):2-7. ISSN: 1463-1741.

Suter AH. Position paper on regulation of occupational noise exposure. Arlington, VA: International Safety Equipment Association; 2006 Dec 8.

Sutherland LC and Lubman D. Development and challenges of the American National Standards Institute standard for classroom acoustics. *Sem Hearing*. 2004; 25(2):167-177.

Sutinen P; Zou J; Hunter LL; Toppila E, and Pyykko I. Vibration-induced hearing loss: mechanical and physiological aspects. *Otol Neurotol*. 2007; 28(2):171-177. ISSN: 1531-7129.

Suvorov G and Denisov E. 24-hour noise dose and risk assessment. *Appl Occup Environ Hyg*. 2003; 18(4):232-233.

Suzuki J. The importance of spreading the word about hearing loss. *Ear Nose Throat J*. 2006; 85(3):140-141. ISSN: 0145-5613.

Suzuki M; Otake R, and Kashio A. Effect of Corticosteroids or Diuretics in Low-Tone Sensorineural Hearing Loss. *ORL J Otorhinolaryngol Relat Spec*. 2006; 68(3):170-176. ISSN: 0301-1569.

Svensson, E. Statistical methods for repeated qualitative assessments on scales. *Int J Audiol*. 2003; 42(Suppl 1):S13-S22. ISSN: 1499-2027.

Svensson, E. B.; Morata, T. C.; Nylen, P.; Krieg, E. F., and Johnson, A. C. Beliefs and attitudes among Swedish workers regarding the risk of hearing loss. *Int J Audiol*. 2004; 43(10):585-593. ISSN: 1499-2027.

Swanepoel de W. Audiology in South Africa. *Int J Audiol*. 2006; 45(5):262-266. ISSN: 1499-2027.

Swearngin S. OSHA compliance issues. Styrene overexposure in a bathtub manufacturing facility. *J Occup Environ Hyg*. 2005; 2(11):D82-D86. ISSN: 1545-9624.

Sweetow R and Palmer CV. Efficacy of individual auditory training in adults: a systematic review of the evidence. *J Am Acad Audiol*. 2005; 16(7):494-504. ISSN: 1050-0545.

Sydney SE; Lepp AJ; Whitehouse SL, and Crawford RW. Noise exposure due to orthopedic saws in simulated total knee arthroplasty surgery. *J Arthroplasty*. 2007; 22(8):1193-1197. ISSN:- 8.

Sylvester J. Noisy toys: annoying or harmful? *Hearing Review*. 2006; Jan:58-60.

Szalda K and Burkard R. The effects of nembutal anesthesia on the auditory steady-state response (ASSR) from the inferior colliculus and auditory cortex of the chinchilla. *Hear Res*. 2005; 203(1-2):32-44. ISSN: 0378-5955.

- Szanto C. Hearing Loss in Occupationally Exposed to Radio Frequencies (Rf) and Microwave (Mw) Non-Ionising Radiations. *Epidemiol.* 2006; 17(Suppl 6):S441. ISSN: 1044-3983.
- Szanto C. Hearing Loss in Persons Occupationally Exposed to Radio Frequencies (Rf) and Microwave (Mw) Nonionizing Radiations. *Epidemiol.* 2007; 18(5):S14. ISSN: 1044-3983.
- Szanto C. Hearing loss produced by concomitant exposure to lead and arsenic. *Epidemiol.* 2005; 16(5):S32.
- Szanto C and Coldea V. The hearing loss produced by concomitant exposure to lead and arsenic. *Epidemiol.* 2003; 14(5):S17.
- Szeszenia-Dabrowska N and Wilczynska U. Occupational diseases in the period of socioeconomic transition in Poland. *Int J Occup Med Environ Health.* 2006; 19(2):99-106. ISSN: 1232-1087.
- Sziklai I; Toth T, and Zimmermann U. The impact of auditory research on clinical practice. *HNO.* 2003; 51(6):456-461.
- Szuchman P. Small jets leave some with big gripe: noise. *Chicago Tribune.* Chicago, Illinois; 2003 Dec 21; Transportation: 7.
- Tabuchi T; Kumagai S; Hirata M; Taninaka H; Yoshidai J; Oda H, and Ito A. [Status of noise in small-scale factories having press machines and hearing loss in workers]. *Sangyo Eiseigaku Zasshi.* 2005; 47(5):224-231. ISSN: 1341-0725.
- Tadros SF; D'souza M; Zhu XX, and Frisina RD. Apoptosis-Related Genes Change Their Expression With Age and Hearing Loss in the Mouse Cochlea. *Apoptosis.* 2008; 13(11):1303-1321. ISSN: 1360-8185.
- Tahera Y; Meltser I; Johansson P; Bian Z; Stierna P; Hansson AC, and Canlon B. NF-kappaB mediated glucocorticoid response in the inner ear after acoustic trauma. *J Neurosci Res.* 2006; 83(6):1066-1076. ISSN: 0360-4012.
- Tahera Y; Meltser I; Johansson P; Salman H, and Canlon B. Sound conditioning protects hearing by activating the hypothalamic-pituitary-adrenal axis. *Neurobiol Dis.* 2007; 25(1):189-197. ISSN: 0969-9961.
- Tak S and Calvert GM. Hearing Difficulty Attributable to Employment by Industry and Occupation: An Analysis of the National Health Interview Survey-United States, 1997 to 2003. *J Occup Environ Med.* 2008; 50(1):46-56. ISSN: 1076-2752.
- Tak S; Davis RR, and Calvert GM. Exposure to hazardous workplace noise and use of hearing protection devices among US workers-NHANES, 1999-2004. *Am J Ind Med.* 2009; Mar 6. ISSN: 1097-0274.
- Takahashi Y. A Consideration of the Relationship Between Subjective Unpleasantness and Body Surface Vibrations Induced by High-Level, Complex Low-Frequency Noise. *J Low Freq Noise Vib Active Control.* 2006; 25(3):163-174.
- Takahashi Y; Kanada K; Yonekawa Y, and Harada N. A study on the relationship between subjective unpleasantness and body surface vibrations induced by high-level low-frequency pure tones. *Ind Health.* 2005; 43(3):580-587. ISSN: 0019-8366.
- Takemura, K.; Komeda, M.; Yagi, M.; Himeno, C.; Izumikawa, M.; Doi, T.; Kuriyama, H.; Miller, J. M., and Yamashita, T. Direct inner ear infusion of dexamethasone attenuates noise-induced trauma in guinea pig. *Hear Res.* 2004; 196(1-2):58-68. ISSN: 0378-5955.

- Talaska AE and Schacht J. Prevention of aminoglycoside ototoxicity: From the laboratory to the clinic. *Volta Rev.* 2005; 105(3):371-382.
- Tambs K; Hoffman HJ; Borchgrevink HM; Holmen J, and Engdahl B. Hearing loss induced by occupational and impulse noise: Results on threshold shifts by frequencies, age and gender from the Nord-Trondelag Hearing Loss Study. *Int J Audiol.* 2006; 45(5):309-317. ISSN: 1499-2027.
- Tambs K; Hoffman HJ; Borchgrevink HM; Holmen J, and Samuelsen SO. Hearing loss induced by noise, ear infections, and head injuries: results from the Nord-Trondelag hearing loss study. *Int J Audiol.* 2003; 42(2):89-105.
- Tamesue T; Yamaguchi S; Saeki T, and Kato Y. A method for prediction of listening score and psychological impression in an actual noise environment. *J Sound Vib.* 2005; 287(3):625-636.
- Tan MN; Robertson D, and Hammond GR. Separate Contributions of Enhanced and Suppressed Sensitivity to the Auditory Attentional Filter. *Hear Res.* 2008; 241(1-2):18-25. ISSN: 0378-5955.
- Tanaka C; Chen GD; Hu BH; Chi LH; Li M; Zheng G; Bielefeld EC; Jamesdaniel S; Coling D, and Henderson D. The effects of acoustic environment after traumatic noise exposure on hearing and outer hair cells. *Hear Res.* 2009; 250(1-2):10-18. ISSN: 1878-5891.
- Tanaka, F.; Whitworth, C. A., and Rybak, L. P. Round window pH manipulation alters the ototoxicity of systemic cisplatin. *Hear Res.* 2004; 187(1-2):44-50. ISSN: 0378-5955.
- Tanaka K; Takemoto T; Sugahara K; Okuda T; Mikuriya T; Takeno K; Hashimoto M; Shimogori H, and Yamashita H. Post-exposure administration of edaravone attenuates noise-induced hearing loss. *Eur J Pharmacol.* 2005; 522(1-3):116-121. ISSN: 0014-2999.
- Tanen RM; Silver JC; Vigeant MC, and Celmer RD. Acoustic and vibratory characterization of in-room footfall noise: Part 2. *J Acoust Soc Am.* 2008; 124(4):2441. ISSN: 1520-8524.
- Tang H; Qiu TS; Li S; Guo Y, and Zhang WR. Robust direction of arrival (DOA) estimation using RBF neural network in impulsive noise environment. *SO Adv Neural Net.* 2005; 3498(5):332-337.
- Tang J; Wu FJ; Wang D; Jen PH, and Chen QC. The amplitude sensitivity of mouse inferior collicular neurons in the presence of weak noise. *Chin J Physiol.* 2007; 50(4):187-198. ISSN: 0304-4920.
- Tang, SK and Wong, MY. On noise indices for domestic air conditioners. *J Sound Vib.* 2004; 274(1-2):1-12.
- Tang UW and Wang ZS. Influences of Urban Forms on Traffic-Induced Noise and Air Pollution: Results From a Modelling System. *Environmental Modelling & Software.* 2007; 22(12):1750-1764. ISSN: 1364-8152.
- Tao JC and Qiu XJ. Sensor Number Requirements for Sound Power Prediction Using Two Different Mode Decomposition Methods. *Appl Acoust.* 2009; 70(4):646-651. ISSN: 0003-682X.
- Tarabini M; Roure A, and Pinhede C. Active Control of Noise on the Source Side of a Partition to Increase Its Sound Isolation. *J Sound Vib.* 2009; 320(4-5):726-743. ISSN: 0022-460X.
- Taylor D. Method of forming an earplug by laser ablation and an earplug formed thereby. *J Acoust Soc Am.* 2008; 124(5):2677. ISSN: 1520-8524.
- Taylor DM; Lippmann J, and Smith D. The absence of hearing loss in otologically asymptomatic recreational scuba divers. *Undersea Hyperb Med.* 2006; 33(2):135-141. ISSN: 1066-2936.

- Taylor, W; Melloy, B; Dharwada, P; Gramopadhye, A, and Toler, J. The effects of static multiple sources of noise on the visual search component of human inspection. *Int j Ind Ergon.* 2004; 34(3):195-207.
- Tchashin VP and Askarova ZF. [A priori occupational health risk for workers of ore mining and processing enterprise]. *Med Tr Prom Ekol.* 2008(9):18-22. ISSN: 1026-9428.
- Tchounwou PB; Patlolla AK, and Centeno JA. Carcinogenic and systemic health effects associated with arsenic exposure- A critical review. 2003; 31, (6): 575-588.
- Teasdale TW and Sorensen MH. Hearing loss in relation to educational attainment and cognitive abilities: a population study. *Int J Audiol.* 2007; 46(4):172-175. ISSN: 1499-2027.
- Teixeira CF; Augusto LGD, and Morata TC. Hearing health of workers exposed to noise and insecticides. *Rev De Saude Publica.* 2003; 37(4):417-423.
- Teland JA; Rahimi R, and Huseby M. Numerical Simulation of Sound Emission From Weapons. *Noise Control Eng J.* 2007; 55(4):390-396. ISSN: 0736-2501.
- Teo KJ; Chia SE; Tan TC, and Ali SM. Effect of basic military training on hearing in the Singapore Armed Forces. *Singapore Med J.* 2008; 49(3):243-246. ISSN: 0037-5675.
- Tepel M. N-Acetylcysteine in the prevention of ototoxicity. *Kidney Int.* 2007; 72(3):231-232. ISSN: 0085-2538.
- Ter Haar G.; Venker-van Haagen AJ; van den Brom WE; van Sluijs FJ, and Smoorenburg GF. Effects of aging on brainstem responses to toneburst auditory stimuli: a cross-sectional and longitudinal study in dogs. *J Vet Intern Med.* 2008; 22(4):937-945. ISSN: 0891-6640.
- Teranishi M; Katayama N; Uchida Y; Tominaga M, and Nakashima T. Thirty-year trends in sudden deafness from four nationwide epidemiological surveys in Japan. 2007; 12(1259-1265).
- Terband H and Drullman R. Study of an Automated Procedure for a Dutch Sentence Test for the Measurement of the Speech Reception Threshold in Noise. *J Acoust Soc Am.* 2008; 124(5):3225-3234. ISSN: 0001-4966.
- Thai-Van H; Micheyl C; Moore BCJ, and Collet L. Enhanced frequency discrimination near the hearing loss cut-off: a consequence of central auditory plasticity induced by cochlear damage? *Brain.* 2003; 126(10):2235-2245.
- Thakur, L.; Anand, J. P., and Banerjee, P. K. Auditory evoked functions in ground crew working in high noise environment of Mumbai airport. *Indian J Physiol Pharmacol.* 2004; 48(4):453-460. ISSN: 0019-5499.
- Tharmmaphornphila W; Green B; Carnahan BJ, and Norman BA. Applying mathematical modeling to create job rotation schedules for minimizing occupational noise exposure. *Am Ind Hyg Assoc J.* 2003; 64(3):401-405.
- Tharmmaphornphilas W and Norman BA. A Methodology to Create Robust Job Rotation Schedules. *Ann Operations Res.* 2007; 155(1):339-360. ISSN: 0254-5330.
- Thatcher JJ. Culture or behavior: which comes first? *Occup Haz.* 2003; April:52, 54, 56.
- Therbo M and von der Osten C. [Attitude to safety among Danish hunters and behavior during hunting--a questionnaire study]. *Ugeskr Laeger.* 2008; 170(22):1926-1930. ISSN: 1603-6824.
- Thibodeau LM. Plotting beyond the audiogram to the TELEGRAM, a new assessment tool. *The Hearing Journal.* 2004; 57(11):46.

- Thiel G. How to fashion earplugs using cotton wool and petroleum jelly. *Clin Otolaryngol.* 2005; 30(4):378. ISSN: 1749-4478.
- Thiery L. Relationships Between Noise Sampling Design and Uncertainties in Occupational Noise Exposure Measurement. *Noise Control Engineering Journal.* 2007; 55(1):5-11. ISSN: 0736-2501.
- Thiery L and Ognedal T. Note About the Statistical Background of the Methods Used in Iso/Dis 9612 to Estimate the Uncertainty of Occupational Noise Exposure Measurements. *Acta Acustica United With Acustica.* 2008; 94(2):331-334. ISSN: 1610-1928.
- Thomas DC; Witte JS, and Greenland S. Dissecting effects of complex mixtures: who's afraid of informative priors? *Epidemiol.* 2007; 18(2):186-190. ISSN: 1044-3983.
- Thomas N; Mariah AN; Fuad A; Kuljit S, and Philip R. Noise exposure and noise induced hearing loss among Kuala Lumpur traffic point duty personnel. *Med J Malaysia.* 2007; 62(2):152-155. ISSN: 0300-5283.
- Thomas, S. P.; Buckland, J. R., and Rhys-Williams, S. R. Potential ototoxicity from triamcinolone, neomycin, gramicidin and nystatin (Tri-Adcortyl) cream. *J Laryngol Otol.* 2005; 119(1):48-50. ISSN: 0022-2151.
- Thompson E; Berger EH, and Hipskind N. Reporting 24-hr Leq's arising from the non-occupational noise exposed population in the 21st century. *Spectrum.* 2003; 20(Suppl 1):24.
- Thompson ER and Dau T. A binaural advantage in the subjective modulation transfer function with simple impulse responses. *J Acoust Soc Am.* 2008; 123(5):3296. ISSN: 1520-8524.
- Thorne PR; Ameratunga SN; Stewart J; Reid N; Williams W; Purdy SC; Dodd G, and Wallaart J. Epidemiology of noise-induced hearing loss in New Zealand. *N Z Med J.* 2008; 121(1280):33-44. ISSN: 1175-8716.
- Thornton AR; Lineton B; Baker VJ, and Slaven A. Nonlinear properties of otoacoustic emissions in normal and impaired hearing. *Hear Res.* 2006; 219(1-2):56-65. ISSN: 0378-5955.
- Tidwell R. The "invisible" faculty member: The university professor with a hearing disability. 2004; 47, (2): 197-210.
- Tijunelis, M. A.; Fitzsullivan, E., and Henderson, S. O. Noise in the ED. *Am J Emerg Med.* 2005; 23(3):332-335. ISSN: 0735-6757.
- Titus JC; Schiller JA, and Guthmann D. Characteristics of Youths With Hearing Loss Admitted to Substance Abuse Treatment. *J Deaf Stud Deaf Educ.* 2008; Feb 4. ISSN: 1081-4159.
- Tognola, G.; Parazzini, M.; de Jager, P.; Brienesse, P.; Ravazzani, P., and Grandori, F. Cochlear maturation and otoacoustic emissions in preterm infants: a time-frequency approach. *Hear Res.* 2005; 199(1-2):71-80. ISSN: 0378-5955.
- Tokui N; Suzuki H; Udaka T; Hiraki N; Fujimura T; Fujimura K, and Makishima K. Delayed-onset temporary auditor threshold shift following head blow in guinea pigs. 2005; 199, (1-2): 111-116.
- Tokuyama T; Matsui T; Hiramatsu K; Miyakita T; Ito A, and Yamamoto T. [Effects of aircraft noise on preschool children's misbehaviours: results of research around the Kadena and Futenma airfields in Okinawa]. *Nippon Eiseigaku Zasshi.* 2009; 64(1):14-25. ISSN: 0021-5082.
- Tollin DJ; Koka K, and Tsai JJ. Interaural level difference discrimination thresholds for single neurons in the lateral superior olive. *J Neurosci.* 2008; 28(19):4848-4860. ISSN: 1529-2401.

- Tolvanen, O. K. Exposure to bioaerosols and noise at a Finnish dry waste treatment plant. *Waste Manag Res.* 2004; 22(5):346-357. ISSN: 0734-242X.
- Tolvanen OK and Hanninen KI. Mechanical-biological waste treatment and the associated occupational hygiene in Finland. *Waste Manag.* 2006; 26(10):1119-1125. ISSN: 0956-053X.
- Tomei F; De Sio S; Tomao E; Anzelmo V; Baccolo TP; Ciarrocca M; Cherubini E; Valentini V; Capozzella A, and Rosati MV. Occupational exposure to noise and hypertension in pilots. *Int J Environ Health Res.* 2005; 15(2):99-106. ISSN: 0960-3123.
- Tomlin D; Rance G; Graydon K, and Tsialios I. A comparison of 40 Hz auditory steady-state response (ASSR) and cortical auditory evoked potential (CAEP) thresholds in awake adult subjects. *Int J Audiol.* 2006; 45(10):580-588. ISSN: 1499-2027.
- Tomo I; Le Calvez S; Maier H; Boutet de Monvel J; Fridberger A, and Ulfendahl M. Imaging the living inner ear using intravital confocal microscopy. *Neuroimage.* 2007; 35:1393-1400. ISSN: 1053-8119.
- Tonyan TD; Payne SW, and Elfering R. Characterization of airborne sound transmission and impact isolation in floorceiling assemblies with structural cementitious floor sheathing and cold formed steel framing. *J Acoust Soc Am.* 2008; 124(4):2441. ISSN: 1520-8524.
- Toppila E; Olkinuora P, and Airre P. Implementation of the noise directive in music and entertainment sector in Finland. *J Acoust Soc Am.* 2008; 123(5):3252. ISSN: 1520-8524.
- Toppila E; Pyykko I, and Starck J. The use of hearing protectors among forest, shipyard and paper mill workers in Finland--a longitudinal study. *Noise Health.* 2005; 7(26):3-9. ISSN: 1463-1741.
- Torio P and Sanchez MG. Novel procedure to determine statistical functions of impulsive noise. *IEEE Trans Electromagn Comp.* 2005; 47 (3):559-568.
- Torp S and Groggaard JB. The Influence of Individual and Contextual Work Factors on Workers' Compliance With Health and Safety Routines. *Appl Ergon.* 2009; 40(2):185-193. ISSN: 0003-6870.
- Torp S; Groggaard JB; Moen BE, and Bratveit M. The impact of social and organizational factors on workers' use of personal protective equipment: a multilevel approach. *J Occup Environ Med.* 2005; 47(8):829-837. ISSN: 1076-2752.
- Torre P; Dreisbach LE; Kopke R; Jackson R, and Balough B. Risk Factors for Distortion Product Otoacoustic Emissions in Young Men With Normal Hearing. *J Am Acad Audiol.* 2007; 18(9):749-759. ISSN: 1050-0545.
- Torre P and Howell JC. Noise Levels During Aerobics and the Potential Effects on Distortion Product Otoacoustic Emissions. *J Communication Disord.* 2008; 41(6):501-511. ISSN: 0021-9924.
- Torre P, 3rd. Young Adults' Use and Output Level Settings of Personal Music Systems. *Ear Hear.* 2008; Jul 8. ISSN: 1538-4667.
- Torre P III; Cruickshanks KJ; Nondahl DM, and Wiley TL. Distortion product otoacoustic emission response characteristics in older adults. *Ear Hear.* 2003; 24(1):20-29.
- Torregrosa AJ; Broatch A; Fernandez T, and Denia FD. Description and measurement of the acoustic characteristics of two-tailpipe mufflers. *J Acoust Soc Am.* 2006; 119(2):723-728. ISSN: 0001-4966.
- Torres K. Can you hear me now The impacts of hearing loss. 2008 ed. *Occup Haz;* 2008.

Tourneret JY; Bershad NJ, and Bermudez JCM. Echo Cancellation-the Generalized Likelihood Ratio Test for Double-Talk Versus Channel Change. *IEEE Trans Signal Proc.* 2009; 57(3):916-926. ISSN: 1053-587X.

Trabeau M; Neitzel R; Meischke H; Daniell WE, and Seixas NS. A comparison of "Train-the-Trainer" and expert training modalities for hearing protection use in construction. *Am J Ind Med.* 2007; Dec 7.

Triebig G; Bruckner , and Seeber A. Occupational styrene exposure and hearing loss: a cohort study with repeated measurements. *Int Arch Occup Environ Health.* 2008; Sep 2. ISSN: 0340-0131.

Trost RP and Shaw GB. Statistical analysis of hearing loss among navy personnel. *Mil Med.* 2007; 172(4):426-430. ISSN: 0026-4075.

Tsiou C; Efthymiatis G, and Katostaras T. Noise in the operating rooms of Greek hospitals. *J Acoust Soc Am.* 2008; 123(2):757-765. ISSN: 1520-8524.

Tsukada T and Sakakibara H. A Trail of Individual Education for Hearing Protection With an Instrument That Measures the Noise Attenuation Effect of Wearing Earplugs. *Ind Health.* 2008; 46(4):393-396. ISSN: 0019-8366.

Tsuprun, V.; Schachern, P. A.; Cureoglu, S., and Paparella, M. Structure of the stereocilia side links and morphology of auditory hair bundle in relation to noise exposure in the chinchilla. *J Neurocytol.* 2003; 32(9):1117-1128. ISSN: 0300-4864.

Tubbs RL and Murphy WJ. *Health Hazard Evaluation: Fort Collins Police Services.* Fort Collins, Colorado. HETA 2002-0131-2898 ed. Cincinnati, OH: NIOSH; 2003.

Tucker DA; Phillips SL; Ruth RA; Clayton WA; Royster E, and Todd AD. The effect of silence on tinnitus perception. *Otolaryngol Head Neck Surg.* 2005; 132(1):20-24. ISSN: 0194-5998.

Tufts JB and Frank T. Speech production in noise with and without hearing protection. *J Acoust Soc Am.* 2003; 114(2):1069-1080.

Tufts JB and Molis MR. Perception of roughness by listeners with sensorineural hearing loss. *J Acoust Soc Am.* 2007; 121(4):EL161-EL167. ISSN: 0001-4966.

Tufts JB; Molis MR, and Leek MR. Perception of dissonance by people with normal hearing and sensorineural hearing loss. *J Acoust Soc Am.* 2005; 118(2):955-967. ISSN: 0001-4966.

Tufts JB; Weathersby PK, and Marshall L. Estimation of Equivalent Noise Exposure Level Using Hearing Threshold Levels of a Population. *Ear Hear.* 2009; Feb 3. ISSN: 1538-4667.

Tunay M and Melemez K. Noise induced hearing loss of forest workers in Turkey. *Pak J Biol Sci.* 2008; 11(17):2144-2148. ISSN: 1028-8880.

Tungsinmunkong S; Chongkolwatana C; Piyawongvisal W; Atipas S, and Namchareonchaisuk S. Blast injury of the ears: the experience from Yala Hospital, Southern Thailand. *J Med Assoc Thai.* 2007; 90(12):2662-2668. ISSN: 0125-2208.

Turcanu D; Dalhoff E; Muller M; Zenner HP, and Gummer AW. Accuracy of velocity distortion product otoacoustic emissions for estimating mechanically based hearing loss. *Hear Res.* 2009; 251(1-2):17-28. ISSN: 1878-5891.

Turcanu D; Dalhoff E; Zenner HP, and Gummer AW. Laser Doppler Vibrometric Measurements of Dp_{oae} in Humans. *HNO.* 2007; 55(12):930-937. ISSN: 0017-6192.

- Turcanu D; Martu D; Dalhoff E, and Gummer AW. [Laser Doppler vibrometry: a new tool for diagnosing hearing loss with an intact eardrum]. *Rev Med Chir Soc Med Nat Iasi*. 2006; 110(2):357-366. ISSN: 0300-8738.
- Turegano-Fuentes F; Caba-Doussoux P; Jover-Navalon JM; Martin-Perez E; Fernandez-Luengas D; Diez-Valladares L; Perez-Diaz D; Yuste-Garcia P; Guadalajara Labajo H; Rios-Blanco R; Hernando-Trancho F; Garcia-Moreno Nisa F; Sanz-Sanchez M; Garcia-Fuentes C; Martinez-Virto A; Leon-Baltasar JL, and Vazquez-Estevez J. Injury Patterns from Major Urban Terrorist Bombings in Trains: The Madrid Experience. *World J Surg*. 2008; Mar 26. ISSN: 0364-2313.
- Turkkahraman S; Gok U; Karlidag T; Keles E, and Ozturk UOA. Findings of standard and high frequency audiometry in workers exposed to occupational noise for long durations. *Kulak Burun Bogaz Ihtis Derg*. 2003; 10(4):137-142.
- Turner, J. G.; Parrish, J. L.; Hughes, L. F.; Toth, L. A., and Caspary, D. M. Hearing in laboratory animals: strain differences and nonauditory effects of noise. *Comp Med*. 2005; 55(1):12-23. ISSN: 1532-0820.
- Turner JG. Behavioral measures of tinnitus in laboratory animals. *Prog Brain Res*. 2007; 166:147-149. ISSN: 0079-6123.
- Turner JG; Bauer CA, and Rybak LP. Noise in animal facilities: why it matters. *J Am Assoc Lab Anim Sci*. 2007; 46(1):10-13. ISSN: 1559-6109.
- Turner JG; Brozoski TJ; Bauer CA; Parrish JL; Myers K; Hughes LF, and Caspary DM. Gap detection deficits in rats with tinnitus: a potential novel screening tool. *Behav Neurosci*. 2006; 120(1):188-195. ISSN: 0735-7044.
- Twardella D; Wellhoefer A; Brix J, and Fromme H. High sound pressure levels in Bavarian discotheques remain after introduction of voluntary agreements. *Noise Health*. 2008; 10(41):99-104. ISSN: 1463-1741.
- Tye-Murray N; Sommers M, and Spehar B. Auditory and visual lexical neighborhoods in audiovisual speech perception. *Trends Amplif*. 2007; 11(4):233-241. ISSN: 1084-7138.
- Tye-Murray N; Spry JL, and Mauze E. Professionals with Hearing Loss: Maintaining That Competitive Edge. *Ear Hear*. 2009; 30(4):473-482. ISSN: 1538-4667.
- Tyler RS; Oleson J; Noble W; Coelho C, and Ji H. Clinical trials for tinnitus: study populations, designs, measurement variables, and data analysis. *Prog Brain Res*. 2007; 166:499-.
- Uchida Y; Ando F; Nakata S; Ueda H; Nakashima T; Niino N, and Shimokata H. Distortion product otoacoustic emissions and tympanometric measurements in an adult population-based study. *Auris Nasus Larynx*. 2006; June 2. ISSN: 0385-8146.
- Uchida Y; Ando F; Shimokata H; Sugiura S; Ueda H, and Nakashima T. The effects of aging on distortion-product otoacoustic emissions in adults with normal hearing. *Ear Hear*. 2008; 29(2):176-184. ISSN: 0196-0202.
- Uchida Y; Nakashimat T; Ando F; Niino N, and Shimokata H. Is there a relevant effect of noise and smoking on hearing? A population-based aging study. *Int J Audiol*. 2005; 44(2):86-91. ISSN: 1499-2027.
- Uemaetomari I; Tabuchi K; Hoshino T, and Hara A. Protective effect of calcineurin inhibitors on acoustic injury of the cochlea. *Hear Res*. 2005; 209(1-2):86-90. ISSN: 0378-5955.
- Ullah, R.; Bailie, N.; Crowther, S., and Cullen, J. Noise exposure in orthopaedic practice: potential health risk. *J Laryngol Otol*. 2004; 118(6):413-416. ISSN: 0022-2151.

Uno M; Abe J; Sawai C; Sakaue Y; Nishitani A; Yasuda Y; Tsuzuki K; Takano T; Ohno M; Maruyama T, and Takeuchi Y. Effect of additional auditory and visual stimuli on continuous performance test (noise-generated CPT) in AD/HD children- usefulness of noise-generated CPT. *Brain Dev.* 2006; 28(3):162-169. ISSN: 0387-7604.

Ureta S. Noise and the Battles for Space: Mediated Noise and Everyday Life in a Social Housing Estate in Santiago, Chile. *J Urban Techn.* 2007; 14(3):103-130. ISSN: 1063-0732.

Ursick J and Staecker H. An Overview of Animal Models of Tinnitus. *B-Ent.* 2007; 3(Suppl 7):23-25. ISSN: 0001-6497.

Ushakov IB; Romasiuk SI; Sheshegov PM; Zinkin VN; Soldatov SK, and Shishov AA. [The influence of aviation noise on the hearing organ in engineering-and-technical staff of Air Forces]. *Voen Med Zh.* 2006; 327(7):59-62. ISSN: 0026-9050.

Ustinaviciene R and Piesine L. [Morbidity of textile industry workers in Kaunas]. *Medicina.* 2007; 43(6):495-500. ISSN: 1648-9144.

Valente M; Mispagel KM; Tchorz J, and Fabry D. Effect of type of noise and loudspeaker array on the performance of omnidirectional and directional microphones. *J Am Acad Audiol.* 2006; 17(6):398-412. ISSN: 1050-0545.

Valentine S and Lentz JJ. Broadband Auditory Stream Segregation by Hearing-Impaired and Normal-Hearing Listeners. *J Speech Lang Hear Res.* 2008; 51(5):1341-1352. ISSN: 1092-4388.

Valk, W. L.; Wit, H. P., and Albers, F. W. Evaluation of cochlear function in an acute endolymphatic hydrops model in the guinea pig by measuring low-level DPOAEs. *Hear Res.* 2004; 192(1-2):47-56. ISSN: 0378-5955.

Van Campen LE; Morata T; Kardous CA; Gwin K; Wallingford KM; Dallaire J, and Alvarez FJ. Ototoxic occupational exposures for a stock car racing team: I. Noise surveys. *J Occup Environ Hyg.* 2005; 2(8):383-390. ISSN: 1545-9624.

van den Berg JH; Beijnen JH; Balm AJ, and Schellens JH. Future opportunities in preventing cisplatin induced ototoxicity. *Cancer Treat Rev.* 2006; 32(5):390-397. ISSN: 0305-7372.

Van Den Hazel P; Zuurbier M; Babisch W; Bartonova A; Bistrup ML; Bolte G; Busby C; Butter M; Ceccatelli S; Fucic A; Hanke W; Johansson C; Kohlhuber M; Leijts M; Lundqvist C; Moshhammer H; Naginiene R; Preece A; Ronchetti R; Salines G; Saunders M; Schoeters G; Stilianakis N; Ten Tusscher G, and Koppe JG. Today's epidemics in children: Possible relations to environmental pollution and suggested preventive measures. *Acta Paediatr Suppl.* 2006; 95(453):18-25. ISSN: 0803-5326.

Van Den Hazel P; Zuurbier M, and Bistrup ML. Policy interpretation network on children's health and environment. *Acta Paediatr Suppl.* 2006; 95(453):6-12. ISSN: 0803-5326.

Van Den Hazel P; Zuurbier M; Bistrup ML; Busby C; Fucic A; Koppe JG; Lundqvist C; Ronchetti R, and Ten Tusscher G. Policy and science in children's health and environment: Recommendations from the PINCHE project. *Acta Paediatr Suppl.* 2006; 95(453):114-119. ISSN: 0803-5326.

Van Dijk P and Backes WH. Brain activity during auditory backwards and simultaneous masking tasks. *Hear Res.* 2003; 181(1-2):8-14.

Van Eyken E; Van Camp G, and Van Laer L. The complexity of age-related hearing impairment: contributing environmental and genetic factors. *Audiol Neurootol.* 2007; 12(6):345-358. ISSN: 1421-9700.

Van Eyken E; Van Laer L; Fransen E; Topsakal V; Hendrickx JJ; Demeester K; Van de Heyning P; Maki-Torkko E; Hannula S; Sorri M; Jensen M; Parving A; Bille M; Baur M; Pfister M; Bonaconsa A; Mazzoli M; Orzan E; Espeso A; Stephens D; Verbruggen K; Huyghe J; Dhooge I; Huygen P; Kremer H; Cremers C; Kunst S; Manninen M; Pyykko I; Rajkowska E; Pawelczyk M; Sliwinska-Kowalska M; Steffens M; Wienker T, and Van Camp G. The contribution of GJB2 (Connexin 26) 35delG to age-related hearing impairment and noise-induced hearing loss. *Otol Neurotol.* 2007; 28(7):970-975. ISSN: 1531-7129.

van Gaalen FA; Compier EA, and Fogteloo AJ. Sudden hearing loss after a methadone overdose. *Eur Arch Otorhinolaryngol.* 2009; Mar 5. ISSN: 1434-4726.

van Kamp I; Job RFS; Hatfield J; Haines M; Stellato RK, and Stansfeld SA. The role of noise sensitivity in the noise-response relation: A comparison of three international airport studies. *J Acoust Soc Am.* 2004; 116(6):3471-3479.

Van Kempen E; Van Kamp I; Fischer P; Davies H; Houthuijs D; Stellato R; Clark C, and Stansfeld S. Noise exposure and children's blood pressure and heart rate: The RANCH-project. *Occup Environ Med.* 2006. ISSN: 1470-7926.

van Kleef RG; Vijverberg HP, and Westerink RH. Selective inhibition of human heteromeric $\alpha 9\alpha 10$ nicotinic acetylcholine receptors at a low agonist concentration by low concentrations of ototoxic organic solvents. *Toxicol In Vitro.* 2008; Jun 18. ISSN: 0887-2333.

Van Laer L; Carlsson PI; Ottschytsch N; Bondeson ML; Konings A; Vandeveld A; Dieltjens N; Fransen E; Snyders D; Borg E; Raes A, and Van Camp G. The contribution of genes involved in potassium-recycling in the inner ear to noise-induced hearing loss. *Hum Mutat.* 2006; 27(8):786-795. ISSN: 1098-1004.

Van Maanen A and Stapells DR. Comparison of multiple auditory steady-state responses (80 versus 40 Hz) and slow cortical potentials for threshold estimation in hearing-impaired adults. *Int J Audiol.* 2005; 44(11):613-624. ISSN: 1499-2027.

Van Maanen A and Stapells DR. Comparison of multiple auditory steady-state responses (80 versus 40 Hz) and slow cortical potentials for threshold estimation in hearing-impaired adults. *Int J Audiol.* 2005 Nov; 44(11):613-624. ISSN: 1499-2027.

Van Nieuwenhuysse K; Guillaume P; Van Landuit S; Vuye C, and De Sitter G. In situ measurement of acoustic parameters with smart devices. *J Acoust Soc Am.* 2008; 123(5):3610. ISSN: 1520-8524.

van Ruijven MW; de Groot JC, and Smoorenburg GF. Time sequence of degeneration pattern in the guinea pig cochlea during cisplatin administration. A quantitative histological study. *Hear Res.* 2004; 197(1-2):44-54. ISSN: 0378-5955.

Van Someren EJ and Nagtegaal E. Improving melatonin circadian phase estimates. *Sleep Med.* 2007; 8(6):590-601. ISSN: 1389-9457.

Van Vliet D. The current status of hearing care: can we change the status quo? *J Am Acad Audiol.* 2005; 16(7):410-418. ISSN: 1050-0545.

van, Wiechen C; Houthuijs, D; Ameling, C, and Lebret, E. Exposure assessment of environmental noise for use in small area health studies. *Epidemiol.* 2004; 15(4):S205.

Vanderhoof W. How to get workers to wear it. *Occup Health Saf.* 2004; 73(12):42, 44. ISSN: 0362-4064.

Vangelova KK and Deyanov CE. Blood pressure and serum lipids in industrial workers under intense noise and a hot environment. *Rev Environ Health.* 2007; 22(4):303-311. ISSN: 0048-7554.

- Vardhan H; Karmakar NC, and Rao YV. Assessment of Heavy Earth-Moving Machinery Noise Vis-a-Vis Routine Maintenance. *Noise Cont Eng J*. 2006; 54(2):64-78.
- Varekamp I; Verbeek JH, and van Dijk FJ. How can we help employees with chronic diseases to stay at work? A review of interventions aimed at job retention and based on an empowerment perspective. *Int Arch Occup Environ Health*. 2006; 80(2):87-97. ISSN: 0340-0131.
- Varghese GI; Zhu X, and Frisina RD. Age-related declines in distortion product otoacoustic emissions utilizing pure tone contralateral stimulation in CBA/CaJ mice. *Hear Res*. 2005; 209(1-2):60-67. ISSN: 0378-5955.
- Vaughan N. The ears have it. All about hearing loss. *Diabetes Self Manag*. 2006; 23(3):6-8, 11-2, 14. ISSN: 0741-6253.
- Vazquez, A. E.; Jimenez, A. M.; Martin, G. K.; Luebke, A. E., and Lonsbury-Martin, B. L. Evaluating cochlear function and the effects of noise exposure in the B6.CAST+Ahl mouse with distortion product otoacoustic emissions. *Hear Res*. 2004; 194(1-2):87-96. ISSN: 0378-5955.
- Veldhuizen JA and Dreschler WA. [The practice guideline 'Hearing impairment' (first revision) from the Dutch College of General Practitioners; a response from the perspective of otorhinolaryngology and clinical audiology]. *Ned Tijdschr Geneesk*. 2007; 151(8):454-457. ISSN: 0028-2162.
- Venkatesham B; Tiwari M, and Munjal ML. Analytical prediction of the breakout noise from a rectangular cavity with one compliant wall. *J Acoust Soc Am*. 2008; 124(5):2952-2962. ISSN: 1520-8524.
- Veras RP and Mattos LC. Audiology and aging: literature review and current horizons. *Rev Bras Otorrinolaringol*. 2007; 73(1):122-128. ISSN: 1808-8694.
- Verbsky B. Hearing aids + earmuffs: safe & effective within limits. *Spectrum*. 2003; 20(Suppl 1):24.
- Verdel BM; Van Puijenbroek EP; Souverein PC; Leufkens HGM, and Egberts ACG. Drug-Related Nephrotoxic and Ototoxic Reactions a Link Through a Predictive Mechanistic Commonality. *Drug Safety*. 2008; 31(10):877-884. ISSN: 0114-5916.
- Verhey J; Rennies J, and Ernst SM. Role of peripheral nonlinearities in across-frequency processing of envelope fluctuations in normal hearing and hearing impaired listeners. *J Acoust Soc Am*. 2008; 123(5):3849. ISSN: 1520-8524.
- Verhey JL; Anweiler AK, and Hohmann V. Spectral loudness summation as a function of duration for hearing-impaired listeners. *Int J Audiol*. 2006; 45(5):287-294. ISSN: 1499-2027.
- Verhulst S; Harte JM, and Dau T. Temporal suppression of long-latency click-evoked otoacoustic emissions. *Conf Proc IEEE Eng Med Biol Soc*. 2007; 2007:1932-1936. ISSN: 1557-170X.
- Viberg, A. and Canlon, B. The guide to plotting a cochleogram. *Hear Res*. 2004; 197(1-2):1-10. ISSN: 0378-5955.
- Vicente-Torres MA and Schacht J. A BAD link to mitochondrial cell death in the cochlea of mice with noise-induced hearing loss. *J Neurosci Res*. 2006; Mar 6. ISSN: 0360-4012.
- Vigeant MC. Investigations of incorporating source directivity into room acoustics computer models to improve auralizations. *J Acoust Soc Am*. 2008; 124(5):2664. ISSN: 1520-8524.
- Vij S; Nagarkar AN, and Jindal P. Can Self Assessment of Communication Predict Hearing Loss? *J Laryngol Otol*. 2007; 121(5):435-437. ISSN: 0022-2151.

Vikram, K. B. and Naseeruddin, K. Combined tuning fork tests in hearing loss: explorative clinical study of the patterns. *J Otolaryngol.* 2004; 33(4):227-234. ISSN: 0381-6605.

Viljanen A; Kaprio J; Pyykko I; Sorri M; Kauppinen M; Koskenvuo M, and Rantanen T. Genetic and environmental influences on hearing at different frequencies separately for the better and worse hearing ear in older women. *J Gerontol Series A- Biol Sci Med.* 2007; 62(4):447-452. ISSN:- 12.

Viljoen DA; Nie V, and Guest M. Is there a risk to safety when working in the New South Wales underground coal-mining industry while having binaural noise-induced hearing loss? *Intern Med J.* 2006; 36(3):180-184. ISSN: 1444-0903.

Vilkman, E. Occupational safety and health aspects of voice and speech professions. *Folia Phoniatr Logop.* 2004; 56(4):220-253. ISSN: 1021-7762.

Vinay; Baer T, and Moore BC. Speech recognition in noise as a function of highpass-filter cutoff frequency for people with and without low-frequency cochlear dead regions. *J Acoust Soc Am.* 2008; 123(2):606-609. ISSN: 1520-8524.

Vinay and Moore BC. Prevalence of dead regions in subjects with sensorineural hearing loss. *Ear Hear.* 2007; 28(2):231-241. ISSN: 0196-0202.

Vinokur, R. Acoustic noise as a non-lethal weapon. *Sound Vib.* 2004; 38(10):19-23.

Vinokur R. Verbal Analogies in Noise and Vibration Control. *Sound Vib.* 2006; 40(12):5-6.

Vio MM and Holme RH. Hearing loss and tinnitus: 250 million people and a US\$10 billion potential market. *Drug Discov Today.* 2005; 10(19):1263-1265. ISSN: 1359-6446.

Vipperman JS; Bauer ER, and Babich DR. Survey of noise in coal preparation plants. *J Acoust Soc Am.* 2007; 121(1):197-205. ISSN: 0001-4966.

Virji MA; Woskie SR; Waters M; Brueck S; Stancescu D; Gore R; Estill C, and Prince M. Agreement between task-based estimates of the full-shift noise exposure and the full-shift noise dosimetry. *Ann Occup Hyg.* 2009; 53(3):201-214. ISSN: 1475-3162.

Virkkunen H; Harma M; Kauppinen T, and Tenkanen L. Shift work, occupational noise and physical workload with ensuing development of blood pressure and their joint effect on the risk of coronary heart disease. *Scand J Work Environ Health.* 2007; 33(6):425-434. ISSN: 0355-3140.

Virkkunen H; Harma M; Kauppinen T, and Tenkanen L. The triad of shift work, occupational noise, and physical workload and risk of coronary heart disease. *Occup Environ Med.* 2006; 63(6):378-386. ISSN: 1470-7926.

Virkkunen H; Kauppinen T, and Tenkanen L. Long-term effect of occupational noise on the risk of coronary heart disease. *Scand J Work Environ Health.* 2005; 31(4):291-299. ISSN: 0355-3140.

Vlajkovic, S. M.; Housley, G. D.; Munoz, D. J.; Robson, S. C.; Sevigny, J.; Wang, C. J., and Thorne, P. R. Noise exposure induces up-regulation of ecto-nucleoside triphosphate diphosphohydrolases 1 and 2 in rat cochlea. *Neuroscience.* 2004; 126(3):763-773. ISSN: 0306-4522.

Vlajkovic SM; Vinayagamoorthy A; Thorne PR; Robson SC; Wang CJ, and Housley GD. Noise-induced up-regulation of NTPDase3 expression in the rat cochlea: Implications for auditory transmission and cochlear protection. *Brain Res.* 2006; 1104(1):55-63. ISSN: 0006-8993.

- Vlek C. "Could we all be a little more quiet, please?" A behavioural-science commentary on research for a quieter Europe in 2020. *Noise Health*. 2005; 7(26):59-70. ISSN: 1463-1741.
- Voaklander DC; Franklin RC; Challinor K; Depczynski J, and Fragar LJ. Hearing screening program impact on noise reduction strategies. *J Agric Saf Health*. 2009; 15(2):119-127. ISSN: 1074-7583.
- Vogel I; Brug J; Hosli EJ; van der Ploeg CP, and Raat H. MP3 players and hearing loss: adolescents' perceptions of loud music and hearing conservation. *J Pediatr*. 2008; 152(3):400-404. ISSN: 1097-6833.
- Vogel I; Brug J; van der Ploeg CP, and Raat H. Strategies for the prevention of MP3-induced hearing loss among adolescents: expert opinions from a Delphi study. *Pediatrics*. 2009; 123(5):1257-1262. ISSN: 1098-4275.
- Vogel I; Brug J; van der Ploeg CP, and Raat H. Young people's exposure to loud music: a summary of the literature. *Am J Prev Med*. 2007; 33(2):124-133. ISSN: 0749-3797.
- Vogt, J. The relative impact of aircraft noise and number in a full-factorial laboratory design. *J Sound Vib*. 2005; 282(3-5):1085-1100.
- Voipio HM; Nevalainen T; Halonen P; Hakumaki M, and Bjork E. Role of cage material, working style and hearing sensitivity in perception of animal care noise. *Lab Anim*. 2006; 40(4):400-409. ISSN: 0023-6772.
- Voix J and Laville F. Prediction of the Attenuation of a Filtered Custom Earplug. *Appl Acoust*. 2009; 70(7):935-944. ISSN: 0003-682X.
- Volpin A and Saia B. [Interactions between solvents and noise: state of the art]. *G Ital Med Lav Ergon*. 2006; 28(1):20-24. ISSN: 1592-7830.
- von Weigand T. A wireless and batteryless communications earplug. *Spectrum*. 2003; 20(Suppl 1):24-25.
- Vos J. A- and C-weighted sound levels as predictors of the annoyance caused by shooting sounds, for various facade attenuation types. *J Acoust Soc Am*. 2003; 113(1):336-347.
- Vos, J. Annoyance caused by the sounds of a magnetic levitation train. *J Acoust Soc Am*. 2004; 115(4):1597-1608. ISSN: 0001-4966.
- Vos J and Geurtsen FWM. On the assessment of shooting sounds: Loudness-level weightings versus A- and C-weighted sound exposure levels (L). *J Acoust Soc Am*. 2003; 114(4):1729-1732.
- Vos WK; Bronkhorst AW, and Verhave JA. Electronic pass-through hearing protection and directional hearing restoration integrated in a helmet. *J Acoust Soc Am*. 2008; 123(5):3163. ISSN: 1520-8524.
- Vosniakos F; Prapas D; Triandafyllis J; Nikolaou K; Karida A; Bizopoulos A; Katsantoni M, and Patronas D. Integrated Study of Atmospheric and Noise Pollution From Vehicles in Thessaloniki-Greece. *J Environ Protection Ecol*. 2007; 8(3):493-505. ISSN: 1311-5065.
- Voss SE and Herrmann BS. How does the sound pressure generated by circumaural, supra-aural, and insert earphones differ for adult and infant ears? *Ear Hear*. 2005; 26(6):636-650. ISSN: 0196-0202.
- Voss SE; Rosowski JJ; Merchant SN, and Peake WT. Non-ossicular signal transmission in human middle ears: Experimental assessment of the "acoustic route" with perforated tympanic membranes. *J Acoust Soc Am*. 2007; 122(4):2135-2153. ISSN: 1520-8524.

Vyskocil A; Leroux T; Truchon G; Gendron M; El Majidi N, and Viau C. Occupational ototoxicity of n-hexane. *Hum Exp Toxicol*. 2008; 27(6):471-476. ISSN: 0960-3271.

Vyskocil A; Leroux T; Truchon G; Lemay F; Gagnon F; Gendron M, and Viau C. Ototoxicity of trichloroethylene in concentrations relevant for the working environment. *Hum Exp Toxicol*. 2008; 27(3):195-200. ISSN: 0960-3271.

Vyskocil A; Leroux T; Truchon G; Lemay F; Gendron M; Gagnon F; El Majidi N, and Viau C. Ethyl Benzene Should Be Considered Ototoxic at Occupationally Relevant Exposure Concentrations. *Toxicol Ind Health*. 2008; 24(4):241-246. ISSN: 0748-2337.

Wagener K; Josvassen JL, and Ardenkjaer R. Design, optimization and evaluation of a Danish sentence test in noise. *Int J Audiol*. 2003; 42(1):10-17.

Wagener KC; Brand T, and Kollmeier B. The role of silent intervals for sentence intelligibility in fluctuating noise in hearing-impaired listeners. *Int J Audiol*. 2006; 45(1):26-33. ISSN: 1499-2027.

Wagner W; Heppelmann G; Kuehn M; Tisch M; Vonthein R , and Zenner HP. Olivocochlear activity and temporary threshold shift-susceptibility in humans. *Laryngoscope*. 2005; 115(11):2021-2028. ISSN: 0023-852X.

Wagner W; Heppelmann G; Vonthein R, and Zenner HP. Test-Retest Repeatability of Distortion Product Otoacoustic Emissions. *Ear Hear*. 2008; Mar 28. ISSN: 0196-0202.

Wagner W; Plinkert PK; Vonthein R, and Plontke SK. Fine structure of distortion product otoacoustic emissions: its dependence on age and hearing threshold and clinical implications. *Eur Arch Otorhinolaryngol*. 2008; Feb 27. ISSN: 0937-4477.

Wagner W; Staud I; Frank G; Dammann F; Plontke S, and Plinkert PK. Noise in magnetic resonance imaging: No risk for sensorineural function but increased amplitude variability of otoacoustic emissions. *Laryngoscope*. 2003; 113(7):1216-1223.

Wagoner L; McGlothlin J; Chung K; Strickland E; Zimmerman N, and Carlson G. Evaluation of noise attenuation and verbal communication capabilities using three ear insert hearing protection systems among airport maintenance personnel. *J Occup Environ Hyg*. 2007; 4(2):114-122. ISSN: 1545-9624.

Wagstaff, A and Merricks, N. Man-made noise measurement programme. *IEE PROC-COMMUN*. 2005; 152(3):371-377.

Waguespack JR and Ricci AJ. Aminoglycoside ototoxicity: permeant drugs cause permanent hair cell loss. *J Physiol*. 2005; 567(Pt 2):359-360. ISSN: 0022-3751.

Waite TC; Zou QZ, and Kelkar A. Inversion-Based Feedforward Approach to Broadband Acoustic Noise Reduction. *J Vib Acoust-Trans ASME*. 2008; 130(5). ISSN: 1048-9002.

Walinder R; Gunnarsson K; Runeson R, and Smedje G. Physiological and psychological stress reactions in relation to classroom noise. *Scand J Work Environ Health*. 2007; 33(4):260-266. ISSN: 0355-3140.

Wallace WJ. General industry versus construction [Web Page]. 2003; Accessed 2003 May 30. Available at: www.workplacegroup.net.

Wallenius, MA. The interaction of noise stress and personal project stress on subjective health. *J Environ Psychol*. 2004; 24(2):167-177.

Wallhagen MI and Pettengill E. Hearing impairment: significant but underassessed in primary care settings. *J Gerontol Nurs.* 2008; 34(2):36-42. ISSN: 0098-9134.

Wallhagen MI; Pettengill E, and Whiteside M. Sensory impairment in older adults: Part 1: Hearing loss. *Am J Nurs.* 2006; 106(10):40-48; quiz 48-49. ISSN: 0002-936X.

Walpurger V; Hebing-Lennartz G; Denecke H, and Pietrowsky R. Habituation deficit in auditory event-related potentials in tinnitus complainers. *Hear Res.* 2003; 181(1-2):57-64.

Walsh B and Yamarick WK. Beam me up, Scotty. A new emergency department in Ohio goes live with a wearable, push-button communication system on opening day, reducing noise, improving staff communication and increasing patient privacy. *Health Manag Technol.* 2005; 26(7):24, 26. ISSN: 1074-4770.

Walter O and Wienke A. [Differentiation of occupational disease and occupational accident with deafness after muzzle blast trauma]. *Laryngorhinootologie.* 2006; 85(11):832-833. ISSN: 0935-8943.

Wang GL; Chew WC, and White MJ. Coupled integral equations for sound propagation above a hard ground surface with trench cuttings. *J Acoust Soc Am.* 2006; 120(3):1209-1216. ISSN: 0001-4966.

Wang H; Jiang C; Zhou F; Wu P; Zhang S; Liu W, and Huang Y. [A clinical study about occupational noise-induced hearing loss measured and diagnosed with transient evoked otoacoustic emissions]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi.* 2004; 18(4):209-211. ISSN: 1001-1781.

Wang JX. [Several points for "Diagnostic criteria of occupational noise-induced hearing loss" (GBZ 49-2007)]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2008; 26(3):183-184. ISSN: 1001-9391.

Wang JX; Kang, Z, and Gao JH. [Revision of "Diagnostic criteria of occupational noise-induced hearing loss"]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2008; 26(3):181-183. ISSN: 1001-9391.

Wang K; Chang S, and Chiang M. The Study on the Environmental Noise Exposure and Hearing Loss of Train Drivers in Taiwan. *Epidemiol.* 2007; 18(5):S56. ISSN: 1044-3983.

Wang LM and Vigeant MC. Evaluations of Output From Room Acoustic Computer Modeling and Auralization Due to Different Sound Source Directionalities. *Appl Acoustic.* 2008; 69(12):1281-1293. ISSN: 0003-682X.

Wang NY. [Hearing loss and cognitive disorder]. *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi.* 2006; 41(10):797-800. ISSN: 1673-0860.

Wang QH; Li XD; Yang SL; Meng XL, and Zhang HY. Studies on the Relationship Between Sound Absorption and Molecular Structure of Polymers. *Acta Polymerica Sinica.* 2008(6):517-521. ISSN: 1000-3304.

Wang X; Jen PH; Wu FJ, and Chen QC. Preceding weak noise sharpens the frequency tuning and elevates the response threshold of the mouse inferior collicular neurons through GABAergic inhibition. *Brain Res.* 2007; 1167:80-91.

Wang Y; Zhang W; Li XQ; Yu LM; Wang Y, and Wang DH. [Noise exposure in level III NICU environment in Beijing region and effects of intervention measures]. *Zhonghua Er Ke Za Zhi.* 2008; 46(2):120-123. ISSN: 0578-1310.

Wang YP and Young YH. Vestibular-evoked myogenic potentials in chronic noise-induced hearing loss. *Otolaryngol Head Neck Surg.* 2007; 137(4):607-611. ISSN: 0194-5998.

Wang YS; He H, and Geng AL. Comparison and Application of the Experimental Methods for Multi-Layer Prediction of Acoustical Properties of Noise Control Materials in Standing Wave-Duct Systems. *Appl Acoust.* 2008; 69(10):847-857. ISSN: 0003-682X.

Waniusiow D; Campo P; Cossec B; Cosnier F; Grossman S, and Ferrari L. Toluene-Induced Hearing Loss in Acivicin-Treated Rats. *Neurotoxicol Teratol.* 2008; 30(3):154-160. ISSN: 0892-0362.

Watson, R. EU starts campaign on noise before it introduces lower workplace limits. *BMJ.* 2005; 330(7498):984. ISSN: 1468-5833.

Waye, KP; Agge, A; Clow, A, and Hucklebridge, F. Cortisol response and subjective sleep disturbance after low-frequency noise exposure. *J Sound Vib.* 2004; 277(3):453-457.

Waye KP; Bengtsson J; Agge A, and Bjorkman M. A descriptive cross-sectional study of annoyance from low frequency noise installations in an urban environment. *Noise Health.* 2003; 5(20):35-46.

Waye KP; Clow A; Edwards S; Hucklebridge F, and Rylander R. Effects of nighttime low frequency noise on the cortisol response to awakening and subjective sleep quality. *Life Sci.* 2003; 72(8):863-875.

Weadock V. Who's buying the brands? *Occup Health Saf.* 2004; 73(2):62-65. ISSN: 0362-4064.

Webber DS; Korsak RA; Sininger LK; Sampogna SL, and Edmond J. Mild carbon monoxide exposure impairs the developing auditory system of the rat. *J Neurosci Res.* 2003; 74(5):655-665.

Wei DG; Levic S; Nie LP; Gao WQ; Petit C; Jones EG, and Yamoah EN. Cells of Adult Brain Germinal Zone Have Properties Akin to Hair Cells and Can Be Used to Replace Inner Ear Sensory Cells After Damage. *Proc Nat Acad Sci USA.* 2008; 105(52):21000-21005.

Weichbold V and Zorowka P. Can a hearing education campaign for adolescents change their music listening behavior? *Int J Audiol.* 2007; 46(3):128-133. ISSN: 1499-2027.

Weichbold V and Zorowka P. Effects of a hearing protection campaign on the discotheque attendance habits of high-school students. *Int J Audiol.* 2003; 42(8):489-493. ISSN: 1499-2027.

Weichbold V and Zorowka P. [Will adolescents visit discotheque less often if sound levels of music are decreased?]. *HNO.* 2005; 53(10):845-851. ISSN: 0017-6192.

Weihing J and Musiek FE. An electrophysiological measure of binaural hearing in noise. *J Am Acad Audiol.* 2008; 19(6):481-495. ISSN: 1050-0545.

Weiss GG. When the hearing loss is the doctor's. Technological advances, and the Americans with Disabilities Act, are enabling people with hearing loss to succeed as physicians. *Med Econ.* 2007; 84(6):52-54, 56. ISSN: 0025-7206.

Weiss J. [Musician's medicine: when loudness becomes a problem]. *Dtsch Med Wochenschr.* 2008; 133(14):11. ISSN: 1439-4413.

Weissman BR. Industrial music. *Occup Health Saf.* 2006; 75(10):120, 122-123. ISSN: 0362-4064.

Weisz N; Hartmann T; Dohrmann K; Schlee W, and Norena A. High-frequency tinnitus without hearing loss does not mean absence of deafferentation. *Hear Res.* 2006; Oct 30. ISSN: 0378-5955.

Welling DB. Long-term follow-up of hearing loss in biotinidase deficiency. *J Child Neurol.* 2007; 22(8):1055. ISSN: 0883-0738.

Wells JW, Jr. How effective is your safety culture? *Occup Health Safety*. 2003.

Wen B; Liang C; He G; Fan M, and Liu H. [A randomized controlled trail on vasodilators and steroids for sudden sensorineural hearing loss]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi*. 2005; 19(16):724-726. ISSN: 1001-1781.

Weng BW and Barner KE. Nonlinear system identification in impulsive environments. *IEEE Trans Signal Proc*. 2005; 53(7):2588-2594.

Weng BW and Barner KE. Tr-Music- a Robust Frequency Estimation Method in Impulsive Noise. *Signal Processing*. 2006; 86(7):1477-1487.

Werff, K. R. and Brown, C. J. Effect of audiometric configuration on threshold and suprathreshold auditory steady-state responses. *Ear Hear*. 2005; 26(3):310-326. ISSN: 0196-0202.

West J; Busch-Vishniac I; King J, and Levit N. Noise reduction in an operating room: A case study. *J Acoust Soc Am*. 2008; 123(5):3677. ISSN: 1520-8524.

Westbrook J. Toxic boat paint chemical may impair whale hearing, study says [Web Page]. 2005; Accessed 2005 May 19. Available at: www.bloomberg.com/apps/news?pid=71000001&refer=us&sid=asZpplgtgTQfk.

Westcott M. Acoustic shock injury (ASI). *Acta Otolaryngol Suppl*. 2006(556):54-58. ISSN: 0365-5237.

Weyna S. Acoustic Energy Distribution in Space Around the Pipe Outlet. *Arch Acoust*. 2007; 32(2):387-397. ISSN: 0137-5075.

Weyna S. Some Comments About the Existing Theory of Sound With Comparison to the Experimental Research of Vector Effects in Real-Life Acoustic Near Fields. *Arch Acoust*. 2007; 32(4):859-870. ISSN: 0137-5075.

Whilby S; Florentine M; Wagner E, and Marozeau J. Monaural and binaural loudness of 5- and 200-ms tones in normal and impaired hearing. *J Acoust Soc Am*. 2006; 119(6):3931-3939. ISSN: 0001-4966.

White CH; Ohmen JD; Sheth S; Zebboudj AF; McHugh RK; Hoffman LF; Lusic AJ; Davis RC, and Friedman RA. Genome-wide screening for genetic loci associated with noise-induced hearing loss. *Mamm Genome*. 2009; 20(4):207-213. ISSN: 1432-1777.

Whitfield A. Assessment of noise annoyance in three distinct communities living in close proximity to a UK regional airport. 2003; 13, (4): 361-372.

Whittemore, K. R. Jr; Merchant, S. N.; Poon, B. B., and Rosowski, J. J. A normative study of tympanic membrane motion in humans using a laser Doppler vibrometer (LDV). *Hear Res*. 2004; 187(1-2):85-104. ISSN: 0378-5955.

Wiciak J. Sound Radiation by Set of L-Jointed Plates With Four Pairs of Piezoelectric Elements. *Eur Physical J Special Topics*. 2008; 154:229-233. ISSN: 1951-6355.

Wickramarachi P. Effects of windowing on the spectral content of a signal. *Sound Vib*. 2003; Jan:10-11.

Widen SE and Erlandsson SI. The influence of socio-economic status on adolescent attitude to social noise and hearing protection. *Noise Health*. 2004; 7(25):59-70. ISSN: 1463-1741.

Widen SE and Erlandsson SI. Self-reported tinnitus and noise sensitivity among adolescents in Sweden. *Noise Health*. 2004; 7(25):29-40. ISSN: 1463-1741.

- Widen SE; Holmes AE, and Erlandsson SI. Reported hearing protection use in young adults from Sweden and the USA: Effects of attitude and gender. *Int J Audiol.* 2006; 45(5):273-280. ISSN: 1499-2027.
- Widmer C and Berg C. Hearing protection earplug, use of such an earplug and method for manufacturing such an earplug. *J Acoust Soc Am.* 2008; 123(2):592. ISSN: 1520-8524.
- Wienbruch C; Paul I; Weisz N; Elbert T, and Roberts LE. Frequency organization of the 40-Hz auditory steady-state response in normal hearing and in tinnitus. *Neuroimage.* 2006; 33(1):180-194. ISSN: 1053-8119.
- Wienke A and Walter O. [No Pension if Hearing Loss Occurs One Year after Accident.]. *Laryngorhinootologie.* 2008; 87(8):583-584. ISSN: 0935-8943.
- Wijnant YH. A transmission loss definition based on the root mean squared intensity. *J Acoust Soc Am.* 2008; 123(5):3729. ISSN: 1520-8524.
- Wilber LA. What are standards- and why do I care? *Seminars in Hearing.* 2004; 25(1):81.
- Wilczynska U; Szeszenia-Dabrowska N, and Szymczak W. [Occupational diseases in Poland, 2005]. *Med Pr.* 2006; 57(3):225-234. ISSN: 0465-5893.
- Wilczynska U; Szeszenia-Dabrowska N, and Szymczak W. Occupational Diseases in Poland, 2007. *Medycyna Pracy.* 2008; 59(2):113-122. ISSN: 0465-5893.
- Wild DC; Brewster MJ, and Banerjee AR. Noise-induced hearing loss is exacerbated by long-term smoking. *Clin Otolaryngol.* 2005; 30(6):517-520. ISSN: 1749-4478.
- Wiley TL; Chappell R; Carmichael L; Nondahl DA, and Cruickshanks KJ. Changes in Hearing Thresholds Over 10 Years in Older Adults. *J Am Acad Audiol.* 2008; 19(4):281-292. ISSN: 1050-0545.
- Williams AL; van Drongelen W, and Lasky RE. Noise in contemporary neonatal intensive care. *J Acoust Soc Am.* 2007; 121(5 Pt1):2681-2690. ISSN: 0001-4966.
- Williams, D. Does irrigation of the ear to remove impacted wax improve hearing? *Br J Community Nurs.* 2005; 10(5):228-232. ISSN: 1462-4753.
- Williams M; Sabata D, and Zolna J. User needs evaluation of workplace accommodations. *Work.* 2006; 27(4):355-362. ISSN: 1051-9815.
- Williams W. Clamping pressure and circum-aural earmuffs. *Noise Health.* 2007; 9(35):45-50. ISSN: 1463-1741.
- Williams W. A Different Perspective on the Analysis of Hearing Protector Attenuation Test Data for Nrr. *Noise Control Engineering Journal.* 2006; 54(6):376-381.
- Williams W. Hearing Protector Testing and Individual Variability. *Acoust Aust.* 2008; 36(2):60-62. ISSN: 0814-6039.
- Williams W. Instruction and the improvement of hearing protector performance. *Noise Health.* 2004; 7(25):41-47. ISSN: 1463-1741.
- Williams W. Noise exposure levels from personal stereo use. *Int J Audiol.* 2005; 44(4):231-236. ISSN: 1499-2027.

Williams W and Burgess M. The Combination of Workplace and Recreational Noise Exposure. *Acoust Aust*. 2007; 35(3):91-95. ISSN: 0814-6039.

Williams W and Dillon H. Hearing protector performance and standard deviation. *Noise Health*. 2005; 7(28):51-60. ISSN: 1463-1741.

Williams W and Presbury J. Observations of noise exposure through the use of headphones by radio announcers. *Noise Health*. 2003; 5(19):69-73.

Williams, W.; Purdy, S. C.; Murray, N.; Dillon, H.; Lepage, E.; Challinor, K., and Storey, L. Does the presentation of audiometric test data have a positive effect on the perceptions of workplace noise and noise exposure avoidance? *Noise Health*. 2004; 6(24):75-84. ISSN: 1463-1741.

Williams W; Purdy SC; Storey L; Nakhla M, and Boon G. Towards More Effective Methods for Changing Perceptions of Noise in the Workplace. *Safety Science*. 2007; 45(4):431-447. ISSN: 0925-7535.

Willich, SN; Keil, T; Babisch, W; Schust, M; Stark, H, and Wegscheider, K. Noise exposure and the risk of myocardial infarction. *Eur Heart J*. 2004; 25:600.

Willich SN; Wegscheider K; Stallmann M, and Keil T. Noise burden and the risk of myocardial infarction. *Eur Heart J*. 2006; 27(3):276-282. ISSN: 0195-668X.

Willott JF. Factors affecting hearing in mice, rats, and other laboratory animals. *J Am Assoc Lab Anim Sci*. 2007; 46(1):23-27. ISSN: 1559-6109.

Willott JF; Bosch JV; Shimizu T, and Ding DL. Effects of exposing DBA/2J mice to a high-frequency augmented acoustic environment on the cochlea and anteroventral cochlear nucleus. *Hear Res*. 2006; 216-217:138-145. ISSN: 0378-5955.

Willott JF; Vandenbosche J; Shimizu T; Ding DL, and Salvi R. Effects of exposing C57BL/6J mice to high- and low-frequency augmented acoustic environments: Auditory brainstem response thresholds, cytochrome oxidase, anterior cochlear nucleus morphology and the role of gonadal hormones. *Hear Res*. 2007; Nov 13. ISSN:- 1-2.

Willott JF; Vandenbosche J; Shimizu T; Ding DL, and Salvi R. Effects of exposing gonadectomized and intact C57BL/6J mice to a high-frequency augmented acoustic environment: Auditory brainstem response thresholds and cytochrome oxidase. *Hear Res*. 2006; 221 (1-2):73-81. ISSN: 0378-5955.

Wilson DK; Lewis MS; Weatherly JW, and Andreas EL. Dependence of Predictive Skill for Outdoor Narrowband and Broadband Sound Levels on the Atmospheric Representation. *Noise Contr Eng J*. 2008; 56(6):465-477. ISSN: 0736-2501.

Wilson L. Young and old: why one-size fits all doesn't work. *Occup Health Saf*. 2006; 75(4):80 , 82, 112. ISSN: 0362-4064.

Wilson RH; Abrams HB, and Pillion AL. A word-recognition task in multitalker babble using a descending presentation mode from 24 dB to 0 dB signal to babble. *J Rehab Res Development*. 2003; 40(4):321-327.

Wilson RH and Burks CA. Use of 35 words for evaluation of hearing loss in signal-to-babble ratio: A clinic protocol. *J Rehabil Res Dev*. 2005; 42(6):839-52. ISSN: 0748-7711.

Wilson RH; Burks CA, and Weakley DG. A comparison of word-recognition abilities assessed with digit pairs and digit triplets in multitalker babble. *J Rehabil Res Dev*. 2005; 42(4):499-510. ISSN: 0748-7711.

- Wilson RH; Burks CA, and Weakley DG. Word recognition of digit triplets and monosyllabic words in multitalker babble by listeners with sensorineural hearing loss. *J Am Acad Audiol.* 2006; 17(6):385-397. ISSN: 1050-0545.
- Wilson RH; Carnell CS, and Cleghorn AL. The Words-in-Noise (WIN) test with multitalker babble and speech-spectrum noise maskers. *J Am Acad Audiol.* 2007; 18(6):522-529. ISSN: 1050-0545.
- Wilson RH and Cates WB. A Comparison of Two Word-Recognition Tasks in Multitalker Babble: Speech Recognition in Noise Test (Sprint) and Words-in-Noise Test (Win). *J Am Acad Audiol.* 2008; 19(7):548-556. ISSN: 1050-0545.
- Wilson RH and Mcardle R. Intra- and Inter-Session Test, Retest Reliability of the Words-in-Noise (Win) Test. *J Am Acad Audiol.* 2007; 18(10):813-825. ISSN: 1050-0545.
- Wilson RH and McArdle R. Speech signals used to evaluate functional status of the auditory system. *J Rehabil Res Dev.* 2005; 42(4 Suppl 2):79-94. ISSN: 0748-7711.
- Wilson RH; McArdle R, and Roberts H. A Comparison of Recognition Performances in Speech-Spectrum Noise by Listeners With Normal Hearing on Pb-50, Cid W-22, Nu-6, W-1 Spondaic Words, and Monosyllabic Digits Spoken by the Same Speaker. *J Am Acad Audiol.* 2008; 19(6):496-506.
- Wilson RH; McArdle RA, and Smith SL. An Evaluation of the BKB-SIN, HINT, QuickSIN, and WIN Materials on Listeners With Normal Hearing and Listeners With Hearing Loss. *J Speech Lang Hear Res.* 2007; 50(4):844-856. ISSN: 1092-4388.
- Wilson RH and Weakley DG. The 500 Hz masking-level difference and word recognition in multitalker babble for 40- to 89-year-old listeners with symmetrical sensorineural hearing loss. *J Am Acad Audiol.* 2005; 16(6):367-382. ISSN: 1050-0545.
- Wilson RH and Weakley DG. The use of digit triplets to evaluate word-recognition abilities in multitalker Babble. *Sem Hear.* 2004; 25(1):93.
- Wilson WJ and Herbstein N. The role of music intensity in aerobics: implications for hearing conservation. *J Am Acad Audiol.* 2003; 14(1):29-38.
- Winiarski M; Kantor I; Smereka J, and Jurkiewicz D. [Effectiveness of pharmacologic therapy combined with hyperbaric oxygen in sensorineural hearing loss following acute acoustic trauma. Preliminary report]. *Pol Merkuriusz Lek.* 2005; 19(111):348-350. ISSN: 1426-9686.
- Winiarski M; Kantor I; Smereka J, and Jurkiewicz D. [Evaluation of effectiveness of pharmacological treatment combined with the hyperbaric oxygen in the treatment of sensorineural hearing loss following acute acoustic trauma. Preliminary report]. *Pol Merkuriusz Lek.* 2005; 19(111):348-350. ISSN: 1426-9686.
- Wise CL and Zakis JA. Effects of Expansion Algorithms on Speech Reception Thresholds. *J Am Acad Audiol.* 2008; 19(2):147-157. ISSN: 1050-0545.
- Withnell RH; Shaffer LA, and Talmadge CL. Generation of DPOAEs in the guinea pig. *Hear Res.* 2003; 178(1-2):106-117.
- Witt B. Bad assumptions about hearing protection. *Occup Health Saf.* 2008; 77(9):56, 58, 60. ISSN: 0362-4064.
- Witt B. Earmuffs: A primer. *Hear Rev.* 2007; March:20, 22.
- Witt B. Fit testing of hearing protectors. *Occup Health Saf.* 2007; 76(10):118, 120-122. ISSN: 0362-4064.

Witt B. Hearing Protection for CPI Workers. *Chem Eng.* 2007; 114(3):34-38. ISSN: 0009-2460.

Witt B. In-house advantages. *Occup Health Saf.* 2006; 75(3):50, 52, 54-6 passim. ISSN: 0362-4064.

Witt B. Innovative field practices in hearing conservation. *Occup Health Saf.* 2006; 75(10):116 , 118-9, 172. ISSN: 0362-4064.

Witt B. Putting the personal back into PPE: hearing protector effectiveness. *Occup Health Saf.* 2007; 76(6):90, 92, 94. ISSN: 0362-4064.

Witt CL. Turn down the noise. *Adv Neonatal Care.* 2008; 8(3):137-138. ISSN: 1536-0903.

Wohlgelernter J; Gross M, and Eliashar R. Traumatic perforation of tympanic membrane by cotton tipped applicator. *J Trauma.* 2007; 62(4):1061. ISSN: 0022-5282.

Wojcik A; Borzecki Z; Kowalska E, and Borzecki A. Occupational hazard evaluation of working population in a select automotive industrial plant. *Ann Univ Mariae Curie Sklodowska [Med].* 2004; 59(1):330-334. ISSN: 0066-2240.

Wojcik A; Brzeski Z; Sobanska E; Kargul M, and Borzecki A. Hazard estimation for the chosen work stands in metallurgical industry. *Ann Univ Mariae Curie Sklodowska.* 2004; 59(2):416-420. ISSN: 0066-2240.

Wolcott C. Bad Vibrations: Hand-Arm Vibration Exposure and HAVS Prevention. *Occup Haz.* 2004; 66(9):77. ISSN: 00297909.

Wong TW; Yu TS; Chen WQ; Chiu YL; Wong CN, and Wong AHS. Agreement between hearing thresholds measured in non-soundproof work environments and a soundproof booth. *Occup Environ Med.* 2003; 60(9):667-671.

Wood VT and Weisman RA. A hole in the weather warning system- Improving access to hazardous weather information for deaf and hard of hearing people. *Bull Am Meteorol Soc.* 2003; 84(2):187-194.

Woodcock K and Pole JD. Educational attainment, labour force status and injury: a comparison of Canadians with and without deafness and hearing loss. *Int J Rehabil Res.* 2008; 31(4):297-304. ISSN: 0342-5282.

Woodings CF. Hearing Conservation should start early. *Occup Haz.* 2003; 65(10):8. ISSN: 00297909.

Woolner P; Hall E; Higgins S; Mccaughey C, and Wall K. A Sound Foundation? What We Know About the Impact of Environments on Learning and the Implications for Building Schools for the Future. *Oxford Review of Education.* 2007; 33(1):47-70. ISSN: 0305-4985.

Wright BA and Zhang Y. A review of learning with normal and altered sound-localization cues in human adults. *Int J Audiol.* 2006; 45(Suppl 1):92-98. ISSN: 1499-2027.

Wright T. Diagnose and treat hearing loss. *Practitioner.* 2006; 250(1686):30, 32, 35 passim. ISSN: 0032-6518.

Wszolek T. Uncertainty of Industrial Noise Measurement at Distant Locations Form the Source. *Arch Acoust.* 2007; 32(4 Suppl S):279-290. ISSN: 0137-5075.

Wszolek T and Klaczynski M. Accuracy of assessing the level of impulse sound from distant sources. *Int J Occup Saf Ergon.* 2007; 13(4):443-450. ISSN:- 4.

Wu CS; Chao PZ, and Lin HC. Physician and Hospital Characteristics Related to Length of Stay for Sudden Sensorineural Hearing Loss Patients. *Tohoku J Exp Med.* 2008; 216(2):157-164. ISSN: 0040-8727.

Wu CS; Lin HC, and Chao PZ. Sudden Sensorineural Hearing Loss: Evidence from Taiwan. *Audiol Neurootol*. 2006; 11(3):151-156. ISSN: 1420-3030.

Wu CY and Tung PC. Application of Genetic Algorithm to External Noise Cancellation and Compensation in Automatic Arc Welding System. *J Intelligent Manufact*. 2008; 19(3):249-256. ISSN: 0956-5515.

Wu HP; Cheng TJ; Tan CT; Guo YL, and Hsu CJ. Diabetes impairs recovery from noise-induced temporary hearing loss. *Laryngoscope*. 2009; Apr 8. ISSN: 1531-4995.

Wu SP; Wu SF, and Liu J. [Effect of noise proof ear plugs for protection of hearing of oil mining workers.]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 2009; 27(3):153-154. ISSN: 1001-9391.

Wu, XD; Gao, JG; Guo, YK, and Zuo, J. Hearing threshold elevation precedes hair-cell loss in prestin knockout mice. *Mol Brain Res*. 2004; 126(1):30-37.

Wunderli JM. A measurement procedure for the sound emission of railway sources including source separation. *P I Mech Eng F-J Rail*. 2005; 219(3):125-137.

Xiong X.; Tan M, and Boyett J. A sequential procedure for monitoring clinical trials against historical controls. *Stat Med*. 2007; 26(7):1497-1511. ISSN: 0277-6715.

Xu B and Sommerfeldt S. Active control of diffuse sound fields using generalized energy density. *J Acoust Soc Am*. 2008; 124(4):2589. ISSN: 1520-8524.

Xu H; Kotak VC, and Sanes DH. Conductive hearing loss disrupts synaptic and spike adaptation in developing auditory cortex. *J Neurosci*. 2007; 27(35):9417-9426. ISSN: 1529-2401.

Xu J; Huang W; Liu G; Zhou J, and Gao B. [Patterns of hearing disorders in normal otoacoustic emissions]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi*. 2005; 19(22):1023-1025. ISSN: 1001-1781.

Xu XN; Huang JM; Lin GJ, and Jiang ZZ. [Contributions of endothelin in the process of the noise-induced injury of inner ear]. *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi*. 2005; 40(7):509-512. ISSN: 1673-0860.

Xu ZG; Ricci AJ, and Heller S. Rethinking How Hearing Happens. *Neuron*. 2009; 62(3):305-307. ISSN: 0896-6273.

Xue X and Zhong N. A study on the correlation between distortion product otoacoustic emissions and transient evoked otoacoustic emissions. *Lin Chuang Er Bi Yan Hou Ke Za Zhi*. 2003; 17(4):198-200.

Yager DD. Cockroach homologs of praying mantis peripheral auditory system components. *J Morphol*. 2005; 265(1):120-139. ISSN: 0362-2525.

Yamasaki N and Tajima H. Active Control of Fan Noise. *J Thermal Sci*. 2008; 17(2):163-169. ISSN: 1003-2169.

Yamashita, D.; Jiang, H. Y.; Le Prell, C. G.; Schacht, J., and Miller, J. M. Post-exposure treatment attenuates noise-induced hearing loss. *Neuroscience*. 2005. ISSN: 0306-4522.

Yamashita, D.; Jiang, H. Y.; Schacht, J., and Miller, J. M. Delayed production of free radicals following noise exposure. *Brain Res*. 2004; 1019(1-2):201-209. ISSN: 0006-8993.

Yamashita D; Miller JM; Jiang HY; Minami SB, and Schacht J. AIF and EndoG in noise-induced hearing loss. *Neuroreport*. 2004; 15(18):2719-2722.

Yamashita D; Minami SB; Kanzaki S; Ogawa K, and Miller JM. Bcl-2 genes regulate noise-induced hearing loss. *J Neurosci Res.* 2007; Oct 17. ISSN: 0360-4012.

Yamashita D; Shiotani A; Kanzaki S; Nakagawa M, and Ogawa K. Neuroprotective Effects of T-817ma Against Noise-Induced Hearing Loss. *Neurosci Res.* 2008; 61(1):38-42. ISSN: 0168-0102.

Yamasoba, T.; Pourbakht, A.; Sakamoto, T., and Suzuki, M. Ebselen prevents noise-induced excitotoxicity and temporary threshold shift. *Neurosci Lett.* 2005; 380(3):234-238. ISSN: 0304-3940.

Yamasoba, T. and Tsukuda, K. Ototoxicity after use of neomycin eardrops is unrelated to A1555G point mutation in mitochondrial DNA. *J Laryngol Otol.* 2004; 118(7):546-550. ISSN: 0022-2151.

Yang F; Gupta A, and Kuo SM. Analysis of Narrowband Active Noise and Vibration Control Systems Using Parallel Adaptive Notch Filters. *J Vib Control.* 2008; 14(7):931-951. ISSN: 1077-5463.

Yang M; Tan H; Yang Q; Wang F; Yao H; Wei Q; Tanguay RM, and Wu T. Association of hsp70 polymorphisms with risk of noise-induced hearing loss in Chinese automobile workers. *Cell Stress Chaperones.* 2006; 11(3):233-239. ISSN: 1355-8145.

Yang M; Tan H; Zheng JR, and Jiang CZ. [Relationship between GSTM1 and GSTT1 gene polymorphisms and noise induced hearing loss in Chinese workers]. *Wei Sheng Yan Jiu.* 2005; 34(6):647-649. ISSN: 1000-8020.

Yang, M; Zheng, JR; Yang, QL; Yao, HL; Chen, YW; Tan, H; Jiang, CZ; Wang, F; He, MI; Chen, S; Wei, QY; Tanguay, RM, and Wu, TC. Frequency-specific association of antibodies against heat shock proteins 60 and 70 with noise-induced hearing loss in Chinese workers. *Cell Stress Chaperones.* 2004; 9(2):207-213.

Yang Q and Chai X. Time frequency analysis for transient evoked otoacoustic emissions in different time windows. *Conf Proc IEEE Eng Med Biol Soc.* 2005; 5:4545-4548. ISSN: 1557-170X.

Yang TC and Yang WB. Performance analysis of direct-sequence spread-spectrum underwater acoustic communications with low signal-to-noise-ratio input signals. *J Acoust Soc Am.* 2008; 123(2):842-855. ISSN: 1520-8524.

Yang W and Hodgson M. Auralization study of optimum reverberation times for speech intelligibility for normal and hearing-impaired listeners in classrooms with diffuse sound fields. *J Acoust Soc Am.* 2006; 120(2):801-807. ISSN: 0001-4966.

Yang, W. P.; Henderson, D.; Hu, B. H., and Nicotera, T. M. Quantitative analysis of apoptotic and necrotic outer hair cells after exposure to different levels of continuous noise. *Hear Res.* 2004; 196(1-2):69-76. ISSN: 0378-5955.

Yang Y; Wang SW; Hao NL; Shen XB, and Qi XH. On-Line Noise Source Identification Based on the Power Spectrum Estimation and Grey Relational Analysis. *Appl Acoust.* 2009; 70(3):493-497. ISSN: 0003-682X.

Yang YJ; Gillingwater D, and Hinde C. Applying neural networks and geographical information systems to airport noise evaluation. *Adv Neural Net.* 2005; 2498(18):998-1003.

Yang YL; Su YW; Ng MC; Chao PK; Tung LC, and Lu KT. Extract of Ginkgo biloba EGb761 facilitates extinction of conditioned fear measured by fear-potentiated startle. *Neuropsychopharmacology.* 2007; 32(2):332-342. ISSN: 0893-133X.

Yantek DS; Ingram DK, and Matetic RJ. In-Cab Noise Reduction on an Air-Rotary Drill Rig. *Noise Control Eng J.* 2007; 55(3):294-310. ISSN: 0736-2501.

Yaoyuenyong S and Nanthavanij S. Hybrid Procedure to Determine Optimal Workforce Without Noise Hazard Exposure. *Computers Ind Eng.* 2006; 51(4):743-764.

Yarin YM; Amarjargal N; Fuchs J; Haupt H; Mazurek B; Morozova SV, and Gross J. Argon protects hypoxia-, cisplatin- and gentamycin-exposed hair cells in the newborn rat's organ of Corti. *Hear Res.* 2005; 201(1-2):1-9. ISSN: 0378-5955.

Yeo SW; Lee DH; Jun BC; Park SY, and Park YS. Hearing outcome of sudden sensorineural hearing loss: long-term follow-up. *Otolaryngol Head Neck Surg.* 2007; 136(2):221-224. ISSN: 0194-5998.

Yeung KN and Wong LL. Prediction of hearing thresholds: Comparison of cortical evoked response audiometry and auditory steady state response audiometry techniques. *Int J Audiol.* 2007; 46(1):17-25. ISSN: 1499-2027.

Yildirim, A.; Coban, L.; Satar, B.; Yetiser, S., and Kunt, T. Effect Of Intratympanic Dexamethasone on Noise-Induced Temporary Threshold Shift. *Laryngoscope.* 2005; 115(7):1219-1222. ISSN: 0023-852X.

Yildirim C; Yagiz R; Uzun C; Tas A; Bulut E, and Karasalihoglu A. [The protective effect of oral magnesium supplement on noise-induced hearing loss.]. *Kulak Burun Bogaz Ihtis Derg.* 2006; 16(1):29-36. ISSN: 1300-7475.

Yildirim I; Kilinc M; Okur E; Inanc Tolun F; Kilic MA; Kurutas EB, and Ekerbicer HC. The Effects of Noise on Hearing and Oxidative Stress in Textile Workers. *Ind Health.* 2008; 45(6):743-749. ISSN: 0019-8366.

Yin SK; Feng YM; Chen ZN, and Wang J. The effect of noise-induced sloping high-frequency hearing loss on the gap-response in the inferior colliculus and auditory cortex of guinea pigs. *Hear Res.* 2008; 239(1-2):126-140. ISSN: 0378-5955.

Yoo SP and Lee DY. Time-Delayed Phase-Control for Suppression of the Flow-Induced Noise From an Open Cavity. *Appl Acoust.* 2008; 69(3):215-224. ISSN: 0003-682X.

Yoon JC and Lee IK. Stable and Controllable Noise. *Graphical Models.* 2008; 70:105-115. ISSN: 1524-0703.

Yorgason JG; Fayad JN, and Kalinec F. Understanding drug ototoxicity: molecular insights for prevention and clinical management. *Expert Opin Drug Saf.* 2006; 5(3):383-399. ISSN: 1744-764X.

Young YH. Response to "Vestibular-evoked myogenic potentials in chronic noise-induced hearing loss". *Otolaryngol Head Neck Surg.* 2008; 138(3):410. ISSN: 0194-5998.

Yu L and Kang J. Effects of social, demographical and behavioral factors on the sound level evaluation in urban open spaces. *J Acoust Soc Am.* 2008; 123(2):772-783. ISSN: 1520-8524.

Yu WB and Wu Z. [A new type of active noise cancellation earmuffs]. *Space Med Med Eng (Beijing).* 2005; 18(4):306-307. ISSN: 1002-0837.

Yuan J. Model independent control of lightly damped noise/vibration systems. *J Acoust Soc Am.* 2008; 124(1):241-246. ISSN: 1520-8524.

Yuan J. Self-Learning Active Noise Control. *J Acoust Soc Am.* 2008; 124(4):2078-2084. ISSN: 0001-4966.

Yuan, J.; Yang, M.; Yao, H.; Zheng, J.; Yang, Q.; Chen, S.; Wei, Q.; Tanguay, R. M., and Wu, T. Plasma antibodies to heat shock protein 60 and heat shock protein 70 are associated with increased risk of electrocardiograph abnormalities in automobile workers exposed to noise. *Cell Stress Chaperones.* 2005; 10(2):126-135. ISSN: 1355-8145.

Yueh B; Collins MP; Souza PE; Heagerty PJ; Liu CF; Boyko EJ; Loovis CF; Fausti SA, and Hedrick SC. Screening for Auditory Impairment-Which Hearing Assessment Test (SAI-WHAT): RCT design and baseline characteristics. *Contemp Clin Trials*. 2007; 28(3):303-315. ISSN: 1551-7144.

Yueh B; McDowell JA; Collins M; Souza PE; Loovis CF, and Deyo RA. Development and validation of the effectiveness of the auditory rehabilitation scale. *Arch Otolaryngol Head Neck Surg*. 2005; 131(10):851-856. ISSN: 0886-4470.

Zaheeruddin; Jain VK, and Singh GV. A Fuzzy Model for Noise-Induced Annoyance. *IEEE Transactions on Systems Man and Cybernetics Part a-Systems and Humans*. 2006; 36(4):697-705.

Zaheeruddin JVK. An Expert System for Predicting the Effects of Speech Interference Due to Noise Pollution on Humans Using Fuzzy Approach. *Expert Systems With Applications*. 2008; 35(4):1978-1988. ISSN: 0957-4174.

Zahorik P and Kelly JW. Accurate Vocal Compensation for Sound Intensity Loss With Increasing Distance in Natural Environments. *JASA*. 2007; 122(5):EL143-EL150. ISSN: 0001-4966.

Zakaria AM; Noweir KH, and El-Maghrabi G. Evaluation of occupational hazards in foundries. *J Egypt Public Health Assoc*. 2005; 80(3-4):433-462. ISSN: 0013-2446.

Zakis JA and Wise C. The acoustic and perceptual effects of two noise-suppression algorithms. *J Acoust Soc Am*. 2007; 121(1):433-441. ISSN: 0001-4966.

Zalewski E. Enforcing PPE use. *Occup Health Saf*. 2004; 73(2):66, 89. ISSN: 0362-4064.

Zambon G and Radaelli S. The Milan agglomeration Strategic Noise Map. *J Acoust Soc Am*. 2008; 123(5):3137. ISSN: 1520-8524.

Zamyslowska-Szmytko E; Kotylo P; Bak M; Fuente, A, and Sliwinska-Kowalska M. Hearing Loss in Workers Exposed to Different Type of Noise. *Arch Acoust*. 2007; 32(2):399-404. ISSN: 0137-5075.

Zander MF; Spahn C, and Richter B. Employment and acceptance of hearing protectors in classical symphony and opera orchestras. *Noise Health*. 2008; 10(38):14-26. ISSN: 1463-1741.

Zannin PH; Diniz FB; Giovanini C, and Ferreira JAC. Interior noise profiles of buses in Curitiba. *Transport Res Part D- Transport Environ*. 2003; 8(3):243-247.

Zannin PHT. Occupational Noise in Urban Buses. *Int J Ind Ergon*. 2006; 36(10):901-905.

Zannin PHT. Occupational Noise in Urban Buses (Reprinted From International Journal of Industrial Ergonomics, Vol 36, Pg 901-905). *Int J Ind Ergon*. 2008; 38(2):232-237. ISSN: 0169-8141.

Zannin PHT and Gerges SNY. Effects of Cup, Cushion, Headband Force, and Foam Lining on the Attenuation of an Earmuff. *Int J Ind Ergonom*. 2006; 36(2):165-170.

Zapala DA and Hawkins DB. Hearing Loss and Speech Privacy in the Health Care Setting: a Case Study. *J Am Acad Audiol*. 2008; 19(3):215-225. ISSN: 1050-0545.

Zawieska WM. A power transformer as a source of noise. *Int J Occup Saf Ergon*. 2007; 13(4):381-389. ISSN: 1080-3548.

Zechmann E and Hayden C. Analysis of pile driver exhaust and impact noise. *J Acoust Soc Am*. 2009; 125(4):2744.

- Zechmann EL; Brueck S, and Murphy WJ. Impulsive occupational exposure for workers in drop-forge foundries. *J Acoust Soc Am.* 2008; 123(5):3679. ISSN: 1520-8524.
- Zehnder AF; Kristiansen AG; Adams JC; Kujawa SG; Merchant SN, and McKenna MJ. Osteoprotegerin knockout mice demonstrate abnormal remodeling of the otic capsule and progressive hearing loss. *Laryngoscope.* 2006; 116(2):201-206. ISSN: 0023-852X.
- Zeitler B; Nightingale T, and King F. Methods to control low frequency impact noise in wood-frame construction. *J Acoust Soc Am.* 2008; 123(5):3765. ISSN: 1520-8524.
- Zeng L; Chai DL; Li HJ; Lei Z, and Zhao YM. Assessment of personal noise exposure of overhead-traveling crane drivers in steel-rolling mills. *Chin Med J.* 2007; 120(8):684-689. ISSN: 0366-6999.
- Zeng P and Baldwin B. Sound Intensity Scaling for Power-Plant Noise Source Ranking. *Sound Vib.* 2008; 42(9):19-21. ISSN: 1541-0161.
- Zeng X; Wang S; Chen Y; Li Y; Xie M, and Li Y. [The audiograms of 462 tinnitus victims who never perceived hearing loss]. *Lin Chung Er Bi Yan Hou Jing Wai Ke Za Zhi.* 2007; 21(19):882-884. ISSN:- 19.
- Zeng X; Wu A; Wang S, and Li Y. [The artifacts and test-retest reliability of multiple auditory steady-state response]. *Lin Chuang Er Bi Yan Hou Ke Za Zhi.* 2006; 20(10):438-440. ISSN: 1001-1781.
- Zeng XL; Wang SF, and Chen YL. [Report of two cases with sudden hearing loss in single frequency]. *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi.* 2007; 42(8):623. ISSN: 1673-0860.
- Zeng XL; Wang SF; Li ZC; Cen JT, and Li Y. [Acute aggravation of chronic tinnitus: a study of the hearing characteristic and prognosis]. *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi.* 2009; 44(1):21-25. ISSN: 1673-0860.
- Zepidou G; Dance S, and Morant S. Noise induced hearing loss amongst classical music students- An audiometry study of students of the Royal Academy of Music. *J Acoust Soc Am.* 2008; 123(5):3795. ISSN: 1520-8524.
- Zera J; Kochanek K; Pilka A, and Mlynski R. Assessment of exposure to impulsive and continuous noise by auditory brainstem response. *J Acoust Soc Am.* 2008; 123(5):3566. ISSN: 1520-8524.
- Zera J and Mlynski R. Attenuation of high-level impulses by earmuffs. *J Acoust Soc Am.* 2007; 122(4):2082-2096. ISSN: 1520-8524.
- Zha DF and Qiu TS. Adaptive Mixed-Norm Filtering Algorithm Based on S Alpha Sg Noise Model. *Digital Signal Processing.* 2007; 17(2):475-484. ISSN: 1051-2004.
- Zha DF and Qiu TS. Direction Finding in Non-Gaussian Impulsive Noise Environments. *Digital Signal Processing.* 2007; 17(2):451-465. ISSN: 1051-2004.
- Zha DF and Qiu TS. Underwater Sources Location in Non-Gaussian Impulsive Noise Environments. *Dig Signal Process.* 2006; 16(2):149-163.
- Zhai, S. Q.; Wang, D. J.; Wang, J. L.; Han, D. Y., and Yang, W. Y. Basic fibroblast growth factor protects auditory neurons and hair cells from glutamate neurotoxicity and noise exposure. *Acta Otolaryngol.* 2004; 124(2):124-129. ISSN: 0001-6489.

Zhang C; Florencio D; Ba DE, and Zhang ZY. Maximum Likelihood Sound Source Localization and Beamforming for Directional Microphone Arrays in Distributed Meetings. *Ieee Trans Multimedia*. 2008; 10(3):538-548. ISSN: 1520-9210.

Zhang H; Wang SJ, and Zhai GF. Research on Particle Impact Noise Detection Standards. *Ieee Transactions on Aerospace and Electronic Systems*. 2008; 44(2):808-814. ISSN: 0018-9251.

Zhang H; Zhou CL; Wang SJ, and Zhai GF. Dynamics Analysis of Vibration Process in Particle Impact Noise Detection. *Journal of Zhejiang University-Science a*. 2007; 8(3):444-448. ISSN: 1673-565X.

Zhang J; Chen L; Gao F; Pu Q, and Sun X. Noise exposure at young age impairs the auditory object exploration behavior of rats in adulthood. *Physiol Behav*. 2008; Jun 15. ISSN: 0031-9384.

Zhang JP; Chen L; Gao F; Pu Q, and Sun XD. Noise Exposure at Young Age Impairs the Auditory Object Exploration Behavior of Rats in Adulthood. *Physiol Behav*. 2008; 95(1-2):229-234. ISSN: 0031-9384.

Zhang M and Kang J. Towards the Evaluation, Description, and Creation of Soundscapes in Urban Open Spaces. *Environment and Planning B-Planning & Design*. 2007; 34(1):68-86. ISSN: 0265-8135.

Zhang SZ; Yang WY, and Wu ZM. Relationship between the external aperture and hearing loss in large vestibular aqueduct syndrome. *Chin Med J*. 2006; 119(3):211-216. ISSN: 0366-6999.

Zhang YG; Zhang X; Zhu WF; Zheng XW, and Deng XP. Distortion product of otoacoustic emissions as a sensitive indicator of hearing loss in pilots. *Aviat Space Environ Med*. 2004; 75(1):46-48.

Zhang YM; Ma B; Gao WY; Wen W, and Liu HY. [Role of glutamate receptors in the spiral ganglion neuron damage induced by acoustic noise.]. *Sheng Li Xue Bao*. 2007; 59(1):103-110. ISSN: 0371-0874.

Zhao H; Dai CF; Chi FL, and Wang ZM. Non-organic hearing loss in Chinese teenagers. *Auris Nasus Larynx*. 2008; Feb 15. ISSN: 0385-8146.

Zhao SD; Wang J; Wang J, and He YP. Expansion-Chamber Muffler for Impulse Noise of Pneumatic Frictional Clutch and Brake in Mechanical Presses. *Appl Acoust*. 2006; 67(6):580-594.

Zhao YM; Chen SS; Cheng XR, and Li YQ. [Adjustment of dose-response relationship of industrial impulse noise induced high frequency hearing loss with different exchange rate]. *Zhonghua Yi Xue Za Zhi*. 2006; 86(1):48-51. ISSN: 0376-2491.

Zhao YM; Chen SS; Cheng XR, and Li YQ. [Relationship between impulse noise and continuous noise inducing hearing loss by dosimeter measurement in working populations.]. *Zhonghua Yu Fang Yi Xue Za Zhi*. 2005; 39(6):396-399. ISSN: 0253-9624.

Zhao YM; Lu JQ; Zeng L; Chen SS; Cheng XR, and Li YQ. [Relationship between sample size and variation of means for personal noise exposure in weaving workers]. *Zhonghua Yu Fang Yi Xue Za Zhi*. 2006; 40(4):281-284. ISSN: 0253-9624.

Zhao YM; Lv JQ, and Zeng L. [Observation for distribution of personal noise exposure data in textile workers]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 2006; 24(12):754-756. ISSN: 1001-9391.

Zhao ZG; Huang QB, and He Z. Calculation of Sound Radiant Efficiency and Sound Radiant Modes of Arbitrary Shape Structures by Bem and General Eigenvalue Decomposition. *Appl Acoust*. 2008; 69(9):796-803. ISSN: 0003-682X.

- Zheng KC and Ariizumi M. Modulations of immune functions and oxidative status induced by noise stress. *J Occup Health*. 2007; 49(1):32-38. ISSN: 1341-9145.
- Zheng Y; Giguere C; Laroche C; Sabourin C; Gagne A, and Elyea M. A psychoacoustical model for specifying the level and spectrum of acoustic warning signals in the workplace. *J Occup Environ Hyg*. 2007; 4(2):87-98. ISSN: 1545-9624.
- Zhou F and Liu WW. [Significance of transient evoked otoacoustic emissions and multi-frequency auditory steady-state in diagnosis of occupational noise-induced hearing loss]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 2007; 25(12):739-740. ISSN: 1001-9391.
- Zhou X and Merzenich MM. Enduring effects of early structured noise exposure on temporal modulation in the primary auditory cortex. *Proc Natl Acad Sci U S A*. 2008; Mar 10. ISSN: 1091-6490.
- Zhou X and Merzenich MM. Intensive training in adults refines A1 representations degraded in an early postnatal critical period. *Proc Natl Acad Sci U S A*. 2007; 104(40):15935-15940. ISSN: 0027-8424.
- Zhu F; Zuo H; Du WJ, and Liu YM. [Measurement and analysis of personal noise exposure in a city metro]. *Zhonghua Yu Fang Yi Xue Za Zhi*. 2007; 41(4):311-313. ISSN: 0253-9624.
- Zhu X; Vasilyeva ON; Kim S; Jacobson M; Romney J; Waterman MS; Tuttle D, and Frisina RD. Auditory efferent feedback system deficits precede age-related hearing loss: contralateral suppression of otoacoustic emissions in mice. *J Comp Neurol*. 2007; 503(5):593-604. ISSN: 0021-9967.
- Zhu XD and Kim J. Application of Analytic Wavelet Transform to Analysis of Highly Impulsive Noises. *J Sound Vib*. 2006; 294(4-5):841-855.
- Zhu YJ; Ouyang H, and Du ZH. Experimental and Numerical Investigation of Noise Generated by Rotor Blade Passing an Exhaust Grille. *Noise Contr Eng J*. 2008; 56(4):225-234. ISSN: 0736-2501.
- Ziemer C. [Tuning fork study in deafness. Thus function Rinne and Weber tests]. *MMW Fortschr Med*. 2006; 148(15):18. ISSN: 1438-3276.
- Zilany MS and Bruce IC. Modeling auditory-nerve responses for high sound pressure levels in the normal and impaired auditory periphery. *J Acoust Soc Am*. 2006; 120(3):1446-1466. ISSN: 0001-4966.
- Zimmer K; Gham J, and Ellermcier W. The Role of Task Interference and Exposure Duration in Judging Noise Annoyance. *J Sound Vib*. 2008; 311(3-5):1039-1051. ISSN: 0022-460X.
- Zinkin VN; Kvasovka VV; Soldatov SK; Shishov AA; Svidovyi VI; Sheshegov PM, and Shvedov AP. [Influence of high-intensive aviation noise on morbidity of engineer-technical staff of the Air Force]. *Voen Med Zh*. 2008; 329(2):59-62. ISSN: 0026-9050.
- Zinkin VN; Soldatov SK; Afanasev RV; Kirii SV; Dellalov NN, and Mironova TA. [Hygienic analysis of conditions of work at the aircraft repair plants and ways to improve the acoustic situation]. *Aviakosm Ekolog Med*. 2008; 42(3):43-50. ISSN: 0233-528X.
- Zinkin VN; Soldatov SK, and Sheshegov PM. [Characteristics of a negative effect of aviation noise on hearing organ of aircraft maintenance personnel]. *Vestn Otorinolaringol*. 2007; 6:25-29. ISSN: 0042-4668.
- Zou, J.; Pyykko, I.; Sutinen, P., and Toppila, E. Vibration induced hearing loss in guinea pig cochlea: expression of TNF-alpha and VEGF. *Hear Res*. 2005; 202(1-2):13-20. ISSN: 0378-5955.

Zubieta IX; Brown G; Cohen R, and Medina E. Cananea copper mine: An international effort to improve hazardous working conditions in Mexico. *Int J Occup Environ Health*. 2009; 15(1):14-20. ISSN: 1077-3525.

Zun, L. S. and Downey, L. The effect of noise in the emergency department. *Acad Emerg Med*. 2005; 12(7):663-666. ISSN: 1553-2712.

Zuo H; Cui B; She X, and Wu M. Changes in Guinea Pig Cochlear Hair Cells after Sound Conditioning and Noise Exposure. *J Occup Health*. 2008; Jul 25. ISSN: 1348-9585.

Zuskin E; Schachter EN; Kolcic I; Polasek O; Mustajbegovic J, and Arumugam U. Health problems in musicians--a review. *Acta Dermatovenerol Croat*. 2005; 13(4):247-251. ISSN: 1330-027X.

Zuurbier M; Lundqvist C; Salines G; Stansfeld S; Hanke W; Babisch W; Bistrup ML; van den Hazel P, and Moshammer H. The environmental health of children: priorities in Europe. *Int J Occup Med Environ Health*. 2007; 20(3):291-307. ISSN: 1232-1087.

Zuurbier M; Salines G; Moshammer H; Stansfeld S; Lundqvist C; Hanke W; Van Den Hazel P; Bistrup ML, and Babisch W. Environmental Health of European Children: Priorities Recommended by the Pinche Network. *Environnement Risques & Sante*. 2007; 6(1):43-56. ISSN: 1635-0421.

Zwislocki JJ. On the Place Code for Pitch: a Psychophysiological Paradox in the Classical Concept. *Arch Acoust*. 2007; 32(3):447-454. ISSN: 0137-5075.