

AXN

Project No.	Axle Specs	Friction	Rotor	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Materiau de friction		Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXXX	AXN - HEAVY DUTY	TMS R20 FMSI-4707	NA	KIC 60001-01	16 1/2 X 7	TSE T30/30	5.5" Gunite	XXXXXX	20.8"
XXXXXX	AXN - HEAVY DUTY	TMS R23 FMSI-4707	NA	KIC 60001-01	16 1/2 X 7	TSE T30/30	5.5" Gunite	XXXXXX	20.8"
XXXXXX	AXN - HEAVY DUTY	AXN R23 FMSI-4692	NA	KIC 54244-01	12 1/4 X 7 1/2	TSE 30/30	6.0" HALDEX	XXXXXX	15.6"
XXXXXX	AXN - HEAVY DUTY	JURID 539	AXN	NA	WABCO PAN 22	TSE 20/24	NA	XXXXXX	20.8"

Last Updated: 09/09/14

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

DANA

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	CAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Matériau de friction	Tambours de frein	Format des freins	Freins à ressort	Régulateurs de jeu	PNBE-Kg	RCS
BPT 1668	Dana D22	CM18FF (BRAKEPRO)	WEBB 66884	16.5 x 7	HALDEX 3030 GC	6.0" SEMAC	9,080	N/A
93-0575-D	Dana D22	CM20FF (BRAKEPRO)	E R I E 2764-5	16.5 x 7	HALDEX 3030 GSB	6.0" HALDEX	10,206	N/A
94-3015	Dana D22	P2020-1* MIDLAND	E R I E 2764-5	16.5 x 7	Midland 3030	6.0" MIDLAND	10,000	20.75
94-3010-2	Dana D22	CM18 (BRAKEPRO)	Hayes Lemmerz 2308712	16.5 x 7	HALDEX 3030	6.0" CREWSON	10,210	21.1
RAI-DANT-1	Dana D22	ABEX 3030-197	WEBB 66884	16.5 x 7	MGM 3030	6.0" HALDEX	9,072	20.6
RAI-DANT-2	Dana D22	ABEX 931-162	WEBB 66884	16.5 x 7	MGM 3030	6.0" HALDEX	10,206	20.6
RAI-DANT-4	Dana D22	FRAS-LE AF/655-1-FF	WEBB 66884	16.5 x 7	MGM 3030	6.0" HALDEX	10,206	20.6
RAI-DANT-05	Dana D22	CARLISLE MB21	WEBB 63680	12.25 X 7.5	CARLISLE 3030	5.5 & 6.0" HALDEX	7,938	14.81
RAI-DANT-06	Dana D22	Bendix SILVER (CARLISLE)	WEBB 63680	12.25 X 7.5	CARLISLE 3030	5.5 & 6.0" HALDEX	7,938	14.81
RAI-DANT-07	Dana D22	Bendix RED/CM18 (BRAKEPRO)	WEBB 63680	12.25 X 7.5	MGM 3030	5.5 & 6.0" HALDEX	7,938	14.81
RAI-DANT-08	Dana D22	ABEX 931-162	WEBB 63680	12.25 x 7.5	CARLISLE 3030	5.5 & 6.0" HALDEX	7,938	14.81
RAI-DANT-09	Dana D22	ABEX 931-162	DANA cast YH1	16.5 x 7	MGM 3030	5.5 & 6.0" HALDEX	10,206	19.6
RAI-DANT-10	Dana D22	ABEX 931-162	WEBB 66864	16.5 x 7	MGM 3030	5.5 & 6.0" HALDEX	10,206	19.6
RAI-DANT-11	Dana D22	Bendix EES200EE	WEBB 61988	15 x 8 5/8	MGM 3030	5.5 & 6.0" HALDEX	7,938	16
RAI-DANT-12	Dana D22	3030-197	WEBB 619991F	15 x 8 5/8	MGM 3030	5.5 & 6.0" HALDEX	9,072	16
RAI-DANT-16	Dana D22	ESS 420 FF	WEBB 66864	16.5 x 7	MGM 3030	5.5" SPICER	9,072	20.4
RAI-DANT-17	DANA Spicer D22	Bendix ESS 450 FF	WEBB 66864F	16.5 x 7	MGM 3030	5.5" SPICER	9,072	20.3
RAI-DANT-18	Dana Spicer D22	Bendix Silver Supreme	WEBB 66864F	16.5 x 7	MGM 3030	5.5" SPICER	9,072	20.3
RAI-DANT-19	Dana Spicer D22	Bendix Silver Supreme	WEBB 63680F	12.25 x 7.5	MGM 2424 & 2430	6.0" SPICER	7,938	15.4
RAI-LRAD-DANT-20	DANA Spicer D22	Bendix AD 1550 EE	DANA DISC 976091	17 x 17.5	MAXIBRAKE 24/30	N/A	10,433	20.5
RAI-DC-2	Dana D22	CM-22A1 (BRAKEPRO)	Hayes Lemmerz 2308712	16.5 x 7	HALDEX 3030	6.0" HALDEX	10206	20.25
RAI-DC-3	Dana D22	Bendix RED	Hayes Lemmerz 2308712	16.5 x 7	HALDEX 3030	6.0" HALDEX	10206	20.25
RAI-DC-04	Dana D22	CM 29 GG	WEBB 66884	16.5 X 7	MGM 3030	6.0" HALDEX	11,340	20.25
RAI-DC-05	Dana D22	GR 2020-1- FF	Webb - cast 66864	16.5 x 7	MGM 3030	5.5" Gunnite	10206	20.25
RAI-DC-06	Dana D22	Bendix Red XLS FF Extended Life	Webb - cast 66864	16.5 x 7	MGM 3030	6.0" & 5.5" Gunnite	10206	20.25
RAI-DC-08	DANA Spicer D22	Bendix Silver XLII Etra Life	WEBB 66864F	16.5 x 7	MGM 3030	5.0" HALDEX	9,072	20.4
RAI-DC-09	DANA Spicer D22	Bendix OEM Silver Standard	WEBB - cast 66864F	16.5 x 7	MGM 3030	5.5" HALDEX	9,072	20.4
RAI-DC-10	DANA Spicer D22	Bendix OEM Burgundy Ex life	WEBB 66864F	16.5 x 7	MGM 3030	5.0" HALDEX	10,433	20.4
RAI-DC-11	DANA Spicer D22	Bendix OEM Burgundy Std life	WEBB 66864F	16.5 x 7	MGM 3030	5.0" HALDEX	10,433	20.4
526	Dana D22	CARLISLE MB21	WEBB 66884	16.5 x 7	MGM 3030	6.0" HALDEX	9,080	20.6
527	Dana D22	Bendix SILVER (CARLISLE)	WEBB 66884	16.5 x 7	MGM 3030	6.0" HALDEX	9,080	20.6
XXXXXX	Dana D22	CARLISLE MB23	WEBB 66884	16.5 x 7	MGM 3030	6.0" HALDEX	XXXXXX	20.6
XXXXXX	DANA-EATON	Bendix EES410	GUNITE	16.5 X 7	MGM 3030	5.5 & 6.0"	XXXXXX	20.3
XXXXXX	Dana D22	CF2000	WEBB 66884	16.5 X 7	CARLISLE 3030	5.5" HALDEX	XXXXXX	20
XXXXXX	Dana D22AX501A2210-1	ES 600 (FMSI 4692)	WEBB 63631	12.25 X 7.5	HALDEX 3030	6.0" HALDEX	XXXXXX	406 mm (16 in)
XXXXXX	Dana D22AX501A2374-1	ES 600 (FMSI 4536)	WEBB 63630	12.25 X 5.5	MGM 2430L	6.0" Spicer Automatic	XXXXXX	394 mm (15.5 in)
XXXXXX	SGDY22505-320002081	Spicer BX691	GUNITE 3600A	16.5 x 7	BENDIX 3030	HALDIX 5.5 & SABA 6.0"	XXXXXX	526 mm (20.7") 528 mm (20.8")
XXXXXX	SGDY22505-320002081	Spicer BX691	GUNITE 3600A	16.5 x 7	BENDIX 3030	HALDIX 5.5 & SABA 6.0"	XXXXXX	526 mm (20.7") 528 mm (20.8")

**NOTE:** Anchorlok Spring Brake Brand was purchased by HALDEX, redesigned and replaced with HALDEX. Therefore you may substitute accordingly.

Last Updated: 03/23/10

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

**DATA MARKED IN YELLOW ON THIS PAGE IS WHAT IS AVAILABLE FROM HENDRICKSON POST TAKE OVER OF DANA TRAILER AXLE DIVISION**

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

Dexter

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXXX	DEXTER D2012	CM 18 FF	DEXTER 9-40	12.25 X 7.5	MGM 3030	6" CREWSON	XXXXXX	14.125
XXXXXX	DEXTER D2012	NABK-110FF	DEXTER 9-40	12.25 X 7.5	MGM 3030	6" CREWSON	XXXXXX	14.125
XXXXXX	DEXTER D2216	NABK-110FF	DEXTER 9-40	16.5 x 7.0	MGM 3030	6" CREWSON	XXXXXX	19.6
XXXXXX	DEXTER D1512	NABK-110FF	DEXTER 9-28	12.25 x 5	MGM 3030	5" CREWSON	XXXXXX	14.125
XXXXXX	DEXTER D1012	NABK-110FF	DEXTER WF2	12.25 x 4	HALDEX 2024	5" CREWSON	XXXXXX	14.76

\* Note: Effective Jan , 2004 Dexter no longer supplies CM18FF with their axle assembly. Use Test report RAI-DEX-02 or purchase axle assembly less Friction material and supply your own CM18FF lining to complete the package.

Please NOTE: When ordering Dexter Axle/Brake assemblies,specify desired Axle GAWR first, then Axle Beam strength if it is to be greater that GAWR.

**NOTE:** Anchorlok Spring Brake Brand was purchased by HALDEX, redesigned and replaced with HALDEX. Therefore you may substitute accordingly.

Last Updated: 1/19/06

Copyright © 2004 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

Eaton-Sudisa

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXXX	DANA/EATON	EES420 ABEX	WEBB 66884	16.5x7	MGM 3030	6.0" EATON	XXXXXX	21.1
XXXXXX	DANA/EATON EST225J	EES-420-FF ABEX	WEBB 66824B	16.5 x 8 5/8	MGM 3030	5.5" & 6.0" HALDEX	XXXXXX	20.6

XXXXXX	Sudisa	E145A CARLISLE	KIC 555-01168 Sudisa	16.5 x 7	Black Max 3030 or MGM 3030	5.5" CREWSON	XXXXXX	20.25

**NOTE:** Anchorlok Spring Brake Brand was purchased by HALDEX, redesigned and replaced with HALDEX. Therefore you may substitute accordingly.

Last Updated: 1/19/06

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

Eveley

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieu	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXXX	06083-011-ARD-580	Brake Pro CM18FF	ConMet 10019892	16.5 x 7	Haldex 30/30	6.0" HALDEX	XXXXXX	20.4
XXXXXX	06083-011-ARD-580	CBI 23C (FMSI 4515)	WEBB 66864B	16.5 x 7	Haldex 30/30	6.0" & 5 1/2'(Auto) HALDEX	XXXXXX	20.8
XXXXXX	N/A	CBI 23C (FMSI 4692D)	KIC 54244-01	12 1/4 X 7 1/2"	Haldex 30/30	6.0" (Auto) HALDEX	XXXXXX	15.4
XXXXXX	N/A	ABEX 931-162 (FMSI 4692D)	KIC 54244-01	12 1/4 X 7 1/2"	Haldex 30/30	6.0" (Auto) HALDEX	XXXXXX	15.4
XXXXXX	06083-011-ARD-580	CBI 23C (FMSI 4707) Q-PLUS	WEBB 66864F	16.5 x 7	TSE 30/30	6.0" (Auto) HALDEX	XXXXXX	20.8
XXXXXX	06083-011-ARD-580	ABEX 931-162 (FMSI 4707) Q-PLUS	WEBB 66864F	16.5 x 7	MGM 30/30	6.0" (Auto) HALDEX	XXXXXX	20.8
XXXXXX	N/A	Jurid 539FF	WEBB 20735 - 3T	17 x 1-3/4"	Haldex 20/24	DB22LT Air Disc Brakes	XXXXXX	20.8/ 528mm
XXXXXX	N/A	Jurid 539FF29 (BX275)	WEBB 20735 - 3T	17 x 1-3/4"	Bendix 18/24	ADB22X Air Disc Brakes	XXXXXX	20.8/ 528mm
XXXXXX	E775A110009	Duraline Vista HP (FMSI 4707D)	WEBB 66864F	16.5" X 7"	Haldex 30/30	6.0" HALDEX	XXXXXX	20.2/ 513mm
XXXXXX	N/A	Duraline Vista HP (FMSI 9642D)	WEBB 63680	12.25" X 7.5"	Haldex 30/30	6.0" HALDEX	XXXXXX	15.6/ 396mm
XXXXXX	N/A	Jurid 539FF20	N/A	PAN 17	Haldex 2024	WABCO Air Disc Brakes	XXXXXX	15.8/ 401mm

Last Updated: 07/25/12

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

## KGI

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Rotor Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Matériau de friction	Tambours de frein	Format des freins		Freins à ressort	Régulateurs de jeu	PNBE-Kg	RCS
XXXXXX	KGI STEERABLE AXLE KGS 230	FRASLE AF/523 (FMSI 4515)	WEMC 03-00043	16.5 X 7 STANDARD SERVICE	N/A	BENDIX T3030	6.0" HALDEX	XXXXXX	20.8 MAX.
XXXXXX	KGI STEERABLE AXLE KGS 230	ABEX-685 (FMSI 4707)	WEMC 03-00043	16.5 X 7 STANDARD SERVICE	N/A	BENDIX T3030	6.0" HALDEX	XXXXXX	20.8 MAX.
XXXXXX	KGI STEERABLE AXLE KGS 230	Jurid 539FF29	N/A	ADB22T - 17x1-3/4	Gunite 5913	BENDIX T1824	N/A	XXXXXX	20.8 MAX.
XXXXXX	KGI STEERABLE AXLE KGS 230	WABCO 230	N/A	PAN 22 17X1 3/4	N/A	WABCO T2024	N/A	XXXXXX	21.0 MAX

Last Updated: 06/23/2014

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

FUWA

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieu	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXXX	FN,FP,DCN,DCP, Others	FE12 (MB21) FMSI-4515E	WEBB 66864	16.5 x 7	Di Pro 30/30	5.5" HALDEX	XXXXXX	20.6
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4515 CAM PL133 FF	WEBB 66864	16.5 x 7	Di Pro 30/30	5.5" HALDEX	XXXXXX	20.6
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4692 CAM PL244 GG	KIC 54244-01	12.25 x 7.5	Bendix 30/30	6.0" HALDEX	XXXXXX	15
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4515E CAM PL244 GG	WEBB 66864	16.5 x 7	Bendix 30/30	5.5" HALDEX	XXXXXX	20.1
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4707 CAM PL133 FF	WEBB 66864	16.5 x 7	Bendix 30/30	5.5" HALDEX	XXXXXX	20.1
XXXXXX	FN,FP,DCN,DCP, Others	Proline 4707 CAM PL244 GG	WEBB 66864B	16.5 x 7	Haldex 30/30	5.5" HALDEX	XXXXXX	20.8/ 528 mm

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

Hendrickson Trailer Suspension Systems

Last Revision: 14/11/2013

\* Indicates two separate linings under same report number

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made prior to 2/21/00	3030-197 ABEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" CREWSON	XXXXXX	20.8 MAX.	Superceded by CR-AA-13 for brakes made after 2/21/00
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made through 1998	NAB-718 FERODO	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" CREWSON	XXXXXX	20.8 MAX.	Lining discontinued by Hendrickson during 1998
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made prior to 2/21/00	GR2015-2 MIDLAND	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" GUNITE	XXXXXX	20.8 MAX.	Superceded by CR-AA-17 for brakes made after 2/21/00
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made prior to 2/21/00	GR2020-1 MIDLAND	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" GUNITE	XXXXXX	20.8 MAX.	Superceded by CR-AA-18 for brakes made after 2/21/00
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made through 1998	CM-16 BRAKE - PRO	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" OR 6.0" CREWSON	XXXXXX	20.8 MAX.	Lining discontinued by Hendrickson during 1998
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made prior to 2/21/00	CM-18 BRAKE - PRO	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MIDLAND 30/30	5.5" CREWSON	XXXXXX	20.3 MAX	Superceded by CR-AA-16 for brakes made after 2/21/00
						6.0" CREWSON	XXXXXX	20.8 MAX.	
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brakes made through 1998	3030-197 ABEX	WEBB 66814	16.5 X 8.63 STANDARD SERVICE (FMSI 4551)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	20.5 MAX.	Brake discontinued by Hendrickson during 1998
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	3030-197 ABEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 8/28/98
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	931-162 ABEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.8	Effective after 8/28/98
						6.0" CREWSON	XXXXXX	17.0 - 20.8	
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	ULTRAA 20 ABEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 1/8/01 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	3030-197 ABEX	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 8/28/98 Copy sent to Scott McFarland August 2005
						6.0" CREWSON	XXXXXX	17.0 - 20.3	

Hendrickson

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	ULTRAA 20 ABEX	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 1/8/01 until superceded by CR-AA-22 for brakes made after 5/1/01
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	931-162 ABEX	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" CREWSON	XXXXXX	17.0 - 20.3	Effective after 8/28/98
						5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.8	
						6.0" CREWSON	XXXXXX	17.0 - 20.3	
					MGM 30/36	6.0" CREWSON	XXXXXX	17.0 - 20.8	
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	3030-197 ABEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 2/21/00 SUPERCEDES CR-AA-01
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	931-162 ABEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.8	Effective after 2/21/00
						6.0" CREWSON	XXXXXX	17.0 - 20.8	
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	MB-21 CARLISLE	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0-20.3	Effective after 2/21/00
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	CM-18 BRAKE - PRO	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.3	Effective after 2/21/00 SUPERCEDES CR-AA-04
						6.0" GUNITE	XXXXXX	20.3 - 20.8	
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	GR2015-2 HALDEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.3	Effective after 2/21/00 SUPERCEDES CR-AA-03
								17.0 - 20.8	
XXXXXX	Hendrickson INTRAAX / VANTRAAX Standard Service brake w / HXS Cam made on or after 2/21/00	GR2020-1 HALDEX	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.8	Effective after 2/21/00 SUPERCEDES CR-AA-03
								17.0 - 20.3	
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MB-21 CARLISLE	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.0	Effective after 2/21/00
						6.0" GUNITE	XXXXXX	20.0 - 20.3	
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MB-21 CARLISLE	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.3	Effective after 2/21/00
						5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.0	
						6.0" CREWSON	XXXXXX	20.0 - 20.3	
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	CF2000 CARLISLE	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.3	Effective after 1/8/01 Copy sent to Scott McFarland August 2005

Hendrickson

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	ULTRAA 20 ABEX	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" CREWSON	XXXXXX	17.0 - 20.8	Effective after 5/1/01 SUPERCEDES CR-AA-11 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	GR2020-1 HALDEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.8	Effective after 6/01/02 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	CF2000 CARLISLE	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.8	Effective after 11/1/01 Copy sent to Scott McFarland August 2005
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MB-23 CARLISLE	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.8	Effective after 6/01/02 Copy sent to Scott McFarland August 2005
					MGM 30/30 Long Stroke	6.0" GUNITE	XXXXXX	17.0 - 20.8	
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MB-23 CARLISLE	WEBB 66854	16.5 X 8.63 HXS EXTENDED SERVICE (FMSI 4711)	MGM 30/30	5.5" OR 6.0" GUNITE	XXXXXX	17.0 - 20.8	Effective after 6/01/02 Copy sent to Scott McFarland August 2005
						6.0" GUNITE	XXXXXX	17.0 - 20.8	
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	3030-197 ABEX	WEBB 61988B	15.0 X 8.63 HXS EXTENDED SERVICE (FMSI 4710)	MGM 24/24 (2.5" STROKE) OR MGM 24/30 (2.5" STROKE)	5.5" OR 6.0" HALDEX	XXXXXX	14.9 - 17.3	Effective after 6/01/02 Copy sent to Scott McFarland August 2005
					MGM 30/30	6.0" HALDEX	XXXXXX	14.9 - 17.3	
						5.5" OR 6.0" HALDEX	XXXXXX	14.9 - 17.3	
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	MA212 MERITOR	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" HalDEX	XXXXXX	17.0 - 20.3	Effective after 7/07/05
						XXXXXX	17.0 - 21.5	Submitted 10-18-05	
XXXXXX	Hendrickson INTRAAX / VANTRAAX Haldex DB22 Air Disc Brakes	HX-65 Haldex	ConMet Flat Disc 430 mm	DB22X Air Disc	Haldex 24/30	N/A	XXXXXX	17.0 - 20.8	Submitted 12-15-05 Max GAWR corrected 11-14-07
XXXXXX	Hendrickson INTRAAX / VANTRAAX Bendix ADB225 Air Disc Brakes	539-29 Jurid	Knorr 16 7/8 x 1 3/4 Disc	ADB225 Disc Air	Knorr 20/24	N/A	XXXXXX	17.0 - 20.3	Submitted 7-26-06
XXXXXX	Hendrickson INTRAAX / VANTRAAX HXS Extended Service Brakes	3015 Haldex	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" HalDEX	XXXXXX	17.0 - 20.8	Submitted 5-11-07 Max GAWR corrected 12-12-07 Obsoleted 7-30-10
XXXXXX	Hendrickson INTRAAX / VANTRAAX Bendix ADB22X Air Disc Brakes	539-29 Jurid	Knorr 16 7/8 x 1 3/4 Disc	ADB22X Disc Air	Knorr 18/24	N/A	XXXXXX		

Hendrickson

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
XXXXXX	Hendrickson Chassis Axle (HCA) Standard Service Brakes (FMSI 4515)	3030-197 ABEX	KIC-52230-10	16.5 X 7 HCA STANDARD SERVICE (FMSI 4515)	Bendix 30/30	5.5" Haldex	XXXXXX	17.0 - 20.8	Submitted 5-25-07 Re-submitted w/new cover letter 11-15-07
XXXXXX	Hendrickson Chassis Axle (HCA) Standard Service Brakes (FMSI 4515)	3030-197 ABEX	KIC-52230-10	16.5 X 7 HCA STANDARD SERVICE (FMSI 4515)	Bendix 30/30	6.0" Bendix	XXXXXX	17.0 - 20.8	Submitted 5-25-07 Re-submitted w/new cover letter 11-15-07
XXXXXX	Hendrickson Chassis Axle (HCA) Standard Service Brakes (FMSI 4707)	3030-197 ABEX	KIC-52230-10	16.5 X 7 HCA EXTENDED SERVICE (FMSI 4707)	Bendix 30/30	5.5" Haldex	XXXXXX	17.0 - 20.8	Submitted 5-25-07 Re-submitted w/new cover letter 11-15-07
XXXXXX	Hendrickson Chassis Axle (HCA) Standard Service Brakes (FMSI 4707)	3030-197 ABEX	KIC-52230-10	16.5 X 7 HCA EXTENDED SERVICE (FMSI 4707)	Bendix 30/30	6.0" Bendix	XXXXXX	17.0 - 20.8	Submitted 5-25-07 Re-submitted w/new cover letter 11-15-07
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4707)	GR2020-1 HALDEX	WEBB 66864	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	MGM 30/30	6.0" Haldex	XXXXXX	17.0 - 20.8	Submitted 6-07
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4707)	931-162 ABEX	WEBB 66864	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	MGM 30/30	5.5" OR 6.0" HALDEX	XXXXXX	17.0 - 20.8	Submitted 6-07
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4707)	MB-23 CARLISLE	WEBB 66864	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	MGM 30/30	6.0" Haldex	XXXXXX	17.0 - 20.8	Submitted 8-07
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4692)	931-162 ABEX	Webb 63680	12.25 X 7.5 HTA EXTENDED SERVICE (FMSI 4692)	Type 24/30	6.0" Haldex	XXXXXX	17.0 - 20.8	Submitted 9-21-07
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4710)	3030-197 ABEX	Webb 61991	15 X 8.625 HTA EXTENDED SERVICE (FMSI 4710)	Type 30/30	5.5" OR 6.0" HALDEX	XXXXXX	17.3 MAX.	Submitted 10-26-07
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes (FMSI 4515)	Bendix Spicer Silver Supreme	Webb 66864F	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXXX	20.3 MAX.	Correction - Submitted 1-16-08
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes (FMSI 4515)	3030-197 ABEX	Webb	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXXX	20.6 MAX.	Submitted 1-17-08

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
XXXXXX	Hendrickson Trailer Axle (HTA)	Carlisle MB21	Webb	16.5 X 7 HTA	Type 30/30	5.5" OR 6.0"	XXXXXX	20.7 MAX.	re-Submitted 11-14-08
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes (FMSI 4536)	Bendix Spicer ES600	Webb 63630	12.25 X 5.5 Bendix Spicer (FMSI 4536)	Type 24/30	6.0"	XXXXXX	15.6 MAX.	Submitted 11-14-08
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4692)	Bendix Spicer ES600	Webb 63680	12.25 X 7.5 HTA EXTENDED SERVICE (FMSI 4692)	Type 30/30	6.0"	XXXXXX	20.7 MAX.	Submitted 11-14-08
XXXXXX	Hendrickson INTRAAX / VANTRAAX Haldex DB22LT Air Disc Brakes	Jurid 539	Gunite R6026M	DB22LT Air Disc	Haldex 20/24	N/A	XXXXXX	20.8" Max	Submitted 2-24-09 Max GAWR Corrected 3-4-09
XXXXXX	Hendrickson Chassis Axle (HCA/HTA) Standard Service Brakes (FMSI 4707)	Carlisle MB21	Webb 66864	16.5 X 7 HCA EXTENDED SERVICE (FMSI 4707)	Bendix 30/30	5.5" or 6.0" Bendix	XXXXXX	20.3 MAX.	Submitted 3-13-09
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4707)	NAB456 ABEX	WEBB 66864	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4707)	MGM 30/30	6.0" HALDEX	XXXXXX	17.0 - 20.8	Submitted 8-14-09 <b>Corrected test ID, GAWR, Air chamber stroke 10-27-10</b>
XXXXXX	Hendrickson INTRAAX / VANTRAAX	Wabco 230	Gunite R6026M	PAN22 Air Disc	Meritor-Wabco 20/24	N/A	XXXXXX	20.8" Max	Submitted 12-9-11 - Updated 1-6-14
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4710)	Bendix Spicer ES460	Webb 61991	15 X 8.625 HTA EXTENDED SERVICE (FMSI 4710)	Type 30/30	5.5" OR 6.0"	XXXXXX	17.3 MAX.	Submitted 8-14-09
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes (FMSI 4515)	Bendix Spicer ES460	Webb	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXXX	20.6 MAX.	Submitted 8-14-09
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4707)	Bendix Spicer ES460	Webb	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	Type 30/30	5.5" OR 6.0"	XXXXXX	20.7 MAX.	Submitted 8-14-09
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes (FMSI 4515)	Bendix Spicer ES600	Webb	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30	6.0"	XXXXXX	20.6 MAX.	<b>Submitted 8-14-09 Corrected Material ID 11-19-09</b>
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4707)	Bendix Spicer ES600	Webb	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	Type 30/30	6.0"	XXXXXX	20.7 MAX.	<b>Submitted 8-14-09 Corrected Material ID 11-19-09</b>

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
XXXXXX	Hendrickson Trailer Axle (HTA) Extended Service Brakes (FMSI 4707)	Bendix Spicer BX691	GUNITE	16.5 X 7 HTA EXTENDED SERVICE (FMSI 4707)	Type 30/30LS	6.0"	XXXXXX	20.8 MAX.	Submitted 3-30-10
XXXXXX	Hendrickson Trailer Axle (HTA) Standard Service Brakes (FMSI 4515)	Bendix Spicer BX691	GUNITE	16.5 X 7 HTA STANDARD SERVICE (FMSI 4515)	Type 30/30LS	6.0"	XXXXXX	20.8 MAX.	Submitted 3-30-10
XXXXXX	Hendrickson INTRAAX / VANTRAAX Bendix ADB22X Air Disc Brakes	539-29 Jurid	Knorr 16 7/8 x 1 3/4 Disc	ADB22X Air Disc	Knorr 18/24	N/A	XXXXXX	17.0 - 20.8	Submitted 7-30-10 Replaces CR-AA-32
XXXXXX	Hendrickson Trailer Axle Extended Service Brakes (FMSI 4536)	931-162 FEDERAL MOGUL	Webb 63634F	12.25 X 5.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4536)	Type 24/24	5.5" OR 6.0"	XXXXXX	14.3-15.6	Submitted 9-29-10
XXXXXX	Hendrickson Trailer Axle Extended Service Brakes (FMSI 4692)	931-162 FEDERAL MOGUL	Webb 63680	12.25 X 7.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4692)	Type 24/30	5.5" OR 6.0"	XXXXXX	14.3-15.6	Submitted 9-29-10
XXXXXX	Hendrickson Trailer Axle Extended Service Brakes (FMSI 4692)	931-162 FEDERAL MOGUL	Webb 63680	12.25 X 7.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4692)	Type30/30 LS	6.0"	XXXXXX	14.3-15.6	Submitted 9-29-10
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRILAXLE HXS Extended Service Brakes (FMSI 4711)	NAB456 ABEX	WEBB 66884	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4711)	Type 30/30	5.5" OR 6.0"	XXXXXX	17.0 - 20.8	Submitted 10-27-10, Updated 1-6-14
					Type 30/30 LS	6.0"	XXXXXX		
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRILAXLE HXS Extended Service Brakes (FMSI 4515)	H20167SF	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXXX	17.0-20.8	Submitted 1-6-14
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRILAXLE HXS Extended Service Brakes (FMSI 4707)	H20167XF	WEBB 66864	16.5 X 7 EXTENDED SERVICE (FMSI 4707)	Type 30/30	5.5" OR 6.0"	XXXXXX	17.0-20.8	Submitted 1-6-14
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRILAXLE Extended Service Brakes (FMSI 4711)	H20167XF	WEBB 66884	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4711)	Type 30/30	5.5" OR 6.0"	XXXXXX	17.0 - 20.8	Submitted 1-6-14
						6.0"	XXXXXX		

Hendrickson

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4710)	H20158XF	WEBB 61991	15.0 X 8.625 HXS EXTENDED SERVICE (FMSI 4710)	Type 24/24 OR Type 24/30	5.5" OR 6.0" HALDEX	XXXXXX	14.9 - 16.3	Submitted 1-6-14
						6.0" HALDEX			
					Type 30/30	5.5" OR 6.0" HALDEX			
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Standard Service Brakes (FMSI 4515)	H23167SF	WEBB 66864	16.5 X 7 STANDARD SERVICE (FMSI 4515)	Type 30/30	5.5" OR 6.0"	XXXXXX	17.0-20.8	Submitted 1-6-14
	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4707)	H23167XF	WEBB 66864	16.5 X 7 EXTENDED SERVICE (FMSI 4707)	Type 30/30	5.5" OR 6.0"		XXXXXX	17.0-20.8
XXXXXX	Hendrickson INTRAAX / VANTRAAX and TRLAXLE Extended Service Brakes (FMSI 4711)	H20168XF	WEBB 66884	16.5 X 7 HXS EXTENDED SERVICE (FMSI 4711)	Type 30/30	5.5" OR 6.0"	XXXXXX	17.0 - 20.8	Submitted 1-6-14
						6.0"			
XXXXXX	Hendrickson TRLAXLE Extended Service Brakes (FMSI 4692)	H20127XF	WEBB 63680	12.25 X 7.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4692)	Type 24/24	5.5" OR 6.0"	XXXXXX	14.3 - 15.6	Submitted 1-6-14
	Hendrickson TRLAXLE Extended Service Brakes (FMSI 4692)	H20127XF	WEBB 63680	12.25 X 7.5 Hendrickson Trailer Axle EXTENDED SERVICE (FMSI 4692)	Type 30/30 LS	6.0"		XXXXXX	14.3 - 15.6
XXXXXX	Hendrickson VANTRAXX PBR3472	Wabco 233	WABCO 415 MM	Hendrickson MAXX 22T	Wabco 18/24	N/A	XXXXXX	17.0-20.8 17.0-20.3 17.0-19.3	Re-submitted 02-20-15
	Hendrickson INTRAAX/VANTRAAX and TRLRAXLE Extended Service Brakes (FMSI 4707)	H26167XF	WEBB 66864	16.5 X 7 EXTENDED SERVICE (FMSI 4707)	Type 30/30	6.0"		XXXXXX	17.0 - 20.8
XXXXXX	Hendrickson INTRAAX/VANTRAAX and TRLRAXLE Extended Service Brakes (FMSI 4711)	H26167XF	WEBB 66864	16.5 X 8.625 HXS EXTENDED SERVICE (FMSI 4711)	TYPE 30/30	5.5" OR 6.0"	XXXXXX	17.0 - 20.8	Submitted 05-11-14
					TYPE 30/30 LS	6.0"			

Hendrickson

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)	NOTES
	Current certification documents for INTRAAX, VANTRAAX, or TRLAXLE Products								
	Current certification documents for Hendrickson Chassis Axles HCA or Hendrickson HTA axles								
	Current certification documents for Hendrickson Trailer Axles (As manufactured in North America)								

IMT

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Stacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
94-0606	XXXXXX	ABB 931-162 ABEX	Hayes Lemmerz 2308712	16.5 x 7	HALDEX 3030 GC	5.5" HALDEX	XXXXXX	20.4
94-3010-1	XXXXXX	P2020 / 3020-1 FF MIDLAND/HALDEX	ERIE 2764-5	16.5 x 7	HALDEX 3030	6.0" CREWSON	XXXXXX	21.1
RAI-IMT-5	XXXXXX	ABEX 1184-41AI SXI	WEBB 66884	16.5 x 7 Q+	MGM 3030	6.0" CREWSON	XXXXXX	20
RAI-IMT-16	XXXXXX	539-20 Jurid	N/A	1-3/4 x 15 Rotors WABCO PAN 19-1+	TSE 2424HTLD65	N/A	XXXXXX	20.2/ 19.6
RAI-IMT-17	XXXXXX	539-20 Jurid	N/A	1-3/4 x 17 Rotors WABCO PAN 22-1+	TSE 2424HTLD65	N/A	XXXXXX	20.2/ 20.5
RAI-IMT-18	XXXXXX	539-20 Jurid	N/A	1-3/4 x 12-3/4 Rotors WABCO PAN 17-1+	TSE 2424HTLD65	N/A	XXXXXX	14.8/ 15.25
LRI-IMT-19 260054	XXXXXX	539-FF20 Jurid	N/A	1-3/4 x 17 Rotors WABCO 225 Disc	TSE 2424HTLD65	N/A	XXXXXX	20.4" 569 MM
RAI-IMT-20 280092	XXXXXX	539-20 Jurid	N/A	CONMET 10016601 17 X 1 3/4 Rotors Haldex DB22LT	HALDEX T2024	N/A	XXXXXX	20.4" 518 MM
RAI-IMT-21	XXXXXX	IMT 23C FMSI 4692	WEBB 63680	12 1/4 X 7 1/2	MGM 3030	6" HALDEX	XXXXXX	15.4" 391 MM
RAI-IMT-22	XXXXXX	CBI 12T FMSI 4710	WEBB 61988	15 x 8 5/8	MGM 3030	5.5" HALDEX	XXXXXX	20.9" 531 MM
RAI-IMT-23	XXXXXX	CBI 08T FMSI 4515	WEBB 66864B	16 1/2 X 7	MGM 3030	5.5" HALDEX	XXXXXX	20.9" 531 MM
LCVT-IMT-24 310171	XXXXXX	539-FF20 Jurid	NA	Gunitite 5913-4 1-3/4 x 17 Rotors WABCO PAN 22	HALDEX 2024GC	N/A	XXXXXX	20.9" 531 MM
RAI-IMT-28 320375	XXXXXX	BX - 275	N/A	ADB22X	Bendix T1824	N/A	XXXXXX	20.6" 518 MM
LRI-CMBI-01 270175	XXXXXX	IMT 23C	KIC 53033-01	16 1/2 X 7	Ranger CBTS -3030-8010-30/30	5.5" HALDEX	XXXXXX	21.2 536MM
LRI-CMBI-02 280149	XXXXXX	C.M. Brake IMT 23C (Superlife) FMSI-4707	WEBB 66864	16 1/2 X 7 Q+	Ranger CBTS -3030-8010-30/30	5.5" HALDEX	XXXXXX	20.6 523MM
LRMBI-03 280267	XXXXXX	C.M. Brake Q+ CBI 12T FMSI-4707D	WEBB 66864	16 1/2 X 7 Q+	Ranger CBTS -3030-8010-30/30	5.5" HALDEX	XXXXXX	21" 533 MM
LRMBI-04 280268	XXXXXX	C.M. Brake Q+ CBM 63 FMSI-4707D	WEBB 66864	16 1/2 X 7 Q+	Ranger CBTS -3030-8010-30/30	6" HALDEX	XXXXXX	21" 533 MM
LCVT-IMT-26 320187	XXXXXX	539-FF20 Jurid	IMT 70005	1-3/4 x 12-3/4 Rotors WABCO PAN 17-1+	TSE T2430	N/A	XXXXXX	15.6" 396mm
LCVT-IMT-27 320370	XXXXXX	IMT 23 CBI 23C	WEBB 66854FB	16 1/2 X 8 5/8	MGM 3030L3	5.5" HALDEX	XXXXXX	20.8" 528 mm
LCVT-IMT-29 330197	XXXXXX	539-FF20 Jurid	NA	1-3/4 x 17 Rotors WABCO PAN 22	HALDEX 2024GC	N/A	XXXXXX	20.8" 528 MM
LCVT-IMT-30 330145	XXXXXX	539-FF20 Jurid	NA	1-3/4 x 15 Rotors WABCO PAN 19	HALDEX 2024GC	N/A	XXXXXX	20.8" 528 MM
LCVT-IMT-31 330271	XXXXXX	BX - 275	NA	Gunitite 5913-4 1-3/4 x 17 Rotors ADB22X (KO95519/KO95520)	BENDIX T1824	N/A	XXXXXX	20.8" 528 MM

Last Updated: 07/30/2014

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

## Meritor#1

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXX	Meritor/Rockwell 4670Q2028	R-202	WEBB 66893	16.5 x 7	TSE 3030	5.5" & 6" MERITOR	XXXXX	18.9
XXXXX	Meritor/Rockwell 4670Q2956	R201	Hayes Lemmerz Centrifuse	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXX	N/A
XXXXX	Meritor/Rockwell TQ	R201	DAYTON CAST	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXX	20.6
XXXXX	Meritor/Rockwell TQ	R-301	DAYTON CAST	16.5 x 7	MGM 3030	6.0" MERITOR	XXXXX	20.5
XXXXX	Meritor/Rockwell TQ	R-301	DAYTON CAST	16.5 x 8	MGM 3030	6.0" MERITOR	XXXXX	20.5
XXXXX	Meritor/Rockwell TB	R201	Hayes Lemmerz Centrifuse	15 x 8 5/8	MGM 3030 & 2424	5.5" MERITOR	XXXXX	16.25 & 20.68
XXXXX	Meritor/Rockwell TN	MA 212	WEBB 66864	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXX	20.8
XXXXX	Meritor/Rockwell	SOR-611	DAYTON CAST	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXX	20.7
XXXXX	Meritor/Rockwell	SOR-215	DAYTON CAST	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXX	20.7
XXXXX	Meritor/Rockwell	MA-206	WEBB CAST	16.5 x 7	MGM 3030	5.5" & 6" MERITOR	XXXXX	20.3
XXXXX	Meritor/Rockwell	MA-206	WEBB CAST	15 x 8 5/8	MGM 3030	5.5" MERITOR	XXXXX	19
XXXXX	Meritor/Rockwell	MA-206	DAYTON CAST	16.5 x 7	MGM 3030	5.5" MERITOR	XXXXX	20.9

**NOTE:** Anchorlok Spring Brake Brand was purchased by HALDEX, redesigned and replaced with HALDEX. Therefore you may substitute accordingly.

Last Updated: 07/07/14

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

## Meritor-#2

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXX	Meritor/Rockwell TN	MA 212	WEBB CAST	16.5 x 8 5/8	MGM 3030	5.5" & 6" MERITOR	XXXXX	20.3
XXXXX	Meritor/Rockwell TB	MA 212	WEBB CAST	15 x 8 5/8	MGM 3030 & MGM 2424	5.5" & 6" MERITOR	XXXXX	20.3 & 16.0
XXXXX	Meritor/Rockwell	MA 212	WEBB CAST	16.5 x 8	MGM 3030	5.5" & 6" MERITOR	XXXXX	20.3
XXXXX	Meritor/Rockwell	R-301	WEBB CAST	12.25 x 7.5	HALDEX 2424	6 MERITOR	XXXXX	15.4
XXXXX	Meritor/Rockwell	MA-210	DAYTON CAST	16.5 x 8 5/8	MGM 3030	5 MERITOR	XXXXX	20.4
XXXXX	Meritor/Rockwell	MA-312	DAYTON CAST	16.5 x 7	MGM 3030	6 MERITOR	XXXXX	20.63
XXXXX	ArvinMeritor	MA-212	ArvinMeritor SteelLite X30™	16.5 x 7	TSE 3030	5.5" MERITOR	XXXXX	20.8 528mm
XXXXX	ArvinMeritor	MA-312	ArvinMeritor SteelLite X30™	16.5 x 7	TSE 3030	6.0" MERITOR	XXXXX	20.8 528mm
XXXXX	ArvinMeritor	MA-312	WEBB CAST 63680	12.25 x 7.5	MGM 2430 & MGM 2424	5.5" & 6" MERITOR	XXXXX	15.44 392mm
XXXXX	ArvinMeritor	MA-312	WEBB CAST 63680	15 x 8 5/8	MGM 3030 & MGM 2424	5.5" & 6" MERITOR	XXXXX	20.5&16 521mm/406mm
XXXXX	ArvinMeritor	MA-761	N/A	1-3/4 x 17 Rotors	TSE 2424	N/A	XXXXX	20.4 518mm
XXXXX	Hendrickson Intraxx	WABCO 230	N/A	C-28588-1 Rotors	TSE 2024	N/A	XXXXX	20.9 531mm
XXXXX LCVT-MER-164	Rockwell	MA212-A	Meritor 85-123570-002	16.5 X 8 5/8	MGM T3030	5.5" MERITOR	XXXXX	20.8" 528 mm
XXXXX	Meritor	MA212-A	Meritor 85-123466-002	15 x 8 5/8	TSE2424	5.5" MERITOR	XXXXX	18.8" 478 mm

**NOTE:** Anchorlok Spring Brake Brand was purchased by HALDEX, redesigned and replaced with HALDEX. Therefore you may substitute accordingly.

Last Updated: 07/07/14

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

Ridewell

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieu	Matériau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXX	FN,FP,DCN,DCP, Others	FE12 (MB21) FMSI-4515E	WEBB 66884	16.5 x 7	Di Pro 30/30	5.5" HALDEX	XXXXX	20.6
XXXXX	FN,FP,DCN,DCP, Others	Proline 4515 CAM PL133 FF	WEBB 66884	16.5 x 7	Di Pro 30/30	5.5" HALDEX	XXXXX	20.6
XXXXX	FN,FP,DCN,DCP, Others	Proline 4692 CAM PL244 GG	KIC 54244-01	12.25 x 7.5	Bendix 30/30	6.0" HALDEX	XXXXX	15
XXXXX	FN,FP,DCN,DCP, Others	Proline 4515E CAM PL244 GG	WEBB 66864	16.5 x 7	Bendix 30/30	5.5" HALDEX	XXXXX	20.1
XXXXX	FN,FP,DCN,DCP, Others	Proline 4707 CAM PL133 FF	WEBB 66884	16.5 x 7	Bendix 30/30	5.5" HALDEX	XXXXX	20.1
XXXXX	FN,FP,DCN,DCP, Others	Proline 4707 CAM PL244 GG	WEBB 66884	16.5 x 7	Haldex 30/30	5.5" HALDEX	XXXXX	20.8/ 528 mm
XXXXX	2325303B R/00	R403 Q-Plus	KIC 54248-018	16.5 x 6	MGM 24/24	5.5" MERITOR	XXXXX	20.8/ 528 mm
XXXXX	2600314 R/00	Jurid 539-20	Disc Brakes	PAN 22-1 ADB	TSE 24/24	N/A	XXXXX	20.8/ 528 mm

Last Updated: 02.17.12

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

## SAF Holland

Project No.	Axle Specs	Friction	Brake Drum	Rotor Size	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieu	Matériau de friction	Tambours de frein		Format des freins	Freins à ressort	Régulateurs de jeu	PNBE-Kg	RCS
RAI-HOL-01	HOLLAND XEM	HOLLAND PMI H1A FF	WEBB 66884	N/A	16.5 x 7	TSE 3030	5.5" & 6.0" HALDEX	9,072	20.3
RAI-HOL-02	HOLLAND XEM Plus	HOLLAND PMI H1A FF	WEBB 66884	N/A	16.5 x 7	TSE 3030	5.5" & 6.0" HALDEX	9,072	20.3
RAI-HOL-03	HOLLAND "Q" Plus	HOLLAND PMI H1A FF	WEBB 66884	N/A	16.5 x 7	TSE 3030	5.5" & 6.0" HALDEX	9,072	20.3
RAI-HOL-04	HOLLAND QEM	HOLLAND PMI H1A FF	WEBB 66884	N/A	16.5 x 7	TSE 3030	5.5" & 6.0" HALDEX	9,072	20.3
535	HOLLAND XEM	CARLISLE MB21	WEBB 66893	N/A	16.5 x 7	MGM 3030	5.5" & 6.0" HALDEX	9,072	20.3
564	HOLLAND QEM+	CARLISLE CF 2000	WEBB 66864B	N/A	16.5 x 7 Q	CARLISLE 3030	5.5" HALDEX	9,072	19.5
XXXXX	HOLLAND QEM+	Jurid 539FF29	N/A	SAF 4079001500	17x1-3/4	SAF 1624TLD65EU 1824TLD65EU 2024TLD65EU 1624TLD2NA 1824TLD2NA 2024TLD2NA	N/A	XXXXX	21.6" 548mm
XXXXX	HOLLAND QEM+	ABEX 3030-197	WEBB 66864B	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5"	XXXXX	20.5" 521mm
XXXXX	HOLLAND	ABEX 931-162	WEBB 66864B	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm
XXXXX	HOLLAND	Duraline DNA 38FF	WEBB 66864B	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.8" 528mm
XXXXX	HOLLAND	Duraline DNA 18FF	WEBB 66864B	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.8" 528mm
XXXXX	HOLLAND	ABEX 3030-197	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm
XXXXX	HOLLAND	Duraline Crest XL	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm
XXXXX	HOLLAND	Duraline Vista HP	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm
XXXXX	HOLLAND	ABEX 931-162	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.9" 531mm
XXXXX	HOLLAND	MB - 21	WEBB 66814b	N/A	16.5 x 8 5/8"	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.8" 528mm
XXXXX	HOLLAND	MB - 21	WEBB 66814b	N/A	16.5 x 7	MGM 3030	ArvinMeritor 5.5" & 6.0"	XXXXX	20.8" 528mm

Last up-dated 02/01/2013

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.

Watson&Chalin

Project No.	Axle Specs	Friction	Brake Drum	Brake Size	Spring Brake	Slacks	GAWR-KG	SLR-(RCS)
No. de projet	Caractéristiques d'essieux	Materiau de friction	Tambours de frein	Format des freins	Freins à ressort	Régleurs de jeu	PNBE-Kg	RCS
XXXXX	WCN5062775L28400	FE12 (MB21) FMSI-4515E	WEBB 66884	16.5 x 7	Di Pro 30/30	5.5" HALDEX	XXXXX	20.6
XXXXX	WCN5062775L28400	Proline 4515 CAM PL133 F Proline 4515 ANC PL133 F	WEBB 66884	16.5 x 7	Di Pro 30/30	5.5" HALDEX	XXXXX	20.6
XXXXX	WCN5062775L28400	Proline 4692 CAM PL244 G Proline 4692 ANC PL244 G	KIC 54244-01	12.25 x 7.5	Bendix 30/30	6.0" HALDEX	XXXXX	15
XXXXX	WCN5062775L28400	Proline 4692 CAM PL244 G Proline 4692 ANC PL244 G	WEBB 66864	16.5 x 7	Bendix 30/30	5.5" HALDEX	XXXXX	20.1
XXXXX	WCN5062775L28400	Proline 4707 CAM PL133 F Proline 4707 ANC PL133 F	WEBB 66884	16.5 x 7	Bendix 30/30	5.5" HALDEX	XXXXX	20.1
XXXXX	WCN5062775L28400	Proline 4692 CAM PL244 G Proline 4692 ANC PL244 G	WEBB 66884	16.5 x 7	Haldex 30/30	5.5" HALDEX	XXXXX	20.8/ 528 mm

Last Updated: 04.29.08

Copyright © 2002 Canadian Transportation Equipment Association. All rights reserved.

Wherever Webb 66864 or 66884 Drums are used, Webb 60864 Drum is a tested and suitable substitution. For test information, contact Webb Wheel Products, Inc. directly.